

ISSN 1742-7614 (online)

Marine Pollution Research Titles

Vol. 34 No. 3 March 2007

Marine Pollution Research Titles

CONTENTS

| | |
|-------------------------------|-----------|
| General | 1 |
| Petroleum Hydrocarbons | 9 |
| Metals | 14 |
| Radioactivity | 20 |
| Other Chemicals | 21 |
| Biological Wastes | 33 |
| Heat | 35 |
| Solids | 37 |
| Physical Disturbance | 39 |
| Non-indigenous Species | 41 |

Please note that this publication is for users within your institution only and should not be made available to anyone outside the authorised site. Anyone interested in subscribing to Marine Pollution Research Titles can visit our web pages for more information or contact us at the address on page IV.

Subscription

Volume 34: January - December 2007:
£120 (US \$230) Available online

Marine Pollution Research Titles

This current awareness publication includes references to the approximately 2,500 papers on marine and estuarine pollution indexed each year. It is divided into the following sections:

Section 1 : General

General discussions on marine and estuarine pollution ; remote sensing, pollution indicators, and monitoring systems; mathematical models, experimental methods and equipment and general chemical analysis. Aspects relating to a particular group of pollutants are included under that section, and if necessary the item is repeated in several sections.

Section 2 : Petroleum Hydrocarbons

Includes the detection, analysis and levels in the marine and estuarine environment; effects; oil characteristics; oil removal, including the use of dispersants, biodegradation etc.

Section 3 : Metals

Includes the detection, analysis, modelling, levels, effects and removal, etc.

Section 4 : Radioactivity

Includes the detection, analysis, modelling, levels, effects and removal, etc.

Section 5 : Other Chemicals

Includes the detection, analysis, modelling, levels, effects and removal, etc. Pollutants include pesticides, PCBs, halogenated hydrocarbons, phthalates etc.

Section 6 : Biological Wastes

Includes the detection, analysis, modelling, levels, effects and removal, etc. Pollutants include sewage, pulp and paper, and food processing

Section 7 : Heat

Includes the detection, analysis, modelling, and effects etc.

Section 8 : Solids

Includes the detection, analysis, modelling, and effects etc. Pollutants include dredging wastes, plastics, china clay, mining effluents etc.

Section 9 : Physical Disturbance

Includes the detection, analysis, modelling, effects and recovery, etc

Section 10: Non-indigenous Species

Includes records, environmental impact etc.

Marine Pollution Information Centre

Scope

The Centre collects documents and provides information services in the field of marine and estuarine pollution, including the detection, analysis and removal of pollutants; levels of pollutants in seawater, sediments and organisms; and the biological effects of pollutants. Legal, economic and social aspects are generally excluded. The Centre now contains approximately 78,000 documents.

Services

The Centre provides a number of services to its users:

Abstracting and Indexing

Monitoring of the marine pollution literature and preparation of records for input to the *Aquatic Sciences and Fisheries Abstracts* bibliographic database.

Contracts

Literature searches and bibliographies are carried out on behalf of customers. Previous customers have included United Nations agencies such as FAO, IMO, IOC and WHO; commercial organizations, consultants and water authorities.

Enquiries

Enquiries are welcomed from scientists, technologists and administrators working on marine pollution problems. For simple enquiries there are no charges.

Reference Collection

The majority of the documents at the Centre are always available for reference, and visitors are very welcome to use the services of the staff, and to browse through the collection.

Further Information

National Marine Biological Library
Marine Biological Association
Citadel Hill Laboratory
Plymouth PL1 2PB,
Devon,
United Kingdom.

Telephone: 01752 633266
Fax: 01752 633102
Email nmb1@mba.ac.uk
Web <http://www.mba.ac.uk/nmb1/>

Section 1: General

- (4670) AHN, J.H.; GRANT, S.B. Size distribution, sources, and seasonality of suspended particles in southern California marine bathing waters. *Environmental Science and Technology*, 41(3), 695-702, 2007. [Water quality]
- (4671) AKOUMIANAKI, I.; NICOLAIDOU, A. Spatial variability and dynamics of macrobenthos in a Mediterranean delta front area: the role of physical processes. *Journal of Sea Research*, 57(1), 47-64, 2007.
- (4672) ALLEN, J.I.; SOMERFIELD, P.J.; GILBERT, F.J. Quantifying uncertainty in high-resolution coupled hydrodynamic-ecosystem models. *Journal of Marine Systems*, 64(4), 3-14, 2007. [Southern North Sea; chlorophyll; nutrients]
- (4673) BARTIER, P.M.; SLOAN, N.A. Reconciling maps with charts towards harmonizing coastal zone base mapping: a case study from British Columbia. *Journal of Coastal Research*, 23(1), 75-86, 2007.
- (4674) BAUMGARDNER, D.; RAGA, G.B.; GRUTTER, M.; LAMMEL, G.; MOYA, M. Evolution of anthropogenic aerosols in the coastal town of Salina Cruz, Mexico: part II particulate phase chemistry. *Science of the Total Environment*, 372(1), 287-298, 2006. [Pollution recycling; anthropogenic particles]
- (4675) BECKER, G.; WOSNIOK, W.; MUELLER-NAVARRA, S. Results of oceanographic observations and modelling of the German Bight. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.15-28. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Contaminant gradients; influence of currents on caged test organisms]
- (4676) BELL, J.D.; RATNER, B.D.; STOBUTZKI, I.; OLIVER, J. Addressing the coral reef crisis in developing countries. *Ocean and Coastal Management*, 49(12), 976-985, 2006.
- (4677) BELL, S.S.; FONSECA, M.S.; STAFFORD, N.B. Seagrass ecology: new contributions from a landscape perspective. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.625-645. Dordrecht: Springer, 2006. [Including disturbance and regrowth]
- (4678) BERLANGA-ROBLES, C.A.; RUIZ-LUNA, A. Assessment of landscape changes and their effects on the San Blas estuarine system, Nayarit (Mexico), through Landsat imagery analysis. *Ciencias Marinas*, 32(3), 523-538, 2006. [Land-use patterns; shrimp farming; nutrient load]
- (4679) BERLINE, L.; BRANKART, J.-M.; BRASSEUR, P.; OURMIERES, Y.; VERRON, J. Improving the physics of a coupled physical-biogeochemical model of the North Atlantic through data assimilation: impact on the ecosystem. *Journal of Marine Systems*, 64(1-4), 153-172, 2007. [Nutrient input]
- (4680) BILBAO, E.; IBABE, A.; ZALDIBAR, B.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in mussels (*Mytilus edulis*) and cod (*Gadus morhua*) caged along a contaminant gradient in Statfjord (North Sea). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.215-234. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]

- (4681) BILBAO, E.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in wild pelagic fish, herring (*Clupea harengus*), and saithe (*Pollachius virens*) from the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.121-141. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Staffjord; pollution gradient; oil rig]
- (4682) BILKOVIC, D.M.; ROGGERO, M.; HERSHNER, C.H.; HAVENS, K.H. Influence of land use on macrobenthic communities in nearshore estuarine habitats. *Estuaries and Coasts*, 29(6B), 1185-1195, 2006.
- (4683) BOGGS, D.; ELIOT, I.; KNOTT, B. Salt lakes of the northern agricultural region, Western Australia. *Hydrobiologia*, 576, 49-59, 2007. [Catchment degradation; impact of land clearance]
- (4684) BREINE, J.J.; MAES, J.; QUATAERT, P.; VAN DEN BERGH, E.; SIMOENS, I.; VAN THUYNE, G.; BELPAIRE, C. A fish-based assessment tool for the ecological quality of the brackish Schelde estuary in Flanders (Belgium). *Hydrobiologia*, 575, 141-159, 2007.
- (4685) BROUWER, M.; BROWN-PETERSON, N.J.; LARKIN, P.; PATEL, V.; DENSLOW, N.; MANNING, S.; BROUWER, T.H. Molecular and whole animal responses of grass shrimp, *Palaemonetes pugio*, exposed to chronic hypoxia. *Journal of Experimental Marine Biology and Ecology*, 341(1), 16-31, 2007.
- (4686) CALLAWAY, J.C.; WALLACE, K.J.; ZEDLER, J.B. Reply to comment on our paper "Evolution of tidal creek networks in a high sedimentation environment: a 5-year experiment at Tijuana Estuary, California. *Estuaries and Coasts*, 29(6B), 1268-1270, 2006. [Habitat restoration]
- (4687) CARMAN, M.R.; BULLARD, S.G.; DONNELLY, J.P. Water quality, nitrogen pollution, and ascidian diversity in coastal waters of southern Massachusetts, USA. *Journal of Experimental Marine Biology and Ecology*, 342(1), 175-178, 2007. [Nutrients]
- (4688) COHEN, M.J.; BROWN, M.T. A model examining hierarchical wetland networks for watershed stormwater management. *Ecological Modelling*, 201(2), 179-193, 2007. [Suspended sediment transport; phosphorus removal]
- (4689) CRUSIUS, J.; KENNA, T.C. Ensuring confidence in radionuclide-based sediment chronologies and bioturbation rates. *Estuarine, Coastal and Shelf Science*, 71(3/4), 537-544, 2007.
- (4690) CUPUL-MAGANA, L.A.; MOSSO-ARANDA, C.; SIERRA, J.P.; MARTI, E.; FERMAN-ALMADA, J.L.; RODILLA, M.; GONZALEZ DEL RIO, J.; SANCHEZ-ARCILLA, A. Characterization and distribution patterns of surficial sediments of Cullera Bay, Spain. *Ciencias Marinas*, 32(4), 617-629, 2006. [Pollutant dispersal]
- (4691) DAVID, V.; SAUTOUR, B.; CHARDY, P. Successful colonization of the calanoid copepod *Acartia tonsa* in the oligo-mesohaline area of the Gironde estuary (SW France) - natural or anthropogenic forcing? *Estuarine, Coastal and Shelf Science*, 71(3/4), 429-442, 2007. [Impact on native species; NAO; 26 year survey; nuclear power plant]
- (4692) DIXON, P.F.; LONGSHAW, C.B.; JONES, G.J.; STONE, D.M. Monitoring for viral haemorrhagic septicaemia virus and infectious salmon anaemia virus at contaminated and reference areas in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.111-120. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Staffjord; oil rig; pollution gradient]

- (4693) DUARTE, C.M.; FOURQUREAN, J.W.; KRAUSE-JENSEN, D.; OLESEN, B. Dynamics of seagrass stability and change. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.271-294. Dordrecht: Springer, 2006.
- (4694) ENVIRONMENT AGENCY. Local environment agency plan. Seaton, Looe and Fowey. Plan from May 1999 to May 2005. iv, 58p. Bodmin: Environment Agency, 1999.
- (4695) EVERITT, J.H.; YANG, C.; SUMMY, K.R.; JUDD, F.W.; DAVIS, M.R. Evaluation of color-infrared photography and digital imagery to map black mangrove on the Texas Gulf Coast. *Journal of Coastal Research*, 23(1), 230-235, 2007.
- (4696) FEIST, S.W.; BIGNELL, J.; STENTIFORD, G.D. Histological changes in caged mussel (*Mytilus* sp.) and cod (*Gadus morhua*) at contaminant gradients in the German Bight and the Statfjord offshore oil industry area in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.311-327. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006.
- (4697) FERRARO, S.P.; COLE, F.A. Benthic macrofauna - habitat associations in Willapa Bay, Washington, USA. *Estuarine, Coastal and Shelf Science*, 71(3/4), 491-507, 2007. [Ecological indicators]
- (4698) FISHERIES AND OCEANS CANADA. A scientific review of the potential environmental effects of aquaculture in aquatic ecosystems. Volume V. Canadian Technical Report of Fisheries and Aquatic Sciences, (2450), x, 138p., 2006.
- (4699) FORLIN, L.; HYLLAND, K. Hepatic cytochrome P4501A concentration and activity in Atlantic cod caged in two North Sea pollution gradients. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.253-261. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs]
- (4700) GAZEAU, F.; MIDDLEBURG, J.J.; LOIJENS, M.; VANDERBORGHT, J.-P.; PIZAY, M.-D.; GATTUSO, J.-P. Planktonic primary production in estuaries: comparison of ¹⁴C, O₂ and ¹⁸O methods. *Aquatic Microbial Ecology*, 46(1), 95-106, 2007. [Randers Fjord; Scheldt estuary; anthropogenic CO₂]
- (4701) GILLANDERS, B.M. Seagrasses, fish, and fisheries. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.503-536. Dordrecht: Springer, 2006.
- (4702) GIOVANARDI, F.; FINOIA, M.G.; RUSSO, S.; AMORI, M.; DI LORENZO, B. Coastal waters monitoring data: frequency distributions of the principal water quality variables. *Journal of Limnology*, 65(2), 65-82, 2006. [Eutrophication; TRIX Index; nutrients; temperature; salinity; pH; dissolved oxygen]
- (4703) GOBERT, S.; CAMBRIDGE, M.L.; VELIMIROV, B.; PERGENT, G.; LEPOINT, G.; BOUQUEGNEAU, J.-M.; DAUBY, P.; PERGENT-MARTINI, C.; WALKER, D.I. Biology of *Posidonia*. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.387-408. Dordrecht: Springer, 2006. [Including anthropogenic impact]
- (4704) GRAHAM, N.A.J.; MCCLANAHAN, T.R.; LETOURNEUR, Y.; GALZIN, R. Anthropogenic stressors, inter-specific competition and ENSO effects on a Mauritian coral reef. *Environmental Biology of Fishes*, 78(1), 57-69, 2007. [Tourism; bleaching; climate change; dredged ski lane]

- (4705) HARRISON, T.D.; WHITFIELD, A.K. Application of a multimetric fish index to assess the environmental condition of South African estuaries. *Estuaries and Coasts*, 29(6B), 1108-1120, 2006.
- (4706) HOGUE, C.; SWIG, B. Habitat quality and endoparasitism in the Pacific sanddab *Citharichthys sordidus* from Santa Monica Bay, southern California. *Journal of Fish Biology*, 70(1), 231-242, 2007. [Impact of pollution]
- (4707) HOOD, W.G. Comment on "Evolution of tidal creek networks in a high sedimentation environment: a 5-year experiment at Tijuana Estuary, California" by Wallace et al. 2005. *Estuaries and Coasts*, 29(6B), 1265-1267, 2006. [Habitat restoration]
- (4708) HOSACK, G.R.; DUMBAULD, B.R.; RUESINK, J.L.; ARMSTRONG, D.A. Habitat associations of estuarine species: comparisons of intertidal mudflat, seagrass (*Zostera marina*), and oyster (*Crassostrea gigas*) habitats. *Estuaries and Coasts*, 29(6B), 1150-1160, 2006. [Oyster aquaculture site]
- (4709) HYLLAND, K. Hydrography and environmental chemistry in two North Sea pollution gradients: Introduction. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.11-13. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4710) HYLLAND, K.; BECKER, G.; LANG, T.; MCINTOSH, A.; THAIN, J.E.; THOMAS, K.V.; UTVIK, T.; VETHAAK, A.; WOSNIOK, W. Biological effects of contaminants in pelagic ecosystems: the BECPELAG Workshop. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.3-8. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig]
- (4711) HYLLAND, K.; LANG, T.; VETHAAK, D., (EDITORS). *Biological effects of contaminants in marine pelagic ecosystems*. xxxix, 474p. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4712) HYLLAND, K.; SERIGSTAD, B.; THAIN, J.E. In situ deployment of organisms and passive samplers during the BECPELAG Workshop: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.167-170. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006.
- (4713) INGOLFSSON, A. The intertidal seashore of Iceland and its animal communities. *Zoology of Iceland*, 1(7), 1-85, 2006. [Including anthropogenic impact; contaminants; road building; landfills; seaweed harvesting]
- (4714) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (4715) JAKOBSEN, F.; HARTSTEIN, N.; FRACHISSE, J.; GOLINGI, T. Sabah shoreline management plan (Borneo, Malaysia): ecosystems and pollution. *Ocean and Coastal Management*, 50(1/2), 84-102, 2007. [BOD; nutrients; E coli]
- (4716) KALADHARAN, P.; NANDAKUMAR, A.; RAJAGOPALAN, M.; GEORGE, J.P. *Mangroves of India: biodiversity, conservation and management*. Marine Fisheries Information Service. Technical and Extension Series. Cochin, 183, 8-14, 2005.

- (4717) KASINATHAN, C.; SUKUMARAN, S. A note on the coral reef degradation in some islands of Gulf of Mannar. Marine Fisheries Information Service. Technical and Extension Series. Cochin, 184, 15-16, 2005.
- (4718) KENWORTHY, W.J.; WYLLIE-ECHEVERRIA, S.; COLES, R.G.; PERGENT, G.; PERGENT-MARTINI, C. Seagrass conservation biology: an interdisciplinary science for protection of the seagrass biome. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). Seagrasses: biology, ecology and conservation. p.595-623. Dordrecht: Springer, 2006.
- (4719) LAM, K.; SHIN, P.K.S.; BRADBEER, R.; KU, K.K.K.; HODGSON, P.; CHEUNG, S.G. Baseline data of subtropical coral communities in Hoi Ha Wan Marine Park, Hong Kong, obtained by an underwater remote operated vehicle (ROV). Marine Pollution Bulletin, 54(1), 107-112, 2007.
- (4720) LANG, T. Studies in field-collected organisms during the BECPFLAG Workshop: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). Biological effects of contaminants in marine pelagic ecosystems. p.85-91. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4721) LIN, J.; XIE, L.; PIETRAFESA, L.J.; RAMUS, J.S.; PAERL, H.W. Water quality gradients across Albemarle-Pamlico Estuarine system: seasonal variations and model applications. Journal of Coastal Research, 23(1), 213-229, 2007. [Nutrients; chlorophyll a; dissolved oxygen]
- (4722) LIU, X.-S.; ZHANG, Z.-N.; HUANG, Y. Sublittoral meiofauna with particular reference to nematodes in the southern Yellow Sea, China. Estuarine, Coastal and Shelf Science, 71(3/4), 616-628, 2007. [Baseline conditions; nematodes]
- (4723) LOS, F.J.; WIJSMAN, J.W.M. Application of a validated primary production model (BLOOM) as a screening tool for marine, coastal and transitional waters. Journal of Marine Systems, 64(1-4), 201-215, 2007. [Water Framework Directive; nutrient reduction;; eutrophication; Netherlands]
- (4724) LU, L.; WU, R.S.S. A field experimental study on recolonization and succession of subtidal macrobenthic community in sediment contaminated with industrial wastes. Marine Pollution Bulletin, 54(2), 195-205, 2007.
- (4725) MACLEOD, C.J.A.; SCHOLEFIELD, D.; HAYGARTH, P.M. Integration for sustainable catchment management. Science of the Total Environment, 373(2/3), 591-602, 2007. [Nutrients]
- (4726) MALLIN, M.A.; CORBETT, C.A. How hurricane attributes determine the extent of environmental effects: multiple hurricanes and different coastal systems. Estuaries and Coasts, 29(6A), 1046-1061, 2006. [Release of chemical pollutants; debris; microbial pathogens; nutrient loading; landuse]
- (4727) MALLOY, K.J.; WADE, D.; JANICKI, A.; GRABE, S.A.; NIJBROEK, R. Development of a benthic index to assess sediment quality in the Tampa Bay Estuary. Marine Pollution Bulletin, 54(1), 22-31, 2007. [Hypoxia]
- (4728) MELVILLE, F.; PULKOWNIK, A. Seasonal and spatial variation in the distribution of mangrove macroalgae in the Clyde River, Australia. Estuarine, Coastal and Shelf Science, 71(3/4), 683-690, 2007. [Including identification of 3 species that fulfil criteria for bioindicators of environmental impact]

- (4729) MENESGUEN, A.; CUGIER, P.; LOYER, S.; VANHOUTTE-BRUNIER, A.; HOCH, T.; GUILLAUD, J.-F.; GOHIN, F. Two- or three-layered box models versus fine 3D models for coastal ecological modelling? A comparative study in the English Channel (Western Europe). *Journal of Marine Systems*, 64(1-4), 47-65, 2007. [Whole English Channel; Seine River plume; eutrophication; nutrients]
- (4730) MONTEFALCONE, M.; ALBERTELLI, G.; MORRI, C.; BIANCHI, C.N. Urban seagrass: status of *Posidonia oceanica* facing the Genoa city waterfront (Italy) and implications for management. *Marine Pollution Bulletin*, 54(2), 206-213, 2007. [Coastal development; invasive alga *Caulerpa racemosa*]
- (4731) MOORE, K.A.; SHORT, F.T. *Zostera*: biology, ecology, and management. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.361-386. Dordrecht: Springer, 2006. [Including anthropogenic impact and restoration]
- (4732) MORALES-ZARATE, M.V.; ARETXABALETA, A.L.; WERNER, F.E.; LLUCH-COTA, S.E. Modeling winter circulation and particle retention in the Magdalena-Almejas Bay lagoon system (Baja California Sur, Mexico). *Ciencias Marinas*, 32(4), 631-647, 2006.
- (4733) MORRISON, G.; SHERWOOD, E.T.; BOLER, R.; BARRON, J. Variations in water clarity and chlorophyll a in Tampa Bay, Florida, in response to annual rainfall, 1985-2004. *Estuaries and Coasts*, 29(6A), 926-931, 2006. [Nutrient loading]
- (4734) MOUILLOT, D.; DUMAY, O.; TOMASINI, J.A. Limiting similarity, niche filtering and functional diversity in coastal lagoon fish communities. *Estuarine, Coastal and Shelf Science*, 71(3/4), 443-456, 2007.
- (4735) MURPHY, R.F.; SECOR, D.H. Fish and blue crab assemblage structure in a US Mid Atlantic coastal lagoon complex. *Estuaries and Coasts*, 29(6B), 1121-1131, 2006. [Anthropogenic eutrophication; shoreline modification]
- (4736) NAKAYAMA, T.; WATANABE, M.; TANJI, K.; MORIOKA, T. Effect of underground urban structures on eutrophic coastal environment. *Science of the Total Environment*, 373(1), 270-288, 2007. [Groundwater; eutrophication; nutrients]
- (4737) NUNES, C.; SOARES, A. Stochastic environmental research risk assessment. *Ecological Modelling*, 201(2), 118-126, 2007. [Including case study of air quality; south Setubal Peninsular]
- (4738) PACHECO, A.; CARRASCO, A.R.; VILA-CONCEJO, A.; FERREIRA, O.; DIAS, J.A. A coastal management program for channels located in backbarrier systems. *Ocean and Coastal Management*, 50(1/2), 119-143, 2007. [Including case study of Faro Channel; dredging]
- (4739) PREGO, R.; PRADA, D.; VALE, C., (EDITORS). III Special Issue on Marine Chemistry. *Ciencias Marinas*, 32(2B), 339-469, 2006.
- (4740) RALPH, P.J.; TOMASKO, D.; MOORE, K.; SEDDON, S.; MACINNIS-NG, C.M.O. Human impacts on seagrasses: eutrophication, sedimentation, and contamination. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.567-593. Dordrecht: Springer, 2006. [Nutrients; anoxia; herbicides; heavy metals; petrochemicals]
- (4741) REGOLI, F.; FRULLA, S.; AAS, E.; SANNI, S. Antioxidant parameters and total oxyradical scavenging capacity in mussels from the German Bight and the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.341-349. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Pollution gradient; TOSC]

- (4742) REIFEL, K.M.; SWAN, B.K.; OLIVO, E.; WATTS, J.M.; TREES, C.C.; HURLBERT, S.H. Influence of river inflows on plankton distribution around the southern perimeter of the Salton Sea, California. *Hydrobiologia*, 576, 167-183, 2007. [Agricultural and municipal wastewater; nutrients; freshwater inflows]
- (4743) ROGERS, S.I.; TASKER, M.L.; EARLL, R.; GUBBAY, S. Ecosystem objectives to support the UK vision for the marine environment. *Marine Pollution Bulletin*, 54(2), 128-144, 2007. [Review]
- (4744) ROLLAND, R.M.; HAMILTON, P.K.; KRAUS, S.D.; DAVENPORT, B.; GILLETT, R.M.; WASSER, S.K. Faecal sampling using detection dogs to study reproduction and health in North Atlantic right whales (*Eubalaena glacialis*). *Journal of Cetacean Research and Management*, 8(2), 121-125, 2006.
- (4745) SAGARIN, R.D., (ET AL). Ecological impacts on the limpet *Lottia gigantea* populations: human pressure over a broad scale on island and mainland intertidal zones. *Marine Biology*, 150(3), 399-413, 2006. [Physical disturbance; trampling; poaching]
- (4746) SMOLDERS, R.; COOREMAN, K.; ROOSE, P.; BLUST, R.; DE COEN, W. Cellular energy allocation in caged and pelagic free-living organisms along two North Sea pollution gradients. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.235-252. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4747) SPENCER, R.G.M.; BAKER, A.; AHAD, J.M.E.; COWIE, G.L.; GANESHAM, R.; UPSTILL-GODDARD, R.C.; UHER, G. Discriminatory classification of natural and anthropogenic waters in two UK estuaries. *Science of the Total Environment*, 373(1), 305-323, 2007. [Tweed; Tyne; CDOM; nutrients; fluorescence]
- (4748) STEWARD, J.S.; VIRNSTEIN, R.W.; LASI, M.I.; MORRIS, L.J.; MILLER, J.D.; HALL, L.M.; TWEEDALE, W.A. The impacts of the 2004 hurricanes on hydrology, water quality, and seagrass in the Central Indian River Lagoon, Florida. *Estuaries and Coasts*, 29(6A), 954-965, 2006.
- (4749) SU, G.; HUANG, Y.; TAN, F.; NI, X.; TANG, T.; SHI, S. Conservation genetics of *Lumnitzera littorea* (Combretaceae), an endangered mangrove, from the Indo-West Pacific. *Marine Biology*, 150(3), 321-328, 2006. [Disturbance]
- (4750) SUIKKANEN, S.; LAAMANEN, M.; HUTTUNEN, M. Long-term changes in summer phytoplankton communities of the open northern Baltic Sea. *Estuarine, Coastal and Shelf Science*, 71(3/4), 580-592, 2007. [Hydrography; eutrophication; nutrients]
- (4751) VALENTINE, J.F.; DUFFY, J.E. The central role of grazing in seagrass ecology. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.463-501. Dordrecht: Springer, 2006.
- (4752) VERLAAN, P. Selected summary highlights from the 28th Meeting (LC 28) of Contracting Parties to the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter 1972 (London Convention 1972) and the 1st Meeting of Contracting Parties to the 1996 London Protocol (LP 1) to the London Convention. (London Protocol; LP), 30 October - 3 November, 2006 in London. *Underwater Technology*, 27(1), 35-36, 2007. [CO2 sequestration; boundary issues; spoilt cargo; litter]
- (4753) VETHAAK, A.D. The use of bioassays to assess effects in pelagic ecosystems: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.353-356. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006.

- (4754) VON WESTERNHAGEN, H.; DETHLEFSEN, V.; VOBACH, M. Occurrence and malformations of pelagic fish eggs in the German Bight, Southern North Sea 1984-2002: temperature versus pollution effects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.103-109. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [DDT]
- (4755) WALKER, D.I.; KENDRICK, G.A. Decline and recovery of seagrass ecosystems - the dynamics of change. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.551-565. Dordrecht: Springer, 2006.
- (4756) WALKER, N.D.; RABALAIS, N.N. Relationships among satellite chlorophyll a, river inputs, and hypoxia on the Louisiana Continental Shelf, Gulf of Mexico. *Estuaries and Coasts*, 29(6B), 1081-1093, 2006. [Nutrient load; nitrate; wind stress]
- (4757) WANG, T.; CRESSER, M.S. Evaluating alternative river management options in the tidal Ouse using the QUESTS1D model. *Science of the Total Environment*, 373(1), 1-12, 2007. [Effluent discharge; water abstraction; water quality model; Humber catchment; dissolved oxygen sag]
- (4758) WELLS, P.G.; SHEPPARD, C. Biomonitoring coastal seas - celebrating the contributions of our first North American editor - Dr. John (Jack) B. Pearce. *Marine Pollution Bulletin*, 54(1), 1-4, 2007.
- (4759) WELLS, S.; BURGESS, N.; NGUSARU, A. Towards the 2012 marine protected area targets in Eastern Africa. *Ocean and Coastal Management*, 50(1/2), 67-83, 2007.
- (4760) YAKUSHEV, E.V.; ARKHIPKIN, V.S.; ANTIPOVA, E.A.; KOVALEVA, I.N.; CHASOVNIKOV, V.K.; PODYMOV, O.I. Seasonal and interannual variability of hydrology and nutrients in the Northeastern Black Sea. *Chemistry and Ecology*, 23(1), 29-41, 2007. [Eutrophication; Redfield ratios; Cu; Pb; Zn; oil; surfactants; tourism]
- (4761) YUAN, D.; LIN, B.; FALCONER, R.A. A modelling study of residence time in a macro-tidal estuary. *Estuarine, Coastal and Shelf Science*, 71(3/4), 401-411, 2007. [Mersey estuary]
- (4762) ZEUG, S.C.; SHERVETTE, V.R.; HOEINGHAUS, D.J.; DAVIS, S.E., III. Nekton assemblage structure in natural and created marsh-edge habitats of the Guadalupe Estuary, Texas, USA. *Estuarine, Coastal and Shelf Science*, 71(3/4), 457-466, 2007. [Dredge spoil; restoration]

Section 2: Petroleum Hydrocarbons

(4763) AAS, E.; JONSSON, G.; SUNDT, R.C.; WESTERLUND, S.; SANNI, S. Monitoring of PAH metabolites and metals in bile from caged Atlantic cod (*Gadus morhua*) and wild pelagic fish along expected contaminant gradients in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.263-276. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord oil rig; Ag; arsenic; Cd; Co; Cr; Cu; Fe; Mn; Ni; Pb; Sn; Sr; V; Zn]

(4764) ADLER, E.; INBAR, M. Shoreline sensitivity to oil spills, the Mediterranean coast of Israel: assessment and analysis. *Ocean and Coastal Management*, 50(1/2), 24-34, 2007.

(4765) AKERMAN, J.E.; JORRITSMA, J.H.; KLAMER, H.J.C. Acute toxicity and genotoxicity of water extracts (SPE and SPMD) along two pelagic transects in the German Bight and Statfjord area, North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.421-430. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Oil rig; produced water; substituted phenols; PAHs; heterocyclic PAHs; substituted aromatics; Microtox; Mutatox]

(4766) AL-THUKAIR, A.A.; ABED, R.M.M.; MOHAMED, L. Microbial community of cyanobacteria mats in the intertidal zone of oil-polluted coast of Saudi Arabia. *Marine Pollution Bulletin*, 54(2), 173-179, 2007.

(4767) ALVAREZ, I.; GOMEZ-GESTEIRA, M.; DECASTRO, M.; MOREIRA, C.; NOVOA, E.M.; DIAZ, B.; GESTEIRA, J.L.G.; BALSEIRO, C.F.; PREGO, R. Use of MeteoGalicia wind data to monitor oil spills off the Galician coast: comparison with QuikSCAT data. *Ciencias Marinas*, 32(2B), 351-360, 2006. [Including simulation of Prestige oil spill]

(4768) BALK, L.; LIEWENBORG, B.; LARSEN, B.K.; AAS, E.; HYLLAND, K.; SANNI, S. Large hydrophobic adducts and strand breaks analysed in hepatic DNA from Atlantic cod (*Gadus morhua*) caged at the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.277-299. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Produced water]

(4769) BILBAO, E.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in wild pelagic fish, herring (*Clupea harengus*), and saithe (*Pollachius virens*) from the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.121-141. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; pollution gradient; oil rig]

(4770) BLANCO, C.G.; PREGO, R.; AZPIROZ, M.D.G.; FERNANDEZ-DOMINGUEZ, I. Characterization of hydrocarbons in sediments from Laxe Ria and their relationship with the Prestige oil spill (NW Iberian Peninsula). *Ciencias Marinas*, 32(2B), 429-437, 2006. [PAHs]

(4771) BURGEOT, T.; FAUCET, J.; MENARD, D.; GROSJEAN, P.; BOCQUENE, G. Variations of benzo(a)pyrene hydroxylase and acetylcholinesterase activities in mussels caged in the North Sea (German Bight and Statfjord). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.171-188. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord oil rig; pollution gradient; BPH; AChE]

(4772) CARPENTER, A. The Bonn Agreement Aerial Surveillance programme: trends in North Sea oil pollution 1986-2004. *Marine Pollution Bulletin*, 54(2), 149-163, 2007.

- (4773) COOKSEY, C.; HYLAND, J. Sediment quality of the Lower St. Johns River, Florida: an integrative assessment of benthic fauna, sediment-associated stressors and general habitat characteristics. *Marine Pollution Bulletin*, 54(1), 9-21, 2007. [DDTs; PCBs; PAHs; Cu; Hg; Pb; Zn; ammonia; sulphide]
- (4774) COULON, F.; MCKEW, B.A.; OSBORN, A.M.; MCGENITY, T.J.; TIMMIS, K.N. Effects of temperature and biostimulation on oil-degrading microbial communities in temperate estuarine waters. *Environmental Microbiology*, 9(1), 177-186, 2007. [PAHs; oil spill remediation; Stanford le Hope, Thames Estuary]
- (4775) DAAN, R.; MULDER, M.; WITBAARD, R. Oil contaminated sediments in the North Sea: environmental effects 20 years after discharges of OBM drill cuttings. NIOZ-Rapport, 2006-4, 29p., 2006. [Dutch Continental Shelf]
- (4776) DANISCHEWSKI, D. AChE and GST activities as biomarkers in cod, *Gadus morhua*, caged along two North Sea transects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.301-310. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs]
- (4777) DANISCHEWSKI, D.; KAMMANN, U.; VOBACH, M. Neurotoxicity, genotoxicity, and embryotoxicity tests with extracts from oil rig produced water and from SPMDs deployed along two North Sea transects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.377-383. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; AChE; Comet assay; zebrafish embryo]
- (4778) DEN BESTEN, P.J.; DE BRUYNE, E.P.L.; ROTTEVEEL, S.G.P. Cytotoxicity and DNA damage by SPE and SPMD extracts of North Sea samples detected in an in vitro bioassay with the fish cell line RTG-2. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.411-419. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig]
- (4779) DIXON, P.F.; LONGSHAW, C.B.; JONES, G.J.; STONE, D.M. Monitoring for viral haemorrhagic septicaemia virus and infectious salmon anaemia virus at contaminated and reference areas in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.111-120. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; pollution gradient]
- (4780) EIDE, M.S.; ENDRESEN, O.; BRETT, P.O.; ERVIK, J.L.; ROANG, K. Intelligent ship traffic monitoring for oil spill prevention: risk based decision support building on AIS. *Marine Pollution Bulletin*, 54(2), 145-148, 2007. [Risk levels]
- (4781) EK, H.; DAVE, G.; NILSSON, E.; AAS, E. Evaluation of fish bile bioassays as a biomarker of toxic exposure along pollution gradients in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.397-410. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAH; UV; *Ceriodaphnia dubia*]
- (4782) FEIST, S.W.; BIGNELL, J.; STENTIFORD, G.D. Histological changes in caged mussel (*Mytilus* sp.) and cod (*Gadus morhua*) at contaminant gradients in the German Bight and the Statfjord offshore oil industry area in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.311-327. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006.

- (4783) FERNANDEZ, N.; CESAR, A.; DELVALLS, T.A. Level of contamination in sediments affected by the Prestige oil spill and impact on the embryo development of the sea urchin. *Ciencias Marinas*, 32(2B), 421-427, 2006. [Cd; Co; Cu; Ni; Pb; Zn; total hydrocarbons]
- (4784) FILIPOWICZ, A.B.; WEINSTEIN, J.E.; SANGER, D.M. Dietary transfer of fluoranthene from an estuarine oligochaete (*Monopylephorus rubroniveus*) to grass shrimp (*Palaemonetes pugio*): influence of piperonyl butoxide. *Marine Environmental Research*, 63(2), 132-145, 2007. [PAHs; cytochrome P-450]
- (4785) FORLIN, L.; HYLLAND, K. Hepatic cytochrome P4501A concentration and activity in Atlantic cod caged in two North Sea pollution gradients. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.253-261. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs]
- (4786) FRANCONI, E.; WAGNER, A.DE L.R.; SCOFIELD, A.DE L.; DEPLEDGE, M.H.; CAVALIER, B.; SETTE, C.B.; CARVALHOSA, L.; LOZINSKY, C.; MARIATH, R. Polycyclic aromatic hydrocarbon in inter-tidal mussel *Perna perna*: space-time observations, source investigation and genotoxicity. *Science of the Total Environment*, 372(2/3), 515-531, 2007. [PAH; oil contamination]
- (4787) GARCIA NEGRO, M.C.; VILLASANTE, C.S.; CARBALLO PENELA, A. Compensating system for damages caused by oil spill pollution: background for the Prestige assessment damage in Galicia, Spain. *Ocean and Coastal Management*, 50(1/2), 57-66, 2007.
- (4788) GROSVIK, B.E.; TOLFSEN, C.C.; GOKSOYR, A. Studies of protein pattern in digestive gland of blue mussel (*Mytilus edulis*) deployed in cages in the vicinity of the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.203-213. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Pollution gradient; oil produced water]
- (4789) GUITART, C.; CARCIA-FLOR, N.; BAYONA, J.M.; ALBAIGES, J. Occurrence and fate of polycyclic aromatic hydrocarbons in the coastal surface microlayer. *Marine Pollution Bulletin*, 54(2), 186-194, 2007. [PAHs]
- (4790) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (4791) LAFFON, B.; ALDAO, I.; PEREZ-CADAHIA, B.; PASARO, E.; MENDEZ, J. First step in the evaluation of the effects of Prestige oil on the shore environment: availability, bioaccumulation and DNA damage. *Ciencias Marinas*, 32(2B), 389-399, 2006. [PAH]
- (4792) LANG, T. Studies in field-collected organisms during the BECPELAG Workshop: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.85-91. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4793) LEWIS, M.A.; DANTIN, D.D.; CHANCY, C.A.; ABEL, K.C.; LEWIS, C.G. Florida seagrass habitat evaluation: a comparative survey for chemical quality. *Environmental Pollution*, 146(1), 206-218, 2007. [Ag; arsenic; Cd; Cr; Cu; Hg; Ni; Pb; Zn; chlordanes; DDTs; PAHs; PCBs; Se]

- (4794) LIU, W.X.; CHEN, J.L.; LIN, X.M.; TAO, S. Spatial distribution and species composition of PAHs in surface sediments from the Bohai Sea. *Marine Pollution Bulletin*, 54(1), 113-116, 2007.
- (4795) LYONS, B.P.; GOODSIR, F.; THAIN, J.E.; WEDDERBURN, J.; MCFADZEN, I.R.B. Toxicity and phototoxicity of sea-surface microlayer samples collected from the North Sea to embryo-larval stages of the Pacific oyster (*Crassostrea gigas*). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.367-376. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Statfjord; PAHs; UV; oil rig]
- (4796) MALLIN, M.A.; CORBETT, C.A. How hurricane attributes determine the extent of environmental effects: multiple hurricanes and different coastal systems. *Estuaries and Coasts*, 29(6A), 1046-1061, 2006. [Release of chemical pollutants; debris; microbial pathogens; nutrient loading; landuse]
- (4797) MALLOY, K.J.; WADE, D.; JANICKI, A.; GRABE, S.A.; NIJBROEK, R. Development of a benthic index to assess sediment quality in the Tampa Bay Estuary. *Marine Pollution Bulletin*, 54(1), 22-31, 2007. [Hypoxia]
- (4798) MARTINS, C.C.; MAHIQUES, M.M.; BICEGO, M.C.; FUKUMOTO, M.M.; MONTONE, R.C. Comparison between anthropogenic hydrocarbons and magnetic susceptibility in sediment cores from the Santos Estuary, Brazil. *Marine Pollution Bulletin*, 54(2), 240-246, 2007. [PAHs]
- (4799) MCINTOSH, A.; HALL, C.D.; DAVIES, I.M. Measurements of hydrocarbon concentration in the water column in two areas of the North Sea by continuous fluorescence. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.43-50. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; pollution gradient; chrysene equivalents]
- (4800) MCINTOSH, A.; HYLLAND, K.; GOWLAND, B.T.G.; DAVIES, I.M. Assessment of hepatic 7-ethoxyresorufin o-deethylase activity and CYP1A concentration in herring (*Clupea harengus*) and saithe (*Pollachius virens*) from two areas of the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.93-101. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs]
- (4801) MCKEW, B.A.; COULON, F.; OSBORN, A.M.; TIMMIS, K.N.; MCGENITY, T.J. Determining the identity and roles of oil-metabolizing marine bacteria from the Thames estuary, UK. *Environmental Microbiology*, 9(1), 165-176, 2007. [PAHs]
- (4802) MORALES-CASELLES, C.; KALMAN, J.; RIBA, I.; DELVALLS, T.A. Comparing sediment quality in Spanish littoral areas affected by acute (Prestige, 2002) and chronic (Bay of Algeciras) oil spills. *Environmental Pollution*, 146(1), 233-240, 2007. [Cd; Co; Cu; Hg; Ni; Pb; V; Zn; PAH; PCBs]
- (4803) OROPESA, A.-L.; PEREZ-LOPEZ, M.; HERNANDEZ, D.; GARCIA, J.-P.; FIDALGO, L.-E.; LOPEZ-BECEIRO, A.; SOLER, F. Acetylcholinesterase activity in seabirds affected by the Prestige oil spill on the Galician coast (NW Spain). *Science of the Total Environment*, 372(2/3), 532-538, 2007. [PAHs]
- (4804) PEACOCK, E.E.; HAMPSON, G.R.; NELSON, R.K.; XU, L.; FRYSINGER, G.S.; GAINES, R.B.; FARRINGTON, J.W.; TRIPP, B.W.; REDDY, C.M. The 1974 spill of the Bouchard 65 oil barge: petroleum hydrocarbons persist in Winsor Cove salt marsh sediments. *Marine Pollution Bulletin*, 54(2), 214-225, 2007. [PAHs; No.2 fuel oil; erosion; physical removal]

(4805) RALPH, P.J.; TOMASKO, D.; MOORE, K.; SEDDON, S.; MACINNIS-NG, C.M.O. Human impacts on seagrasses: eutrophication, sedimentation, and contamination. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.567-593. Dordrecht: Springer, 2006. [Nutrients; anoxia; herbicides; heavy metals; petrochemicals]

(4806) REGOLI, F.; FRULLA, S.; AAS, E.; SANNI, S. Antioxidant parameters and total oxyradical scavenging capacity in mussels from the German Bight and the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.341-349. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Pollution gradient; TOSC]

(4807) RIBEIRO, C.A.O.; PADROS, J.; DOMINGOS, F.X.V.; AKAISHI, F.M.; PELLETIER, E. Histopathological evidence of antagonistic effects of tributyltin on benzo[a]pyrene toxicity in the Arctic charr (*Salvelinus alpinus*). *Science of the Total Environment*, 372(2/3), 549-553, 2007. [TBT]

(4808) RUUS, A.; TOLLEFSEN, K.E.; GRUNG, M.; KLUNGSOYR, J.; HYLLAND, K. Accumulation of contaminants in pelagic organisms, caged blue mussels, caged cod, and semipermeable membrane devices. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.51-74. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; alkylphenols; PAHs; PCBs; Cd; Cu; Hg; Ni; Ph; Zn]

(4809) SORIANO-SANZ, J.A.; FRANCO-HERNANDEZ, A.; VINAS-DIEGUEZ, L.; CAMBEIRO-CAMBEIRO, B.; GONZALEZ-FERNANDEZ, J.J. Preliminary data on polycyclic aromatic hydrocarbons (PAHs) in wild mussels from the Cantabrian coast (N Spain) following the Prestige oil spill. *Ciencias Marinas*, 32(2B), 457-463, 2006.

(4810) THOMAS, K.V.; HURST, M.R.; REYNOLDS, W.; THAIN, J.E. In vitro bioassay testing of produced and surface water extracts. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.357-366. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs; alkylphenol]

(4811) THOMPSON, B.A.W.; GOLDSWORTHY, P.M.; RIDDLE, M.J.; SNAPE, I.; STARK, J.S. Contamination effects by a 'conventional' and a 'biodegradable' lubricant oil on infaunal recruitment to Antarctic sediments: a field experiment. *Journal of Experimental Marine Biology and Ecology*, 340(2), 213-226, 2007. [Oil spill management; clean-up procedure; Mobile Synthetic lubricant; Fuchs (OW/20)]

(4812) TOLLEFSEN, K.E.; GOKSOYR, A.; HYLLAND, K. Assessment of cytotoxic, CYP1A-inducing, and oestrogenic activity in waters from the German Bight and the Statfjord area of the North Sea by a suite of fish in vitro bioassays. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.385-395. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Oil rig; produced water; EROD; vitellogenin; 17 beta oestradiol; 4-t-octylphenol]

(4813) UTVIK, T.; GARTNER, L. Concentration of polycyclic aromatic hydrocarbons in seawater: comparison of results from dispersion modelling with measured data from blue mussels (*Mytilus edulis*) and SPMD residues. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.29-42. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAH]

(4814) YAKUSHEV, E.V.; ARKHIPKIN, V.S.; ANTIPOVA, E.A.; KOVALEVA, I.N.; CHASOVNIKOV, V.K.; PODYMOV, O.I. Seasonal and interannual variability of hydrology and nutrients in the Northeastern Black Sea. *Chemistry and Ecology*, 23(1), 29-41, 2007. [Eutrophication; Redfield ratios; Cu; Pb; Zn; oil; surfactants; tourism]

Section 3: Metals

- (4815) AAS, E.; JONSSON, G.; SUNDT, R.C.; WESTERLUND, S.; SANNI, S. Monitoring of PAH metabolites and metals in bile from caged Atlantic cod (*Gadus morhua*) and wild pelagic fish along expected contaminant gradients in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.263-276. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord oil rig; Ag; arsenic; Cd; Co; Cr; Cu; Fe; Mn; Ni; Pb; Sn; Sr; V; Zn]
- (4816) AGUSA, T., (ET AL). Exposure assessment for trace elements from consumption of marine fish in Southeast Asia. *Environmental Pollution*, 145(3), 766-777, 2007. [Ag; Ba; Bi; Cd; Co; Cr; Cs; Cu; Hg; Mn; Mo; Pb; Rb; Sb; Se; Sn; Sr; Tl; V; Zn]
- (4817) AZETSU-SCOTT, K.; YEATS, P.; WOHLGESCHAFFEN, G.; DALZIEL, J.; NIVEN, S.; LEE, K. Precipitation of heavy metals in produced water: influence on contaminant transport and toxicity. *Marine Environmental Research*, 63(2), 146-167, 2007. [Al; Cd; Co; Cr; Cu; Fe; Mn; Ni; Pb; Zn; Microtox]
- (4818) BESADA, V.; GONZALEZ, J.J.; SCHULTZE, F. Mercury, cadmium, lead, arsenic, copper and zinc concentrations in albacore, yellowfin tuna and bigeye tuna from the Atlantic Ocean. *Ciencias Marinas*, 32(2B), 439-445, 2006. [Arsenic; Cd; Cu; Hg; Pb; Zn]
- (4819) BILBAO, E.; IBABE, A.; ZALDIBAR, B.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in mussels (*Mytilus edulis*) and cod (*Gadus morhua*) caged along a contaminant gradient in Statfjord (North Sea). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.215-234. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4820) BILBAO, E.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in wild pelagic fish, herring (*Clupea harengus*), and saithe (*Pollachius virens*) from the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.121-141. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; pollution gradient; oil rig]
- (4821) BRAITHWAITE, R.A.; CADAVID CARRASCOSA, M.C.; MCEVOY, L.A. Biofouling of salmon cage netting and the efficacy of a typical copper-based antifoulant. *Aquaculture*, 262(2-4), 219-226, 2007. [Cleft Sound, Shetland; Cu]
- (4822) BROOKENS, T.J.; HARVEY, J.T.; O'HARA, T.M. Trace element concentrations in the Pacific harbor seal (*Phoca vitulina richardii*) in central and northern California. *Science of the Total Environment*, 372(2/3), 676-692, 2007. [Hg; methylmercury; Se; Pb]
- (4823) BURLINSON, F.C.; LAWRENCE, A.J. Development and validation of a behavioural assay to measure the tolerance of *Hediste diversicolor* to copper. *Environmental Pollution*, 145(1), 274-278, 2007. [Cu; Paull Holme, Humber; Restronguet Creek, Fal]
- (4824) BURLINSON, F.C.; LAWRENCE, A.J. A comparison of acute and chronic toxicity tests used to examine the temporal stability of a gradient in copper tolerance of *Hediste diversicolor* from the Fal estuary, Cornwall, UK. *Marine Pollution Bulletin*, 54(1), 66-71, 2007. [Cu; Restronguet Creek; Mylor Creek]

- (4825) CECILIO, P.; RAIMUNDO, J.; CANARIO, J.; VALE, C.; SEQUEIRA, M. Relationships between total and organic mercury concentrations in tissues and length of common dolphins (*Delphinus delphis*) from the Portuguese coast. *Ciencias Marinas*, 32(2B), 379-387, 2006. [Hg]
- (4826) CHANG, Y.T.; JONG, K.J.; LIAO, B.K.; WU, S.M. Cloning and expression of metallothionein cDNA in the hard clam (*Meretrix lusoria*) upon cadmium exposure. *Aquaculture*, 262(2-4), 504-513, 2007. [Cd]
- (4827) CHESMAN, B.S.; BURT, G.R.; LANGSTON, W.J. Hepatic metallothionein in pelagic herring (*Clupea harengus*). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.143-163. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Elbe; Statfjord oil rig; off Plymouth Sound; Cd; Cu; Zn]
- (4828) CONTRERAS, L.; MEDINA, M.H.; ANDRADE, S.; OPPLIGER, V.; CORREA, J.A. Effects of copper on early developmental stages of *Lessonia nigrescens* Bory (Phaeophyceae). *Environmental Pollution*, 145(1), 75-83, 2007. [Cu; mine trailings]
- (4829) COOKSEY, C.; HYLAND, J. Sediment quality of the Lower St. Johns River, Florida: an integrative assessment of benthic fauna, sediment-associated stressors and general habitat characteristics. *Marine Pollution Bulletin*, 54(1), 9-21, 2007. [DDTs; PCBs; PAHs; Cu; Hg; Pb; Zn; ammonia; sulphide]
- (4830) DAI, J.; SONG, J.; LI, X.; YUAN, H.; LI, N.; ZHENG, G. Environmental changes reflected by sedimentary geochemistry in recent hundred years of Jiaozhou Bay, North China. *Environmental Pollution*, 145(3), 656-677, 2007. [Cd; Co; Cr; Cu; Ni; Li; Pb; Zn; eutrophication; nutrients]
- (4831) DEAN, R.J.; SHIMMIELD, T.M.; BLACK, K.D. Copper, zinc and cadmium in marine cage fish farm sediments: an extensive survey. *Environmental Pollution*, 145(1), 84-95, 2007. [Cd; Cu; Zn; fish feed; Loch Craignish]
- (4832) DELLWIG, O.; BOSSELMANN, K.; KOLSCH, S.; HENTSCHER, M.; HINRICHS, J.; BOTTCHE, M.E.; REUTER, R.; BRUMSACK, H.-J. Sources and fate of manganese in a tidal basin of the German Wadden Sea. *Journal of Sea Research*, 57(1), 1-18, 2007. [Mn]
- (4833) DEUTCH, B.; PEDERSEN, H.S.; ASMUND, G.; HANSEN, J.C. Contaminants, diet, plasma fatty acids and smoking in Greenland 1999-2005. *Science of the Total Environment*, 372(2/3), 486-496, 2007. [Cd; Hg; Pb; Se; aldrin; chlordanes; DDTs; HCB; HCH; mirex; toxaphene; PCBs; seal meat; whale meat; fish]
- (4834) ERK, M.; RASPOR, B. Pelagic ecosystem and the assessment of metal exposure using caged blue mussels (*Mytilus edulis*). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.189-201. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord oil rig; pollution gradient; metallothionein; Cd; Cu; Zn]
- (4835) EVENSET, A.; CHRISTENSEN, G.N.; CARROLL, J.; ZABORSKA, A.; BERGER, U.; HERZKE, D.; GREGOR, D. Historical trends in persistent organic pollutants and metals recorded in sediment from Lake Ellasjoen, Bjornoya, Norwegian Arctic. *Environmental Pollution*, 146(1), 196-205, 2007. [Arsenic; Cd; Co; Cr; Cu; Hg; Ni; Pb; V; Zn; PBDEs; PCBs; DDTs]
- (4836) FERNANDEZ, M.A.; PINHEIRO, F.M.; DE QUADROS, J.P.; CAMILLO, E., JR. An easy, non-destructive, probabilistic method to evaluate the imposex response of gastropod populations. *Marine Environmental Research*, 63(1), 41-54, 2007. [TBT]

- (4837) FERNANDEZ, N.; CESAR, A.; DELVALLS, T.A. Level of contamination in sediments affected by the Prestige oil spill and impact on the embryo development of the sea urchin. *Ciencias Marinas*, 32(2B), 421-427, 2006. [Cd; Co; Cu; Ni; Pb; Zn; total hydrocarbons]
- (4838) FRANCESCONI, K.A. Toxic metal species and food regulations - making a healthy choice. *Analyst*, 132(1), 17-20, 2007. [Including fisheries products; arsenic; Cd; Hg; Pb; methylmercury; organoarsenicals]
- (4839) GARCIA-RIOS, V.; FREILE-PELEGRIN, Y.; ROBLEDO, D.; MENDOZA-COZATL, D.; MORENO-SANCHEZ, R.; GOLD-BOUCHOT, G. Cell wall composition affects Cd²⁺ accumulation and intracellular thiol peptides in marine red algae. *Aquatic Toxicology*, 81(1), 65-72, 2007.
- (4840) GAUDRY, A.; ZEROUAL, S.; GAIE-LEVREL, F.; MOSKURA, M.; BOUJRHAL, F.-Z.; CHERKAOUI EL MOURSALI, R.; GUESSOUS, A.; MOURADI, A.; GIVERNAUD, T.; DELMAS, R. Heavy metals pollution of the Atlantic marine environment by the Moroccan phosphate industry, as observed through their bioaccumulation in *Ulva lactuca*. *Water, Air, and Soil Pollution*, 178(1-4), 267-285, 2007. [Li; B; Na; Mg; Al; Cl; K; Ca; Sc; Ti; V; Cr; Mn; Fe; Co; Ni; Cu; Zn; As; Br; Rb; Sr; Y; Mo; Ag; Cd; Sn; Sb; Cs; Ba; La; Ce; Pr; Nd; Sm; Eu; Tb; Dy; Ho; Er; Tm; Yb; Lu; Hf; Ta; W; Tl; Pb; Bi; Th; U]
- (4841) GIL, F., (ET AL). Heavy metal concentrations in the general population of Andalusia, South of Spain. A comparison with the population within the area of influence of Aznalcollar mine spill (SW Spain). *Science of the Total Environment*, 372(1), 49-57, 2006. [Including seafood consumption; arsenic; Cd; Hg; Zn]
- (4842) GUNDAKER, C.; KOMARNICKI, G.; ZODL, B.; FORSTER, C.; SCHUSTER, E.; WITTMAN, K. Whole blood mercury and selenium concentrations in a selected Austrian population: does gender matter? *Science of the Total Environment*, 372(1), 76-86, 2006. [Including seafood consumption; Hg; Se]
- (4843) HINKEY, L.M.; ZAIDI, B.R. Differences in SEM-AVS and ERM-ERL predictions of sediment impacts from metals in two US Virgin Islands marinas. *Marine Pollution Bulletin*, 54(2), 100-185, 2007. [Ag; Al; arsenic; Cd; Cr; Cu; Fe; Pb; Mn; Ni; Se; Sn; Zn]
- (4844) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (4845) JANAKI-RAMAN, D.; JONATHAN, M.P.; SRINIVASALU, S.; ARMSTRONG-ALTRIN, J.S.; MOHAN, S.P.; RAM-MOHAN, V. Trace metal enrichments in core sediments in Muthupet mangroves, SE coast of India: application of acid leachable technique. *Environmental Pollution*, 145(1), 245-257, 2007. [Cd; Co; Cr; Cu; Fe; Mn; Ni; Pb; Zn]
- (4846) JOHANSEN, P.; MULVAD, G.; PEDERSEN, H.S.; HANSEN, J.C.; RIGET, F. Accumulation of cadmium in livers and kidneys in Greenlanders. *Science of the Total Environment*, 372(1), 58-63, 2006. [Including seafood consumption; seal meat; whale meat; Cd]
- (4847) JULSHAMN, K.; GROSVIK, B.E.; NEDREAAS, K.; MAAGE, A. Mercury concentration in fillets of Greenland halibut (*Reinhardtius hippoglossoides*) caught in the Barents Sea in January 2006. *Science of the Total Environment*, 372(1), 345-349, 2006. [Hg]

- (4848) KADAR, E.; COSTA, V.; SEGONZAC, M. Trophic influences of metal accumulation in natural pollution laboratories at deep-sea hydrothermal vents of the Mid-Atlantic Ridge. *Science of the Total Environment*, 373(2/3), 464-472, 2007. [Cu; Fe; Hg; Zn]
- (4849) KAROUNA-RENIER, N.K.; SNYDER, R.A.; ALLISON, J.G.; WAGNER, M.G.; RAO, K.R. Accumulation of organic and inorganic contaminants in shellfish collected in estuarine waters near Pensacola, Florida: contamination profiles and risks to human consumers. *Environmental Pollution*, 145(2), 474-488, 2007. [Arsenic; Cd; Cr; Cu; Hg; Pb; Ni; Se; Sn; Zn; PCBs; TCDDs; PCDDs; PCDFs]
- (4850) KNUDSEN, L.B.; BORGA, K.; JORGENSEN, E.H.; VAN BAVEL, B.; SCHLABACH, M.; VERREAULT, J.; GABRIELSEN, G.W. Halogenated organic contaminants and mercury in northern fulmars (*Fulmarus glacialis*): levels, relationships to dietary descriptors and blood to liver comparison. *Environmental Pollution*, 146(1), 25-33, 2007. [Hg; HCHs; isodrin; aldrin; endrin; trifluralin; dieldrin; mirex; toxaphenes; endosulfans; perfluorinated alkyl substances; HCB; chlordanes; heptachlor; DDTs; PCBs; tribromoanisole; HBCDD; PBDEs]
- (4851) KRISHNAN, A.A.; KRISHNAKUMAR, P.K.; RAJAGOPALAN, M. Trichodesmium erythraeum (Ehrenberg) bloom along the southwest coast of India (Arabian Sea) and its impact on trace metal concentrations in seawater. *Estuarine, Coastal and Shelf Science*, 71(3/4), 641-646, 2007. [Cd; Co; Cu; Ni; Pb; Zn]
- (4852) KUZMICK, D.M.; MITCHELMORE, C.L.; HOPKINS, W.A.; ROWE, C.L. Effects of coal combustion residues on survival, antioxidant potential, and genotoxicity resulting from full-lifecycle exposure of grass shrimp (*Palaemonetes pugio* Holthius). *Science of the Total Environment*, 373(1), 420-430, 2007. [Arsenic; Cd; Cu; Fe; Hg; Ni; Pb; Se; Sr; V; CCRs]
- (4853) LANG, T. Studies in field-collected organisms during the BECPELAG Workshop: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.85-91. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4854) LEITCH, D.R.; CARRIE, J.; LEAN, D.; MACDONALD, R.W.; STERN, G.A.; WANG, F. The delivery of mercury to the Beaufort Sea of the Arctic Ocean by the Mackenzie River. *Science of the Total Environment*, 373(1), 178-195, 2007. [Hg; methylmercury; climate change; flooding]
- (4855) LEWIS, M.A.; DANTIN, D.D.; CHANCY, C.A.; ABEL, K.C.; LEWIS, C.G. Florida seagrass habitat evaluation: a comparative survey for chemical quality. *Environmental Pollution*, 146(1), 206-218, 2007. [Ag; arsenic; Cd; Cr; Cu; Hg; Ni; Pb; Zn; chlordanes; DDTs; PAHs; PCBs; Se]
- (4856) MAGGI, C.; BIANCHI, J.; DATTOLO, M.; MARIOTTI, S.; COZZOLINO, A.; GABELLINI, M. Fractionation studies and bioaccumulation of cadmium, mercury and lead in two harbour areas. *Chemical Speciation and Bioavailability*, 18(3), 95-103, 2006. [Cd; Hg; Pb]
- (4857) MALLOY, K.J.; WADE, D.; JANICKI, A.; GRABE, S.A.; NIJBROEK, R. Development of a benthic index to assess sediment quality in the Tampa Bay Estuary. *Marine Pollution Bulletin*, 54(1), 22-31, 2007. [Hypoxia]
- (4858) MARTIN-DIAZ, M.L.; RIBA, I.; CASADO-MARTINEZ, M.C.; DELVALLS, A. Bioavailability of metals in sediments from Spanish estuaries using *Carcinus maenas*. *Ciencias Marinas*, 32(2B), 412-420, 2006. [Arsenic; Cu; Hg; Pb; Zn]

- (4859) MERRITT, K.A.; AMIRBAHMAN, A. Mercury mobilization in estuarine sediment porewaters: a diffusive gel time-series study. *Environmental Science and Technology*, 41(3), 717-722, 2007. [Hg]
- (4860) MORALES-CASELLES, C.; KALMAN, J.; RIBA, I.; DELVALLS, T.A. Comparing sediment quality in Spanish littoral areas affected by acute (Prestige, 2002) and chronic (Bay of Algeciras) oil spills. *Environmental Pollution*, 146(1), 233-240, 2007. [Cd; Co; Cu; Hg; Ni; Pb; V; Zn; PAH; PCBs]
- (4861) MOREAU, M.F.; SURICO-BENNETT, J.; VICARIO-FISHER, M.; CRANE, D.; GERADS, R.; GERSBERG, R.M.; HURLBERT, S.H. Contaminants in tilapia (*Oreochromis mossambicus*) from the Salton Sea, California, in relation to human health, piscivorous birds and fish meal production. *Hydrobiologia*, 576, 127-165, 2007. [Arsenic; B; Cd; Cr; Cu; Fe; Hg; Mg; Mn; Ni; Pb; Se; V; Zn; DDTs; PCBs]
- (4862) NUNEZ-NOGUEIRA, G.; MOUNEYRAC, C.; AMIARD, J.C.; RAINBOW, P.S. Subcellular distribution of zinc and cadmium in the hepatopancreas and gills of the decapod crustacean *Penaeus indicus*. *Marine Biology*, 150(2), 197-211, 2006. [Cd; Zn; metallothionein]
- (4863) OHJI, M.; ARAI, T.; MIDORIKAWA, S.; HARINO, H.; MASUDA, R.; MIYAZAKI, N. Distribution and fate of organotin compounds in Japanese coastal waters. *Water, Air, and Soil Pollution*, 178(1-4), 255-265, 2007. [TBT; dibutyltin; monobutyltin; monophenyltin; diphenyltin; triphenyltin]
- (4864) PREGO, R.; OTXOTORENA, U.; COBELO-GARCIA, A. Presence of Cr, Cu, Fe and Pb in sediments underlying mussel-culture rafts (Arosa and Vigo rias, NW Spain). Are they metal-contaminated areas? *Ciencias Marinas*, 32(2B), 339-349, 2006.
- (4865) RALPH, P.J.; TOMASKO, D.; MOORE, K.; SEDDON, S.; MACINNIS-NG, C.M.O. Human impacts on seagrasses: eutrophication, sedimentation, and contamination. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.567-593. Dordrecht: Springer, 2006. [Nutrients; anoxia; herbicides; heavy metals; petrochemicals]
- (4866) REBOREDA, R.; CACADOR, I. Halophyte vegetation influences in salt marsh retention capacity for heavy metals. *Environmental Pollution*, 146(1), 147-154, 2007. [Cd; Cu; Pb]
- (4867) RIBEIRO, C.A.O.; PADROS, J.; DOMINGOS, F.X.V.; AKAISHI, F.M.; PELLETIER, E. Histopathological evidence of antagonistic effects of tributyltin on benzo[a]pyrene toxicity in the Arctic charr (*Salvelinus alpinus*). *Science of the Total Environment*, 372(2/3), 549-553, 2007. [TBT]
- (4868) RIGET, F.; DIETZ, R.; BORN, E.W.; SONNE, C.; HOBSON, K.A. Temporal trends of mercury in marine biota of west and northwest Greenland. *Marine Pollution Bulletin*, 54(1), 72-80, 2007. [Hg]
- (4869) RUUS, A.; TOLLEFSEN, K.E.; GRUNG, M.; KLUNGSOYR, J.; HYLLAND, K. Accumulation of contaminants in pelagic organisms, caged blue mussels, caged cod, and semipermeable membrane devices. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.51-74. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; alkylphenols; PAHs; PCBs; Cd; Cu; Hg; Ni; Ph; Zn]
- (4870) SWARZENSKI, P.W.; BASKARAN, M.; ROSENBAUER, R.J.; OREM, W.H. Historical trace element distribution in sediments from the Mississippi River delta. *Estuaries and Coasts*, 29(6B), 1094-1107, 2006. [Ba; Co; Cr; Cu; Fe; Li; Mn; Pb; V]

(4871) TALAVERA-SAENZ, A.; GARDNER, S.C.; RODRIQUEZ, R.R.; VARGAS, B.A. Metal profiles used as environmental markers of Green Turtle (*Chelonia mydas*) foraging resources. *Science of the Total Environment*, 373(1), 94-102, 2007. [Cd; Cu; Fe; Mn; Ni; Pb; Zn]

(4872) TOWNSEND, A.T.; PALMER, A.S.; STARK, S.C.; SAMSON, C.; SCOULLER, R.C.; SNAPE, I. Trace metal characterisation of marine sediment reference materials MESS-3 and PACS-2 in dilute HC1 extracts. *Marine Pollution Bulletin*, 54(2), 236-239, 2007. [Al; Sb; arsenic; Cd; Cr; Co; Cu; Fe; Pb; Mn; Mo; Ni; Rb; Mn; Mo; Ni; Rb; Sr; V; Zn]

(4873) VIJAYAVEL, K.; GOPALAKRISHNAN, S.; THILAGAM, H.; BALASUBRAMANIAN, M.P. Dietary ascorbic acid and alpha-tocopherol mitigates oxidative stress induced by copper in the thornfish *Terapon jarbua*. *Science of the Total Environment*, 372(1), 157-163, 2006.

(4874) WU, R.S.S.; LAU, T.C.; FUNG, W.K.M.; KO, P.H.; LEUNG, K.M.Y. An 'artificial mussel' for monitoring heavy metals in marine environments. *Environmental Pollution*, 145(1), 104-110, 2007. [Cd; Cr; Cu; Pb; Zn]

(4875) YAKUSHEV, E.V.; ARKHIPKIN, V.S.; ANTIPOVA, E.A.; KOVALEVA, I.N.; CHASOVNIKOV, V.K.; PODYMOV, O.I. Seasonal and interannual variability of hydrology and nutrients in the Northeastern Black Sea. *Chemistry and Ecology*, 23(1), 29-41, 2007. [Eutrophication; Redfield ratios; Cu; Pb; Zn; oil; surfactants; tourism]

Section 4: Radioactivity

(4876) EK, H.; DAVE, G.; NILSSON, E.; AAS, E. Evaluation of fish bile bioassays as a biomarker of toxic exposure along pollution gradients in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.397-410. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAH; UV; *Ceriodaphnia dubia*]

(4877) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]

(4878) LYONS, B.P.; GOODSIR, F.; THAIN, J.E.; WEDDERBURN, J.; MCFADZEN, I.R.B. Toxicity and phototoxicity of sea-surface microlayer samples collected from the North Sea to embryo-larval stages of the Pacific oyster (*Crassostrea gigas*). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.367-376. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Statfjord; PAHs; UV; oil rig]

(4879) TORREGIANI, J.H.; LESSER, M.P. The effects of short-term exposures to ultraviolet radiation in the Hawaiian Coral *Montipora verrucosa*. *Journal of Experimental Marine Biology and Ecology*, 340(2), 194-203, 2007. [UV; DNA damage]

Section 5: Other Chemicals

- (4880) AGUSA, T., (ET AL). Exposure assessment for trace elements from consumption of marine fish in Southeast Asia. *Environmental Pollution*, 145(3), 766-777, 2007. [Ag; Ba; Bi; Cd; Co; Cr; Cs; Cu; Hg; Mn; Mo; Pb; Rb; Sb; Se; Sn; Sr; Tl; V; Zn]
- (4881) AHAD, J.M.E.; GANESHRAM, R.S.; SPENCER, R.G.M.; UHER, G.; UPSTILL-GODDARD, R.C.; COWIE, G.L. Evaluating the sources and fate of anthropogenic dissolved inorganic nitrogen (DIN) in two contrasting North Sea estuaries. *Science of the Total Environment*, 372(1), 317-333, 2006. [Tyne; Tweed; nutrients; sewage outfall]
- (4882) AKERMAN, J.E.; JORRITSMA, J.H.; KLAMER, H.J.C. Acute toxicity and genotoxicity of water extracts (SPE and SPMD) along two pelagic transects in the German Bight and Statfjord area, North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.421-430. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Oil rig; produced water; substituted phenols; PAHs; heterocyclic PAHs; substituted aromatics; Microtox; Mutatox]
- (4883) ALEMAN, C.; OCAMPO, C.; ARMELIN, E.; CURCO, D.; CASANOVAS, J.; LIESA, F. Conducting polymers: influence on the anticorrosive properties of marine paints. *Ciencias Marinas*, 32(2B), 361-368, 2006. [Degradation]
- (4884) ALLEN, J.I.; SOMERFIELD, P.J.; GILBERT, F.J. Quantifying uncertainty in high-resolution coupled hydrodynamic-ecosystem models. *Journal of Marine Systems*, 64(4), 3-14, 2007. [Southern North Sea; chlorophyll; nutrients]
- (4885) ALLEN, Y.T.; THAIN, J.E.; HAWORTH, S.; BARRY, J. Development and application of long-term sublethal whole sediment tests with *Arenicola marina* and *Corophium volutator* using Ivermectin as the test compound. *Environmental Pollution*, 146(1), 92-99, 2007.
- (4886) ALVAREZ-MUNOZ, D.; SAEZ, M.; BLASCO, J.; GOMEZ-PARRA, A.; GONZALEZ-MAZO, E. Enzymatic activity of acid and alkaline phosphatase and catalase in *Ruditapes philippinarum* as biomarkers of stress caused by anionic (C11-LAS) and non-ionic (NPEO 2.8) surfactants. *Ciencias Marinas*, 32(2B), 447-455, 2006.
- (4887) AMADO, J.; ANTUNES, P.; GIL, O.; VALE, C. Mobility of organochlorines in muscle of sardine (*Sardina pilchardus*) during spawning in the Portuguese coast. *Ciencias Marinas*, 32(2B), 369-377, 2006. [DDTs; dieldrin; PCBs]
- (4888) BALK, L.; LIEWENBORG, B.; LARSEN, B.K.; AAS, E.; HYLLAND, K.; SANNI, S. Large hydrophobic adducts and strand breaks analysed in hepatic DNA from Atlantic cod (*Gadus morhua*) caged at the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.277-299. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Produced water]
- (4889) BERLINE, L.; BRANKART, J.-M.; BRASSEUR, P.; OURMIERES, Y.; VERRON, J. Improving the physics of a coupled physical-biogeochemical model of the North Atlantic through data assimilation: impact on the ecosystem. *Journal of Marine Systems*, 64(1-4), 153-172, 2007. [Nutrient input]

- (4890) BILBAO, E.; IBABE, A.; ZALDIBAR, B.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in mussels (*Mytilus edulis*) and cod (*Gadus morhua*) caged along a contaminant gradient in Statfjord (North Sea). In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.215-234. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4891) BILBAO, E.; SOTO, M.; CAJARAVILLE, M.P.; CANCIO, I.; MARIGOMEZ, I. Cell- and tissue-level biomarkers of pollution in wild pelagic fish, herring (*Clupea harengus*), and saithe (*Pollachius virens*) from the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.121-141. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; pollution gradient; oil rig]
- (4892) BLACKFORD, J.C.; GILBERT, F.J. pH variability and CO₂ induced acidification in the North Sea. *Journal of Marine Systems*, 64(1-4), 229-241, 2007.
- (4893) BORGA, K.; HOP, H.; SKAARE, J.U.; WOLKERS, H.; GABRIELSEN, G.W. Selective bioaccumulation of chlorinated pesticides and metabolites in Arctic seabirds. *Environmental Pollution*, 145(2), 545-553, 2007. [DDTs; chlordane; oxychlordane; nonachlor; HCB; HCHs; Mirex; cytochrome P450]
- (4894) BOROWITZKA, M.A.; LAVERY, P.S.; VAN KEULEN, M. Epiphytes of seagrasses. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.441-461. Dordrecht: Springer, 2006. [Including effect of increased nutrients]
- (4895) BROOKENS, T.J.; HARVEY, J.T.; O'HARA, T.M. Trace element concentrations in the Pacific harbor seal (*Phoca vitulina richardii*) in central and northern California. *Science of the Total Environment*, 372(2/3), 676-692, 2007. [Hg; methylmercury; Se; Pb]
- (4896) BUCCI, J.P.; REBACH, S.; DEMASTER, D.; SHOWERS, W.J. A comparison of blue crab and bivalve delta 15N tissue enrichment in two North Carolina estuaries. *Environmental Pollution*, 145(1), 299-308, 2007. [Nutrient loading]
- (4897) BURNETT, W.C.; WATTAYAKORN, G.; TANIGUCHI, M.; DULAIIOVA, H.; SOJISUPORN, P.; RUNGSUPA, S.; ISHITOBI, T. Groundwater-derived nutrient inputs to the Upper Gulf of Thailand. *Continental Shelf Research*, 27(2), 176-190, 2006. [Nutrient loading]
- (4898) CAFFREY, J.M.; CHAPIN, T.P.; JANNASCH, H.W.; HASKINS, J.C. High nutrient pulses, tidal mixing and biological response in a small California estuary: variability in nutrient concentrations from decadal to hourly time scales. *Estuarine, Coastal and Shelf Science*, 71(3/4), 368-380, 2007. [Runoff]
- (4899) CANESI, L.; LORUSSO, L.C.; CIACCI, C.; BETTI, M.; ROCCHI, M.; POJANA, G.; MARCOMINI, A. Immunomodulation of *Mytilus* hemocytes by individual estrogenic chemicals and environmentally relevant mixtures of estrogens: in vitro and in vivo studies. *Aquatic Toxicology*, 81(1), 36-44, 2007. [E₂; EE; 17 alpha-ethynyl estradiol; mestranol; nonylphenol; nonylphenol monoethoxylate carboxylate; bisphenol A; benzophenone]
- (4900) CARMAN, M.R.; BULLARD, S.G.; DONNELLY, J.P. Water quality, nitrogen pollution, and ascidian diversity in coastal waters of southern Massachusetts, USA. *Journal of Experimental Marine Biology and Ecology*, 342(1), 175-178, 2007. [Nutrients]

- (4901) CETIN, B.; ODABASI, M. Air-water exchange and dry deposition of polybrominated diphenyl ethers at a coastal site in Izmir Bay, Turkey. *Environmental Science and Technology*, 41(3), 785-791, 2007. [PBDEs; BDE-28; BDE-47; BDE-100; BDE-99; BDE-154; BDE-153; BDE-209]
- (4902) CHU, S.; HENNY, C.J.; KAISER, J.L.; DROUILLARD, K.G.; HAFFNER, G.D. Dacthal and chlorophenoxy herbicides and chlorothalonil fungicide in eggs of osprey (*Pandion haliaetus*) from the Duwamish - Lake Washington - Puget Sound area of Washington state, USA. *Environmental Pollution*, 145(1), 374-381, 2007. [Dimethyl tetrachloroterephthalate; DCPA]
- (4903) COOKSEY, C.; HYLAND, J. Sediment quality of the Lower St. Johns River, Florida: an integrative assessment of benthic fauna, sediment-associated stressors and general habitat characteristics. *Marine Pollution Bulletin*, 54(1), 9-21, 2007. [DDTs; PCBs; PAHs; Cu; Hg; Pb; Zn; ammonia; sulphide]
- (4904) DAI, J.; SONG, J.; LI, X.; YUAN, H.; LI, N.; ZHENG, G. Environmental changes reflected by sedimentary geochemistry in recent hundred years of Jiaozhou Bay, North China. *Environmental Pollution*, 145(3), 656-677, 2007. [Cd; Co; Cr; Cu; Ni; Li; Pb; Zn; eutrophication; nutrients]
- (4905) DANISCHEWSKI, D. AChE and GST activities as biomarkers in cod, *Gadus morhua*, caged along two North Sea transects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.301-310. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs]
- (4906) DANISCHEWSKI, D.; KAMMANN, U.; VOBACH, M. Neurotoxicity, genotoxicity, and embryotoxicity tests with extracts from oil rig produced water and from SPMDs deployed along two North Sea transects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.377-383. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; AChE; Comet assay; zebrafish embryo]
- (4907) DE NICOLA, E.; MERIC, S.; GALLO, M.; IACCARINO, M.; DELLA ROCCA, C.; LOFRANO, G.; RUSSO, T.; PAGANO, G. Vegetable and synthetic tannins induce hormesis/toxicity in sea urchin early development and in algal growth. *Environmental Pollution*, 146(1), 46-54, 2007.
- (4908) DEN BESTEN, P.J.; DE BRUYNE, E.P.L.; ROTTEVEEL, S.G.P. Cytotoxicity and DNA damage by SPE and SPMD extracts of North Sea samples detected in an in vitro bioassay with the fish cell line RTG-2. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.411-419. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig]
- (4909) DEUTCH, B.; PEDERSEN, H.S.; ASMUND, G.; HANSEN, J.C. Contaminants, diet, plasma fatty acids and smoking in Greenland 1999-2005. *Science of the Total Environment*, 372(2/3), 486-496, 2007. [Cd; Hg; Pb; Se; aldrin; chlordanes; DDTs; HCB; HCH; mirex; toxaphene; PCBs; seal meat; whale meat; fish]
- (4910) DIETZ, R.; RIGET, F.F.; SONNE, C.; LETCHER, R.J.; BACKUS, S.; BORN, E.W.; KIRKEGAARD, M.; MUIR, D.C.G. Age and seasonal variability of polybrominated diphenyl ethers in free-ranging East Greenland polar bears (*Ursus maritimus*). *Environmental Pollution*, 146(1), 166-173, 2007. [PBDEs; brominated flame retardants]

- (4911) DOLENEC, T.; LOJEN, S.; KNI EWALD, G.; DOLENEC, M.; ROGAN, N. Nitrogen stable isotope composition as a tracer of fish farming in invertebrates *Aplysina aerophoba*, *Balanus perforatus* and *Anemonia sulcata* in central Adriatic. *Aquaculture*, 262(2-4), 237-249, 2007. [Particulate organic matter; feed waste; faeces; sewage discharge; organic enrichment; nutrients]
- (4912) EVENSET, A.; CHRISTENSEN, G.N.; CARROLL, J.; ZABORSKA, A.; BERGER, U.; HERZKE, D.; GREGOR, D. Historical trends in persistent organic pollutants and metals recorded in sediment from Lake Ellasjoen, Bjornoya, Norwegian Arctic. *Environmental Pollution*, 146(1), 196-205, 2007. [Arsenic; Cd; Co; Cr; Cu; Hg; Ni; Pb; V; Zn; PBDEs; PCBs; DDTs]
- (4913) FEIST, S.W.; BIGNELL, J.; STENTIFORD, G.D. Histological changes in caged mussel (*Mytilus* sp.) and cod (*Gadus morhua*) at contaminant gradients in the German Bight and the Staffjord offshore oil industry area in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.311-327. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006.
- (4914) FERNANDEZ, M.A.; PINHEIRO, F.M.; DE QUADROS, J.P.; CAMILLO, E., JR. An easy, non-destructive, probabilistic method to evaluate the imposex response of gastropod populations. *Marine Environmental Research*, 63(1), 41-54, 2007. [TBT]
- (4915) FERNANDEZ-JOVER, D.; SANCHEZ-JEREZ, P.; BAYLE-SEMPERE, J.; CARRATALA, A.; LEON, V.M. Addition of dissolved nitrogen and dissolved organic carbon from wild fish faeces and food around Mediterranean fish farms: implications for waste-dispersal models. *Journal of Experimental Marine Biology and Ecology*, 340(2), 160-168, 2007. [Ammonium; nutrients]
- (4916) FILLMANN, G.; HERMANN, L.; FILEMAN, T.W.; READMAN, J.W. Accumulation patterns of organochlorines in juveniles of *Arctocephalus australis* found stranded along the coast of Southern Brazil. *Environmental Pollution*, 146(1), 262-267, 2007. [Chlordanes; DDTs; HCB; HCH; PCBs]
- (4917) FLIPPIN, J.L.; HUGGETT, D.; FORAN, C.M. Changes in the timing of reproduction following chronic exposure to ibuprofen in Japanese medaka, *Oryzias latipes*. *Aquatic Toxicology*, 81(1), 73-78, 2007.
- (4918) FORREST, B.M.; HOPKINS, G.A.; DODGSHUN, T.J.; GARDNER, J.P.A. Efficacy of acetic acid treatments in the management of marine biofouling. *Aquaculture*, 262(2-4), 319-332, 2007.
- (4919) FRANCESCONI, K.A. Toxic metal species and food regulations - making a healthy choice. *Analyst*, 132(1), 17-20, 2007. [Including fisheries products; arsenic; Cd; Hg; Pb; methylmercury; organoarsenicals]
- (4920) GARCIA-PINTADO, J.; MARTINEZ-MENA, M.; BARBERA, G.G.; ALBALADEJO, J.; CASTILLO, V.M. Anthropogenic nutrient sources and loads from a Mediterranean catchment into a coastal lagoon: Mar Menor, Spain. *Science of the Total Environment*, 373(1), 220-239, 2007. [Eutrophication; rainfall]
- (4921) GAZEAU, F.; MIDDLEBURG, J.J.; LOIJENS, M.; VANDERBORGHT, J.-P.; PIZAY, M.-D.; GATTUSO, J.-P. Planktonic primary production in estuaries: comparison of ¹⁴C, O₂ and ¹⁸O methods. *Aquatic Microbial Ecology*, 46(1), 95-106, 2007. [Randers Fjord; Scheldt estuary; anthropogenic CO₂]
- (4922) GIOVANARDI, F.; FINOIA, M.G.; RUSSO, S.; AMORI, M.; DI LORENZO, B. Coastal waters monitoring data: frequency distributions of the principal water quality variables. *Journal of Limnology*, 65(2), 65-82, 2006. [Eutrophication; TRIX Index; nutrients; temperature; salinity; pH; dissolved oxygen]

- (4923) GONZALEZ-QUIJANO, A.; GARCIA, A.; FUMEGA, J.; GONZALEZ, J.J. Temporal variation of PCB concentrations in mussel tissue in two areas of Santander Bay (Spain). *Ciencias Marinas*, 32(2B), 465-469, 2006.
- (4924) GROSVIK, B.E.; TOLFSEN, C.C.; GOKSOYR, A. Studies of protein pattern in digestive gland of blue mussel (*Mytilus edulis*) deployed in cages in the vicinity of the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.203-213. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Pollution gradient; oil produced water]
- (4925) GUITART, C.; SHEPPARD, A.; FRICKERS, T.; PRICE, A.R.G.; READMAN, J.W. Negligible risks to corals from antifouling booster biocides and triazine herbicides in coastal waters of the Chagos Archipelago. *Marine Pollution Bulletin*, 54(2), 226-232, 2007. [Simazine; atrazine; chlorothalonil; ametryn; terbutryn; dichlofluanid; Sea-Nine 211; Irgarol 1051]
- (4926) GUNDAKER, C.; KOMARNICKI, G.; ZODL, B.; FORSTER, C.; SCHUSTER, E.; WITTMAN, K. Whole blood mercury and selenium concentrations in a selected Austrian population: does gender matter? *Science of the Total Environment*, 372(1), 76-86, 2006. [Including seafood consumption; Hg; Se]
- (4927) GYPENS, N.; LACROIX, G.; LANCELOT, C. Causes of variability in diatom and *Phaeocystis* blooms in Belgian coastal waters between 1989 and 2003: a model study. *Journal of Sea Research*, 57(1), 19-35, 2007. [Eutrophication; nutrient loads; MIRO model; Scheldt; Seine]
- (4928) HOLMER, M.; MARBA, N.; DIAZ-ALMELA, E.; DUARTE, C.M.; TSAPAKIS, M.; DANOVARO, R. Sedimentation of organic matter from fish farms in oligotrophic Mediterranean assessed through bulk and stable isotope ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) analyses. *Aquaculture*, 262(2-4), 268-280, 2007. [Nutrients; *Posidonia oceanica*]
- (4929) HYLLAND, K.; LANG, T.; VETHAAK, D., (EDITORS). *Biological effects of contaminants in marine pelagic ecosystems*. xxxix, 474p. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4930) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (4931) JAKOBSEN, F.; HARTSTEIN, N.; FRACHISSE, J.; GOLINGI, T. Sabah shoreline management plan (Borneo, Malaysia): ecosystems and pollution. *Ocean and Coastal Management*, 50(1/2), 84-102, 2007. [BOD; nutrients; E coli]
- (4932) JEFFERSON, T.A.; HUNG, S.K.; LAM, P.K.S. Strandings, mortality and morbidity of Indo-Pacific humpback dolphins in Hong Kong, with emphasis on the role of organochlorine contaminants. *Journal of Cetacean Research and Management*, 8(2), 181-193, 2006. [DDTs; HCHs; PCBs; chlordanes; kepone; endrin; dieldrin; aldrin; heptachlor; heptachlor epoxide; HCB]
- (4933) KAROUNA-RENIER, N.K.; SNYDER, R.A.; ALLISON, J.G.; WAGNER, M.G.; RAO, K.R. Accumulation of organic and inorganic contaminants in shellfish collected in estuarine waters near Pensacola, Florida: contamination profiles and risks to human consumers. *Environmental Pollution*, 145(2), 474-488, 2007. [Arsenic; Cd; Cr; Cu; Hg; Pb; Ni; Se; Sn; Zn; PCBs; TCDDs; PCDDs; PCDFs]

- (4934) KNUDSEN, L.B.; BORGA, K.; JORGENSEN, E.H.; VAN BAVEL, B.; SCHLABACH, M.; VERREAULT, J.; GABRIELSEN, G.W. Halogenated organic contaminants and mercury in northern fulmars (*Fulmarus glacialis*): levels, relationships to dietary descriptors and blood to liver comparison. *Environmental Pollution*, 146(1), 25-33, 2007. [Hg; HCHs; isodrin; aldrin; endrin; trifluralin; dieldrin; mirex; toxaphenes; endosulfans; perfluorinated alkyl substances; HCB; chlordanes; heptachlor; DDTs; PCBs; tribromoanisole; HBCDD; PBDEs]
- (4935) KOCH, M.S.; SCHOPMEYER, S.; KYHN-HANSEN, C.; MADDEN, C.J. Synergistic effects of high temperature and sulfide on tropical seagrass. *Journal of Experimental Marine Biology and Ecology*, 341(1), 91-101, 2007.
- (4936) KRAHN, M.M.; HERMAN, D.P.; MATKIN, C.O.; DURBAN, J.W.; BARRETT-LENNARD, L.; BURROWS, D.G.; DAHLHEIM, M.E.; BLACK, N.; LEDUC, R.G.; WADE, P.R. Use of chemical tracers in assessing the diet and foraging regions of eastern North Pacific killer whales. *Marine Environmental Research*, 63(2), 91-114, 2007. [Chlordanes; DDTs; HCHs; PBDEs; PCBs]
- (4937) LABENIA, J.S.; BALDWIN, D.H.; FRENCH, B.L.; DAVIS, J.W.; SCHOLZ, N.L. Behavioral impairment and increased predation mortality in cutthroat trout exposed to carbaryl. *Marine Ecology Progress Series*, 329, 1-11, 2007.
- (4938) LACROIX, G.; RUDDICK, K.; PARK, Y.; GYPENS, N.; LANCELOT, C. Validation of the 3D biogeochemical model MIRO&CO with field nutrient and phytoplankton data and MERIS-derived surface chlorophyll a images. *Journal of Marine Systems*, 64(1-4), 66-88, 2007. [Eutrophication; English Channel; Southern Bight of North Sea]
- (4939) LANCELOT, C.; GYPENS, N.; BILLEN, G.; GARNIER, J.; ROUBEIX, V. Testing an integrated river-ocean mathematical tool for linking marine eutrophication to land use: the Phaeocystis-dominated Belgian coastal zone (Southern North Sea) over the past 50 years. *Journal of Marine Systems*, 64(1-4), 216-228, 2007. [Nutrient loads]
- (4940) LANG, T. Studies in field-collected organisms during the BECPELAG Workshop: introduction and summary. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.85-91. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Staffjord]
- (4941) LAPOINTE, B.E.; BEDFORD, B.J.; BAUMBERGER, R. Hurricanes Frances and Jeanne remove blooms of the invasive green alga *Caulerpa brachypus* forma *parvifolia* (Harvey) Cribb from coral reefs off northern Palm Beach County, Florida. *Estuaries and Coasts*, 29(6A), 966-971, 2006. [Anthropogenic nutrient enrichment]
- (4942) LEWIS, M.A.; DANTIN, D.D.; CHANCY, C.A.; ABEL, K.C.; LEWIS, C.G. Florida seagrass habitat evaluation: a comparative survey for chemical quality. *Environmental Pollution*, 146(1), 206-218, 2007. [Ag; arsenic; Cd; Cr; Cu; Hg; Ni; Pb; Zn; chlordane; DDTs; PAHs; PCBs; Se]
- (4943) LI, D.; SHIM, W.J.; DONG, M.; OH, S.H.H. Application of nonylphenol and coprostanol to identification of industrial and fecal pollution in Korea. *Marine Pollution Bulletin*, 54(1), 101-107, 2007.
- (4944) LI, J.; ZHANG, G.; QI, S.; LI, X.; PENG, X. Concentrations, enantiomeric compositions, and sources of HCH, DDT and chlordane in soils from the Pearl River Delta, South China. *Science of the Total Environment*, 372(1), 215-224, 2006.

- (4945) LIN, J.; XIE, L.; PIETRAFESA, L.J.; RAMUS, J.S.; PAERL, H.W. Water quality gradients across Albemarle-Pamlico Estuarine system: seasonal variations and model applications. *Journal of Coastal Research*, 23(1), 213-229, 2007. [Nutrients; chlorophyll a; dissolved oxygen]
- (4946) LONGINELLI, A.; GIGLIO, F.; LANGONE, L.; LENZA, R.; ORI, C.; SELMO, E. Atmospheric CO₂ concentrations and delta 13C values across the Antarctic Circumpolar Current between New Zealand and Antarctica. *Tellus B*, 59B(1), 130-137, 2007.
- (4947) LOPES, C.B.; LILLEBO, A.I.; DIAS, J.M.; PEREIRA, E.; VALE, C.; DUARTE, A.C. Nutrient dynamics and seasonal succession of phytoplankton assemblages in a Southern European Estuary: Ria de Aveiro, Portugal. *Estuarine, Coastal and Shelf Science*, 71(3/4), 480-490, 2007. [Eutrophication]
- (4948) LOS, F.J.; WIJSMAN, J.W.M. Application of a validated primary production model (BLOOM) as a screening tool for marine, coastal and transitional waters. *Journal of Marine Systems*, 64(1-4), 201-215, 2007. [Water Framework Directive; nutrient reduction;; eutrophication; Netherlands]
- (4949) LU, L.; WU, R.S.S. A field experimental study on recolonization and succession of subtidal macrobenthic community in sediment contaminated with industrial wastes. *Marine Pollution Bulletin*, 54(2), 195-205, 2007.
- (4950) MACLEOD, C.J.A.; SCHOLEFIELD, D.; HAYGARTH, P.M. Integration for sustainable catchment management. *Science of the Total Environment*, 373(2/3), 591-602, 2007. [Nutrients]
- (4951) MAGNUSSON, K.; MAGNUSSON, M.; OSTBERG, P.; GRANBERG, M.; TISELIUS, P. Bioaccumulation of 14C-PCB 101 and 14C-PBDE 99 in the marine planktonic copepod *Calanus finmarchicus* under different food regimes. *Marine Environmental Research*, 63(1), 67-81, 2007.
- (4952) MALLIN, M.A.; CAHOON, L.B.; TOOTMAN, B.R.; PARSONS, D.C.; MCIVER, M.R.; ORTWINE, M.L.; HARRINGTON, R.N. Impacts of a raw sewage spill on water and sediment quality in an urbanized estuary. *Marine Pollution Bulletin*, 54(1), 81-88, 2007. [Faecal coliform bacteria; nutrients]
- (4953) MALLIN, M.A.; CORBETT, C.A. How hurricane attributes determine the extent of environmental effects: multiple hurricanes and different coastal systems. *Estuaries and Coasts*, 29(6A), 1046-1061, 2006. [Release of chemical pollutants; debris; microbial pathogens; nutrient loading; landuse]
- (4954) MALLOY, K.J.; WADE, D.; JANICKI, A.; GRABE, S.A.; NIJBROEK, R. Development of a benthic index to assess sediment quality in the Tampa Bay Estuary. *Marine Pollution Bulletin*, 54(1), 22-31, 2007. [Hypoxia]
- (4955) MATTHIESSEN, P.; JOHNSON, I. Implications of research on endocrine disruption for the environmental risk assessment, regulation and monitoring of chemicals in the European Union. *Environmental Pollution*, 146(1), 9-18, 2007. [Review]
- (4956) MCHUGH, B.; GLYNN, D.; NIXON, E.; MCGOVERN, E. The occurrence and risk assessment of the pesticide toxaphene in fish from Irish waters. *Marine Environment and Health Series*, 12, 32p., 2003.

- (4957) MENESGUEN, A.; CUGIER, P.; LOYER, S.; VANHOUTTE-BRUNIER, A.; HOCH, T.; GUILLAUD, J.-F.; GOHIN, F. Two- or three-layered box models versus fine 3D models for coastal ecological modelling? A comparative study in the English Channel (Western Europe). *Journal of Marine Systems*, 64(1-4), 47-65, 2007. [Whole English Channel; Seine River plume; eutrophication; nutrients]
- (4958) MILES, H.; WIDDICOMBE, S.; SPICER, J.I.; HALL-SPENCER, J. Effects of anthropogenic seawater acidification on acid-base balance in the sea urchin *Psammechinus miliaris*. *Marine Pollution Bulletin*, 54(1), 89-96, 2007. [CO₂; carbon sequestration]
- (4959) MORALES-CASELLES, C.; KALMAN, J.; RIBA, I.; DELVALLS, T.A. Comparing sediment quality in Spanish littoral areas affected by acute (Prestige, 2002) and chronic (Bay of Algeciras) oil spills. *Environmental Pollution*, 146(1), 233-240, 2007. [Cd; Co; Cu; Hg; Ni; Pb; V; Zn; PAH; PCBs]
- (4960) MOREAU, M.F.; SURICO-BENNETT, J.; VICARIO-FISHER, M.; CRANE, D.; GERADS, R.; GERSBERG, R.M.; HURLBERT, S.H. Contaminants in tilapia (*Oreochromis mossambicus*) from the Salton Sea, California, in relation to human health, piscivorous birds and fish meal production. *Hydrobiologia*, 576, 127-165, 2007. [Arsenic; B; Cd; Cr; Cu; Fe; Hg; Mg; Mn; Ni; Pb; Se; V; Zn; DDTs; PCBs]
- (4961) NAKAYAMA, T.; WATANABE, M.; TANJI, K.; MORIOKA, T. Effect of underground urban structures on eutrophic coastal environment. *Science of the Total Environment*, 373(1), 270-288, 2007. [Groundwater; eutrophication; nutrients]
- (4962) OHJI, M.; ARAI, T.; MIDORIKAWA, S.; HARINO, H.; MASUDA, R.; MIYAZAKI, N. Distribution and fate of organotin compounds in Japanese coastal waters. *Water, Air, and Soil Pollution*, 178(1-4), 255-265, 2007. [TBT; dibutyltin; monobutyltin; monophenyltin; diphenyltin; triphenyltin]
- (4963) OKA, M.; ARAI, T.; MIYAZAKI, N. Differences in organochlorine accumulation in masu salmon *Oncorhynchus masou masou* between fluvial and sea-run forms. *Water, Air, and Soil Pollution*, 178(1-4), 309-313, 2007. [DDTs; aldrin; dieldrin; endrin; HCHs; HCB; heptachlor; heptachlor epoxide; chlordanes; mirex]
- (4964) OLIVEIRA, A.P.; NOGUEIRA, M.; CABECADAS, G. CO₂ variability in surface coastal waters adjacent to the Tagus Estuary (Portugal). *Ciencias Marinas*, 32(2B), 401-411, 2006.
- (4965) PACKETT, C.R.; CHAMBERS, R.M. Distribution and nutrient status of haplotypes of the marsh grass *Phragmites australis* along the Rappahannock River in Virginia. *Estuaries and Coasts*, 29(6B), 1222-1225, 2006. [Comparison of native and non-native haplotypes; nutrient enrichment]
- (4966) PAPPA, E.C.; PAPPAS, A.C.; SURAI, P.F. Selenium content in selected foods from the Greek market and estimation of the daily intake. *Science of the Total Environment*, 372(1), 100-108, 2006. [Including fish; Se]
- (4967) PERSSON, M.E.; LARSSON, P.; HOLMQVIST, N.; STENROTH, P. Large variation in lipid content, sigma PCB and delta 13C within individual Atlantic salmon (*Salmo salar*). *Environmental Pollution*, 145(1), 131-137, 2007. [PCBs]
- (4968) POULIQUEN, H.; DELEPEE, R.; LARHANTEC-VERDIER, M.; MORVAN, M.-L.; LE BRIS, H. Comparative hydrolysis and photolysis of four antibacterial agents (Oxytetracycline, oxolinic acid, flumequine and florfenicol) in deionised water, freshwater and seawater under abiotic conditions. *Aquaculture*, 262(1), 23-28, 2007.

- (4969) **QUAKENBUSH, L.T.** Polybrominated diphenyl ether compounds in ringed, bearded, spotted, and ribbon seals from the Alaskan Bering Sea. *Marine Pollution Bulletin*, 54(2), 232-236, 2007. [PBDEs; flame retardants]
- (4970) **RALPH, P.J.; TOMASKO, D.; MOORE, K.; SEDDON, S.; MACINNIS-NG, C.M.O.** Human impacts on seagrasses: eutrophication, sedimentation, and contamination. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.567-593. Dordrecht: Springer, 2006. [Nutrients; anoxia; herbicides; heavy metals; petrochemicals]
- (4971) **REGOLI, F.; FRULLA, S.; AAS, E.; SANNI, S.** Antioxidant parameters and total oxyradical scavenging capacity in mussels from the German Bight and the Statfjord oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.341-349. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Pollution gradient; TOSC]
- (4972) **REIFEL, K.M.; SWAN, B.K.; OLIVO, E.; WATTS, J.M.; TREES, C.C.; HURLBERT, S.H.** Influence of river inflows on plankton distribution around the southern perimeter of the Salton Sea, California. *Hydrobiologia*, 576, 167-183, 2007. [Agricultural and municipal wastewater; nutrients; freshwater inflows]
- (4973) **RIBEIRO, C.A.O.; PADROS, J.; DOMINGOS, F.X.V.; AKAISHI, F.M.; PELLETIER, E.** Histopathological evidence of antagonistic effects of tributyltin on benzo[a]pyrene toxicity in the Arctic charr (*Salvelinus alpinus*). *Science of the Total Environment*, 372(2/3), 549-553, 2007. [TBT]
- (4974) **RODRIGUES, P.P.G.W.; BARNES, J.; UPSTILL-GODDARD, R.C.** Simulating estuarine nitrous oxide production by means of a dynamic model. *Marine Pollution Bulletin*, 54(2), 164-172, 2007. [Tyne estuary]
- (4975) **RUUS, A.; TOLLEFSEN, K.E.; GRUNG, M.; KLUNGSOYR, J.; HYLLAND, K.** Accumulation of contaminants in pelagic organisms, caged blue mussels, caged cod, and semipermeable membrane devices. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.51-74. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; alkylphenols; PAHs; PCBs; Cd; Cu; Hg; Ni; Ph; Zn]
- (4976) **SAETHER, B.-S.; BJORN, P.-A.; DALE, T.** Behavioural responses in wild cod (*Gadus morhua* L.) exposed to fish holding water. *Aquaculture*, 262(2-4), 260-267, 2007. [Response to water-soluble odorants; chemosensory stimulants; metabolites; waste]
- (4977) **SAND-JENSEN, K.; BINZER, T.; MIDDELBOE, A.L.** Scaling of photosynthetic production of aquatic macrophytes - a review. *Oikos*, 116(2), 280-294, 2007. [CO₂; climate change]
- (4978) **SCOTT, A.P.; KRISTIANSEN, S.I.; KATSIADAKI, I.; THAIN, J.; TOLLEFSEN, K.E.; GOKSOYR, A.; BARRY, J.** Assessment of oestrogen exposure in cod (*Gadus morhua*) and saithe (*Pollachius virens*) in relation to their proximity to an oilfield. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.329-339. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; pollution gradient; vitellogenin]
- (4979) **SHEPPARD, C.** Oceans and the 'wedge' model of CO₂ stabilisation. *Marine Pollution Bulletin*, 54(2), 117-118, 2007.

- (4980) SMOLDERS, R.; COOREMAN, K.; ROOSE, P.; BLUST, R.; DE COEN, W. Cellular energy allocation in caged and pelagic free-living organisms along two North Sea pollution gradients. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.235-252. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord]
- (4981) SONNE, C.; RIGET, F.F.; DIETZ, R.; WIIG, O.; KIRKEGAARD, M.; BORN, E.W. Skull pathology in East Greenland and Svalbard polar bears (*Ursus maritimus*) during 1892 to 2002 in relation to organochlorine pollution. *Science of the Total Environment*, 372(2/3), 554-561, 2007.
- (4982) SOUSA, A.I.; MARTINS, I.; LILLEBO, A.I.; FLINDT, M.R.; PARDAL, M.A. Influence of salinity, nutrients and light on the germination and growth of *Enteromorpha* sp. spores. *Journal of Experimental Marine Biology and Ecology*, 341(1), 142-150, 2007. [Eutrophication; macroalgal blooms]
- (4983) SPENCER, R.G.M.; BAKER, A.; AHAD, J.M.E.; COWIE, G.L.; GANESHRAM, R.; UPSTILL-GODDARD, R.C.; UHER, G. Discriminatory classification of natural and anthropogenic waters in two UK estuaries. *Science of the Total Environment*, 373(1), 305-323, 2007. [Tweed; Tyne; CDOM; nutrients; fluorescence]
- (4984) STORELLI, M.M.; BARONE, G.; MARCOTRIGIANO, G.O. Polychlorinated biphenyls and other chlorinated organic contaminants in the tissues of Mediterranean loggerhead turtle *Caretta caretta*. *Science of the Total Environment*, 373(2/3), 456-463, 2007. [DDTs; PCB congeners]
- (4985) SUIKKANEN, S.; LAAMANEN, M.; HUTTUNEN, M. Long-term changes in summer phytoplankton communities of the open northern Baltic Sea. *Estuarine, Coastal and Shelf Science*, 71(3/4), 580-592, 2007. [Hydrography; eutrophication; nutrients]
- (4986) SUNDBACK, K.; MILES, A.; LINARES, F. Nitrogen dynamics in nontidal littoral sediments: role of microphytobenthos and denitrification. *Estuaries and Coasts*, 29(6B), 1196-1211, 2006. [Nutrient loading; eutrophication]
- (4987) SVENSEN, C.; VILICIC, D.; WASSMANN, P.; ARASHKEVICH, E.; RATKOVA, T. Plankton distribution and vertical flux of biogenic matter during high summer stratification in the Krka estuary (Eastern Adriatic). *Estuarine, Coastal and Shelf Science*, 71(3/4), 381-390, 2007. [Eutrophication; nutrients]
- (4988) SWAN, B.K.; WATTS, J.M.; REIFEL, K.M.; HURLBERT, S.H. Role of the polychaete *Neanthes succinea* in phosphorus regeneration from sediments in the Salton Sea, California. *Hydrobiologia*, 576, 111-125, 2007. [Nutrient loading]
- (4989) TANAKA, T.; HENRIKSEN, P.; LIGNELL, R.; OLLI, K.; SEPPALA, J.; TAMMINEN, T.; THINGSTAD, T.F. Specific affinity for phosphate uptake and specific alkaline phosphatase activity as diagnostic tools for detecting phosphorus-limited phytoplankton and bacteria. *Estuaries and Coasts*, 29(6B), 1226-1241, 2006. [Eutrophication; nutrient enrichment; nutrient stress]
- (4990) TEUTEN, E.L.; REDDY, C.M. Halogenated organic compounds in archived whale oil: a pre-industrial record. *Environmental Pollution*, 145(3), 668-671, 2007.
- (4991) THOMAS, K.V.; HURST, M.R.; REYNOLDS, W.; THAIN, J.E. In vitro bioassay testing of produced and surface water extracts. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.357-366. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; PAHs; alkylphenol]

- (4992) THOMPSON, B.A.W.; GOLDSWORTHY, P.M.; RIDDLE, M.J.; SNAPE, I.; STARK, J.S. Contamination effects by a 'conventional' and a 'biodegradable' lubricant oil on infaunal recruitment to Antarctic sediments: a field experiment. *Journal of Experimental Marine Biology and Ecology*, 340(2), 213-226, 2007. [Oil spill management; clean-up procedure; Mobile Synthetic lubricant; Fuchs (OW/20)]
- (4993) TOLLEFSEN, K.E.; GOKSOYR, A.; HYLLAND, K. Assessment of cytotoxic, CYP1A-inducing, and oestrogenic activity in waters from the German Bight and the Statfjord area of the North Sea by a suite of fish in vitro bioassays. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.385-395. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [Oil rig; produced water; EROD; vitellogenin; 17 beta oestradiol; 4-t-octylphenol]
- (4994) VERLAAN, P. Selected summary highlights from the 28th Meeting (LC 28) of Contracting Parties to the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter 1972 (London Convention 1972) and the 1st Meeting of Contracting Parties to the 1996 London Protocol (LP 1) to the London Convention. (London Protocol; LP), 30 October - 3 November, 2006 in London. *Underwater Technology*, 27(1), 35-36, 2007. [CO2 sequestration; boundary issues; spoilt cargo; litter]
- (4995) VERREAULT, J.; BECH, C.; LETCHER, R.J.; ROPSTAD, E.; DAHL, E.; GABRIELSEN, G.W. Organohalogen contamination in breeding glaucous gulls from the Norwegian Arctic: associations with basal metabolism and circulating thyroid hormones. *Environmental Pollution*, 145(1), 138-145, 2007. [Chlordanes; DDTs; PCBs; PBDEs]
- (4996) VETHAAK, A.; BRANDSMA, S.H.; KRUIJT, A.; LEONARDS, P. Occurrence of brominated flame-retardants in zooplankton and pelagic fish in the North Sea. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.75-82. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [German Bight; Statfjord; oil rig; 17 PBDE congeners; HBCD; dime-TBBP-A; TBBP-A; tetrabromobisphenol A; pollution gradient]
- (4997) VON WESTERNHAGEN, H.; DETHLEFSEN, V.; VOBACH, M. Occurrence and malformations of pelagic fish eggs in the German Bight, Southern North Sea 1984-2002: temperature versus pollution effects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.103-109. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [DDT]
- (4998) WALKER, N.D.; RABALAIS, N.N. Relationships among satellite chlorophyll a, river inputs, and hypoxia on the Louisiana Continental Shelf, Gulf of Mexico. *Estuaries and Coasts*, 29(6B), 1081-1093, 2006. [Nutrient load; nitrate; wind stress]
- (4999) WANG, D.; ATKINSON, S.; HOOVER-MILLER, A.; LEE, S.-E.; LI, Q.X. Organochlorines in harbor seal (*Phoca vitulina*) tissues from the northern Gulf of Alaska. *Environmental Pollution*, 146(1), 268-280, 2007. [DDTs; HCHs; heptachlor; PCBs]
- (5000) WANG, Y.; YANG, R.; JIANG, G. Investigation of organochlorine pesticides (OCPs) in mollusks collected from coastal sites along the Chinese Bohai Sea from 2002 to 2004. *Environmental Pollution*, 146(1), 100-106, 2007. [DDTs; HCHs]
- (5001) WEBER, M.; LOTT, C.; FABRICIUS, K.E. Corrigendum to "Sedimentation stress in a scleractinian coral exposed to terrestrial and marine sediments with contrasting physical, organic and geochemical properties" [*Journal of Experimental Marine Biology and Ecology* 336 (2006) 18-32]. *Journal of Experimental Marine Biology and Ecology*, 341(1), p.151, 2007.

(5002) WINTERMYER, M.L.; COOPER, K.R. The development of an aquatic bivalve model: evaluating the toxic effects on gametogenesis following 2,3,7,8-tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) exposure in the eastern oyster (*Crassostrea virginica*). *Aquatic Toxicology*, 81(1), 10-26, 2007.

(5003) XU, W.-H.; ZHANG, G.; ZOU, S.-C.; LI, X.-D.; LIU, Y.-C. Determination of selected antibiotics in the Victoria Harbour and the Pearl River, South China using high-performance liquid chromatography-electrospray ionization tandem mass spectrometry. *Environmental Pollution*, 145(3), 672-679, 2007. [Ofloxacin; norfloxacin; roxithromycin; erythromycin-H2O; sulfadiazine; sulfadimidine; sulfamethoxazole; amoxicillin; chloramphenicol]

(5004) XU, Z.; LIN, X.; LIN, Q.; YANG, Y.; WANG, Y. Nitrogen, phosphorus, and energy waste outputs of four marine cage-cultured fish fed with trash fish. *Aquaculture*, 263(2-4), 130-141, 2007. [Nutrients; organic waste]

(5005) YAKUSHEV, E.V.; ARKHIPKIN, V.S.; ANTIPOVA, E.A.; KOVALEVA, I.N.; CHASOVNIKOV, V.K.; PODYMOV, O.I. Seasonal and interannual variability of hydrology and nutrients in the Northeastern Black Sea. *Chemistry and Ecology*, 23(1), 29-41, 2007. [Eutrophication; Redfield ratios; Cu; Pb; Zn; oil; surfactants; tourism]

(5006) YNAG, K.; ZHU, L.; XING, B. Sorption of sodium dodecylbenzene sulfonate by montmorillonite. *Environmental Pollution*, 145(2), 571-576, 2007. [SDS]

(5007) ZURITA, J.L.; REPETTO, G.; JOS, A.; SALGUERO, M.; LOPEZ-ARTIGUEZ, M.; CAMEAN, A.M. Toxicological effects of the lipid regulator gemfibrozil in four aquatic systems. *Aquatic Toxicology*, 81(1), 106-115, 2007. [Microtox; *Daphnia magna*; *Chlorella vulgaris*; hepatoma fish cell line PLHC-1]

Section 6: Biological Wastes

- (5008) BISSETT, A.; BURKE, C.; COOK, P.L.M.; BOWMAN, J.P. Bacterial community shifts in organically perturbed sediments. *Environmental Microbiology*, 9(1), 46-60, 2007. [Fish farms; organic loading]
- (5009) DOLENEC, T.; LOJEN, S.; KNI EWALD, G.; DOLENEC, M.; ROGAN, N. Nitrogen stable isotope composition as a tracer of fish farming in invertebrates *Aplysina aerophoba*, *Balanus perforatus* and *Anemonia sulcata* in central Adriatic. *Aquaculture*, 262(2-4), 237-249, 2007. [Particulate organic matter; feed waste; faeces; sewage discharge; organic enrichment; nutrients]
- (5010) FERNANDEZ-JOVER, D.; JIMENEZ, J.A.L.; SANCHEZ-JEREZ, P.; BAYLE-SEMPERE, J.; CASALDUERO, F.G.; LOPEZ, F.J.M.; DEMPSTER, T. Changes in body condition and fatty acid composition of wild Mediterranean horse mackerel (*Trachurus mediterraneus*, Steindachner, 1868) associated to sea cage fish farms. *Marine Environmental Research*, 63(1), 1-18, 2007. [Fish pellets]
- (5011) FERNANDEZ-JOVER, D.; SANCHEZ-JEREZ, P.; BAYLE-SEMPERE, J.; CARRATALA, A.; LEON, V.M. Addition of dissolved nitrogen and dissolved organic carbon from wild fish faeces and food around Mediterranean fish farms: implications for waste-dispersal models. *Journal of Experimental Marine Biology and Ecology*, 340(2), 160-168, 2007. [Ammonium; nutrients]
- (5012) GILES, H.; PILDITCH, C.A. Effects of mussel (*Perna canaliculus*) biodeposit decomposition on benthic respiration and nutrient fluxes. *Marine Biology*, 150(2), 261-271, 2006. [Organic enrichment]
- (5013) HOLMER, M.; MARBA, N.; DIAZ-ALMELA, E.; DUARTE, C.M.; TSAPAKIS, M.; DANOVARO, R. Sedimentation of organic matter from fish farms in oligotrophic Mediterranean assessed through bulk and stable isotope ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) analyses. *Aquaculture*, 262(2-4), 268-280, 2007. [Nutrients; *Posidonia oceanica*]
- (5014) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (5015) JAKOBSEN, F.; HARTSTEIN, N.; FRACHISSE, J.; GOLINGI, T. Sabah shoreline management plan (Borneo, Malaysia): ecosystems and pollution. *Ocean and Coastal Management*, 50(1/2), 84-102, 2007. [BOD; nutrients; *E coli*]
- (5016) JENKINSON, I.R.; CLAIREAUX, G.; GENTIEN, P. Biorheological properties of intertidal organic fluff on mud flats and its modification of gill ventilation in buried sole *Solea solea*. *Marine Biology*, 150(3), 471-485, 2006. [Bivalve aquaculture; organic load; biodeposition]
- (5017) JUSUP, M.; GECEK, S.; LEGOVIC, T. Impact of aquacultures on the marine ecosystem: modelling benthic carbon loading over variable depth. *Ecological Modelling*, 200(3/4), 459-466, 2007.
- (5018) KARAYUCEL, S.; KARAYUCEL, I. Estimating the carrying capacity of mussel raft systems in two Scottish sea lochs. *Israeli Journal of Aquaculture-Bamidgeh*, 50(1), 12-19, 1998. [Loch Etive; Loch Kishorn]
- (5019) KUTTI, T.; ERVIK, A.; HANSEN, P.K. Effects of organic effluents from a salmon farm on a fjord system. I. Vertical export and dispersal processes. *Aquaculture*, 262(2-4), 367-381, 2007. [Particulate organic matter]

- (5020) KUTTI, T.; HANSEN, P.K.; ERVIK, A.; HOISAETER, T.; JOHANNESSEN, P. Effects of organic effluents from a salmon farm on a fjord system. II. Temporal and spatial patterns in infauna community composition. *Aquaculture*, 262(2-4), 355-366, 2007. [Organic enrichment]
- (5021) LANDRY, T., (ET AL). A scientific review of bivalve aquaculture: interaction between wild and cultured species. Canadian Technical Report of Fisheries and Aquatic Sciences, (2450), 80-138, 2006.
- (5022) LI, D.; SHIM, W.J.; DONG, M.; OH, S.H.H. Application of nonylphenol and coprostanol to identification of industrial and fecal pollution in Korea. *Marine Pollution Bulletin*, 54(1), 101-107, 2007.
- (5023) MALLIN, M.A.; CAHOON, L.B.; TOOTMAN, B.R.; PARSONS, D.C.; MCIVER, M.R.; ORTWINE, M.L.; HARRINGTON, R.N. Impacts of a raw sewage spill on water and sediment quality in an urbanized estuary. *Marine Pollution Bulletin*, 54(1), 81-88, 2007. [Faecal coliform bacteria; nutrients]
- (5024) MALLIN, M.A.; CORBETT, C.A. How hurricane attributes determine the extent of environmental effects: multiple hurricanes and different coastal systems. *Estuaries and Coasts*, 29(6A), 1046-1061, 2006. [Release of chemical pollutants; debris; microbial pathogens; nutrient loading; landuse]
- (5025) OSTOICH, M.; AIMO, E.; FRATE, R.; VAZZOLER, M.; STRADELLA, S.; OSTI, P. Intergrated approach for microbiological impact assessment of public wastewater treatment plants. *Chemistry and Ecology*, 23(1), 43-62, 2007. [Coliforms; E-coli; faecal streptococci]
- (5026) PRATT, C.; WARNKEN, J.; LEEMING, R.; ARTHUR, J.M.; GRICE, D.I. Detection of intermittent sewage pollution in a subtropical, oligotrophic, semi-enclosed embayment system using sterol signatures in sediments. *Environmental Science and Technology*, 41(3), 792-802, 2007. [Coprostanol]
- (5027) SAETHER, B.-S.; BJORN, P.-A.; DALE, T. Behavioural responses in wild cod (*Gadus morhua* L.) exposed to fish holding water. *Aquaculture*, 262(2-4), 260-267, 2007. [Response to water-soluble odorants; chemosensory stimulants; metabolites; waste]
- (5028) THOMPSON, P.M. Developing water quality standards for coastal dolphins. *Marine Pollution Bulletin*, 54(2), 123-127, 2007. [Sewage discharge]
- (5029) WHOMERSLEY, P.; SCHRATZBERGER, M.; HUXHAM, M.; BATES, H.; REES, H. The use of time-series data in the assessment of macrobenthic community change after the cessation of sewage-sludge disposal in Liverpool Bay (UK). *Marine Pollution Bulletin*, 54(1), 32-41, 2007.
- (5030) XU, Z.; LIN, X.; LIN, Q.; YANG, Y.; WANG, Y. Nitrogen, phosphorus, and energy waste outputs of four marine cage-cultured fish fed with trash fish. *Aquaculture*, 263(2-4), 130-141, 2007. [Nutrients; organic waste]

Section 7: Heat

- (5031) DAVID, V.; SAUTOUR, B.; CHARDY, P. Successful colonization of the calanoid copepod *Acartia tonsa* in the oligo-mesohaline area of the Gironde estuary (SW France) - natural or anthropogenic forcing? *Estuarine, Coastal and Shelf Science*, 71(3/4), 429-442, 2007. [Impact on native species; NAO; 26 year survey; nuclear power plant]
- (5032) GEORGAKOPOULOU, E.; SFAKIANAKIS, D.G.; KOUTTOUKI, S.; DIVANACH, P.; KENTOURI, M.; KOUMOUNDOUROS, G. The influence of temperature during early life on phenotypic expression at later ontogenetic stages in sea bass. *Journal of Fish Biology*, 70(1), 278-291, 2007.
- (5033) GRAHAM, N.A.J.; MCCLANAHAN, T.R.; LETOURNEUR, Y.; GALZIN, R. Anthropogenic stressors, inter-specific competition and ENSO effects on a Mauritian coral reef. *Environmental Biology of Fishes*, 78(1), 57-69, 2007. [Tourism; bleaching; climate change; dredged ski lane]
- (5034) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (5035) KING, H.R.; PANKHURST, N.W.; WATTS, M. Reproductive sensitivity to elevated water temperatures in female Atlantic salmon is heightened at certain stages of vitellogenesis. *Journal of Fish Biology*, 70(1), 190-205, 2007.
- (5036) KOCH, M.S.; SCHOPMEYER, S.; KYHN-HANSEN, C.; MADDEN, C.J. Synergistic effects of high temperature and sulfide on tropical seagrass. *Journal of Experimental Marine Biology and Ecology*, 341(1), 91-101, 2007.
- (5037) MCCARTHY, A.; OSMAN, R.W.; WHITLATCH, R.B. Effects of temperature on growth rates of colonial ascidians: a comparison of *Didemnum* sp. to *Botryllus schlosseri* and *Botrylloides violaceus*. *Journal of Experimental Marine Biology and Ecology*, 342(1), 172-174, 2007.
- (5038) NEER, J.A.; ROSE, K.A.; CORTES, E. Simulating the effects of temperature on individual and population growth of *Rhinoptera bonasus*: a coupled bioenergetics and matrix modeling approach. *Marine Ecology Progress Series*, 329, 211-223, 2007.
- (5039) PANG, S.J.; JIN, Z.H.; SUN, J.Z.; GAO, S.Q. Temperature tolerance of young sporophytes from two populations of *Laminaria japonica* revealed by chlorophyll fluorescence measurements and short-term growth and survival performances in tank culture. *Aquaculture*, 262(2-4), 493-503, 2007.
- (5040) RODOLFO-METALPA, R.; RICHARD, C.; ALLEMAND, D.; BIANCHI, C.N.; MORRI, C.; FERRIER-PAGES, C. Response of zooxanthellae in symbiosis with the Mediterranean corals *Cladocora caespitosa* and *Oculina patagonica* to elevated temperatures. *Marine Biology*, 150(1), 45-55, 2006.
- (5041) SAND-JENSEN, K.; BINZER, T.; MIDDELBOE, A.L. Scaling of photosynthetic production of aquatic macrophytes - a review. *Oikos*, 116(2), 280-294, 2007. [CO₂; climate change]
- (5042) VON WESTERNHAGEN, H.; DETHLEFSEN, V.; VOBACH, M. Occurrence and malformations of pelagic fish eggs in the German Bight, Southern North Sea 1984-2002: temperature versus pollution effects. In: Hylland, K.; Lang, T.; Vethaak, D., (editors). *Biological effects of contaminants in marine pelagic ecosystems*. p.103-109. Brussels: Society of Environmental Toxicology and Chemistry (SETAC), 2006. [DDT]

(5043) WARD, J.R.; KIM, K.; HARVELL, C.D. Temperature affects coral disease resistance and pathogen growth. Marine Ecology Progress Series, 329, 115-121, 2007.

Section 8: Solids

- (5044) CABACO, S.; SANTOS, R. Effects of burial and erosion on the seagrass *Zostera noltii*. *Journal of Experimental Marine Biology and Ecology*, 340(2), 204-212, 2007. [Natural events; anthropogenic disturbance; dredging; coastal engineering; sedimentation]
- (5045) DOLENEC, T.; LOJEN, S.; KNI EWALD, G.; DOLENEC, M.; ROGAN, N. Nitrogen stable isotope composition as a tracer of fish farming in invertebrates *Aplysina aerophoba*, *Balanus perforatus* and *Anemonia sulcata* in central Adriatic. *Aquaculture*, 262(2-4), 237-249, 2007. [Particulate organic matter; feed waste; faeces; sewage discharge; organic enrichment; nutrients]
- (5046) HEWITT, J.E.; NORKKO, J. Incorporating temporal variability of stressors into studies: an example using suspension-feeding bivalves and elevated suspended sediment concentrations. *Journal of Experimental Marine Biology and Ecology*, 341(1), 131-141, 2007. [Driven by natural storms]
- (5047) HOLMER, M.; MARBA, N.; DIAZ-ALMELA, E.; DUARTE, C.M.; TSAPAKIS, M.; DANOVARO, R. Sedimentation of organic matter from fish farms in oligotrophic Mediterranean assessed through bulk and stable isotope ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) analyses. *Aquaculture*, 262(2-4), 268-280, 2007. [Nutrients; *Posidonia oceanica*]
- (5048) INGOLFSSON, A. The intertidal seashore of Iceland and its animal communities. *Zoology of Iceland*, 1(7), 1-85, 2006. [Including anthropogenic impact; contaminants; road building; landfills; seaweed harvesting]
- (5049) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]
- (5050) JUSUP, M.; GECEK, S.; LEGOVIC, T. Impact of aquacultures on the marine ecosystem: modelling benthic carbon loading over variable depth. *Ecological Modelling*, 200(3/4), 459-466, 2007.
- (5051) KUTTI, T.; ERVIK, A.; HANSEN, P.K. Effects of organic effluents from a salmon farm on a fjord system. I. Vertical export and dispersal processes. *Aquaculture*, 262(2-4), 367-381, 2007. [Particulate organic matter]
- (5052) LANDRY, T., (ET AL). A scientific review of bivalve aquaculture: interaction between wild and cultured species. *Canadian Technical Report of Fisheries and Aquatic Sciences*, (2450), 80-138, 2006.
- (5053) MALLIN, M.A.; CORBETT, C.A. How hurricane attributes determine the extent of environmental effects: multiple hurricanes and different coastal systems. *Estuaries and Coasts*, 29(6A), 1046-1061, 2006. [Release of chemical pollutants; debris; microbial pathogens; nutrient loading; landuse]
- (5054) MCFEE, W.E.; HOPKINS-MURPHY, S.R.; SCHWACKE, L.H. Trends in bottlenose dolphin (*Tursiops truncatus*) strandings in South Carolina, USA, 1997-2003: implications for the Southern North Carolina and South Carolina Management Units. *Journal of Cetacean Research and Management*, 8(2), 195-201, 2006. [Including human interaction; rope entanglement; fishery mortality]

(5055) RALPH, P.J.; TOMASKO, D.; MOORE, K.; SEDDON, S.; MACINNIS-NG, C.M.O. Human impacts on seagrasses: eutrophication, sedimentation, and contamination. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). *Seagrasses: biology, ecology and conservation*. p.567-593. Dordrecht: Springer, 2006. [Nutrients; anoxia; herbicides; heavy metals; petrochemicals]

(5056) VERLAAN, P. Selected summary highlights from the 28th Meeting (LC 28) of Contracting Parties to the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter 1972 (London Convention 1972) and the 1st Meeting of Contracting Parties to the 1996 London Protocol (LP 1) to the London Convention. (London Protocol; LP), 30 October - 3 November, 2006 in London. *Underwater Technology*, 27(1), 35-36, 2007. [CO2 sequestration; boundary issues; spoilt cargo; litter]

(5057) WEBER, M.; LOTT, C.; FABRICIUS, K.E. Corrigendum to "Sedimentation stress in a scleractinian coral exposed to terrestrial and marine sediments with contrasting physical, organic and geochemical properties" [*Journal of Experimental Marine Biology and Ecology* 336 (2006) 18-32]. *Journal of Experimental Marine Biology and Ecology*, 341(1), p.151, 2007.

(5058) WILBER, D.H.; CLARKE, D.G.; REES, S.I. Responses of benthic macroinvertebrates to thin-layer disposal of dredged material in Mississippi Sound, USA. *Marine Pollution Bulletin*, 54(1), 42-52, 2007.

Section 9: Physical Disturbance

(5059) ALTMAN, S.; WHITLACH, R.B. Effects of small-scale disturbance on invasion success in marine communities. *Journal of Experimental Marine Biology and Ecology*, 342(1), 15-29, 2007. [Ascidians; bryozoans]

(5060) AVILA-SERRANO, G.E.; FLESSA, K.W.; TELLEZ-DUARTE, M.A.; CINTRA-BUENTOSTRO, C.E. Distribution of the intertidal macrofauna of the Colorado River Delta, northern Gulf of California, Mexico. *Ciencias Marinas*, 32(4), 649-661, 2006. [Dam construction; water diversion]

(5061) BERLANGA-ROBLES, C.A.; RUIZ-LUNA, A. Assessment of landscape changes and their effects on the San Blas estuarine system, Nayarit (Mexico), through Landsat imagery analysis. *Ciencias Marinas*, 32(3), 523-538, 2006. [Land-use patterns; shrimp farming; nutrient load]

(5062) BOGGS, D.; ELIOT, I.; KNOTT, B. Salt lakes of the northern agricultural region, Western Australia. *Hydrobiologia*, 576, 49-59, 2007. [Catchment degradation; impact of land clearance]

(5063) CABACO, S.; SANTOS, R. Effects of burial and erosion on the seagrass *Zostera noltii*. *Journal of Experimental Marine Biology and Ecology*, 340(2), 204-212, 2007. [Natural events; anthropogenic disturbance; dredging; coastal engineering; sedimentation]

(5064) CHEUNG, K.F.; GERRITSEN, F.; CLEVERINGA, J. Morphodynamics and sand bypassing at Ameland Inlet, The Netherlands. *Journal of Coastal Research*, 23(1), 106-118, 2007. [Aggregate extraction; sand mining]

(5065) COTTET, M.; DE MONTAUDOUIN, X.; BLANCHET, H.; LEBLEU, P. *Spartina anglica* eradication experiment and in situ monitoring assess structuring strength of habitat complexity on marine macrofauna at high tidal level. *Estuarine, Coastal and Shelf Science*, 71(3/4), 629-640, 2007. [Restoration; recolonisation]

(5066) GRAHAM, N.A.J.; MCCLANAHAN, T.R.; LETOURNEUR, Y.; GALZIN, R. Anthropogenic stressors, inter-specific competition and ENSO effects on a Mauritian coral reef. *Environmental Biology of Fishes*, 78(1), 57-69, 2007. [Tourism; bleaching; climate change; dredged ski lane]

(5067) INGOLFSSON, A. The intertidal seashore of Iceland and its animal communities. *Zoology of Iceland*, 1(7), 1-85, 2006. [Including anthropogenic impact; contaminants; road building; landfills; seaweed harvesting]

(5068) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]

(5069) KUBICKI, A.; MANSO, F.; DIESING, M. Morphological evolution of gravel and sand extraction pits, Tromper Wiek, Baltic Sea. *Estuarine, Coastal and Shelf Science*, 71(3/4), 647-656, 2007. [Aggregate dredging]

(5070) MCFEE, W.E.; HOPKINS-MURPHY, S.R.; SCHWACKE, L.H. Trends in bottlenose dolphin (*Tursiops truncatus*) strandings in South Carolina, USA, 1997-2003: implications for the Southern North Carolina and South Carolina Management Units. *Journal of Cetacean Research and Management*, 8(2), 195-201, 2006. [Including human interaction; rope entanglement; fishery mortality]

- (5071) PACHECO, A.; CARRASCO, A.R.; VILA-CONCEJO, A.; FERREIRA, O.; DIAS, J.A. A coastal management program for channels located in backbarrier systems. *Ocean and Coastal Management*, 50(1/2), 119-143, 2007. [Including case study of Faro Channel; dredging]
- (5072) PETERSEN, J.K.; MALM, T. Offshore windmill farms: threats to or possibilities for the marine environment. *Ambio*, 35(2), 75-80, 2006. [Noise; vibrations; electromagnetic fields; artificial reefs]
- (5073) SAGARIN, R.D., (ET AL). Ecological impacts on the limpet *Lottia gigantea* populations: human pressure over a broad scale on island and mainland intertidal zones. *Marine Biology*, 150(3), 399-413, 2006. [Physical disturbance; trampling; poaching]
- (5074) SANTANGELO, J.M.; DE M. ROCHA, A.; BOZELLI, R.L.; CARNEIRO, L.S.; DE A. ESTEVES, F. Zooplankton responses to sandbar opening in a tropical eutrophic coastal lagoon. *Estuarine, Coastal and Shelf Science*, 71(3/4), 657-668, 2007.
- (5075) SANTOS, R.S.; COLACO, A.; CHRISTIANSEN, S., (EDITORS). Planning the management of deep-sea hydrothermal vent fields MPA in the Azores Triple Junction. *Proceedings of the workshop, Horta 18-20 June 2002. Arquipelago, Supplement 4, xi, 70p., 2003.*
- (5076) SHERVETTE, V.R.; IBARRA, N.; GELWICK, F. Influences of salinity on growth and survival of juvenile pinfish *Lagodon rhomboides* (Linnaeus). *Environmental Biology of Fishes*, 78(2), 125-134, 2007. [Anthropogenic alterations; changes in salinity regime]
- (5077) WERNER, A.; KRAAN, S. Review of the potential mechanisation of kelp harvesting in Ireland. *Marine Environment and Health Series*, 17, iv, 52p., 2004. [Including environmental impact; *Laminaria*; study site at An Tra Beag, Furbo, Co. Galway]

Section 10: Non-indigenous Species

- (5078) ABDUL, J.A.H.; SIVAKUMAR, V. Occurrence and distribution of ascidians in Vizhinjam Bay (south west coast of India). *Journal of Experimental Marine Biology and Ecology*, 342(1), 189-190, 2007.
- (5079) AGIUS, B.P. Spatial and temporal effects of pre-seeding plates with invasive ascidians: growth, recruitment and community composition. *Journal of Experimental Marine Biology and Ecology*, 342(1), 30-39, 2007. [Climate change]
- (5080) ALTMAN, S.; WHITLACH, R.B. Effects of small-scale disturbance on invasion success in marine communities. *Journal of Experimental Marine Biology and Ecology*, 342(1), 15-29, 2007. [Ascidians; bryozoans]
- (5081) BLUM, J.C.; CHANG, A.L.; LILJESTROM, M.; SCHENK, M.E.; STEINBERG, M.K.; RUIZ, G.M. The non-native solitary ascidian *Ciona intestinalis* (L.) depresses species richness. *Journal of Experimental Marine Biology and Ecology*, 342(1), 5-14, 2007.
- (5082) BOURQUE, D.; DAVIDSON, J.; MACNAIR, N.G.; ARSENAULT, G.; LEBLANC, A.R.; LANDRY, T.; MIRON, G. Reproduction and early life history of an invasive ascidian *Styela clava* Herdman in Prince Edward Island, Canada. *Journal of Experimental Marine Biology and Ecology*, 342(1), 78-84, 2007.
- (5083) BRUSATI, E.D.; GROSHOLZ, E.D. Effect of native and invasive cordgrass on *Macoma petalum* density, growth, and isotopic signatures. *Estuarine, Coastal and Shelf Science*, 71(3/4), 517-522, 2007.
- (5084) BULLARD, S.G., (ET AL). The colonial ascidian *Didemnum* sp. A: current distribution, basic biology and potential threat to marine communities of the northeast and west coasts of North America. *Journal of Experimental Marine Biology and Ecology*, 342(1), 99-108, 2007. [Potential impact on fisheries and aquaculture]
- (5085) CARMAN, M.R. Benthic foraminifera associated with the invasive ascidian, *Didemnum* sp. A. *Journal of Experimental Marine Biology and Ecology*, 342(1), 147-153, 2007.
- (5086) CARMAN, M.R.; BULLARD, S.G.; DONNELLY, J.P. Water quality, nitrogen pollution, and ascidian diversity in coastal waters of southern Massachusetts, USA. *Journal of Experimental Marine Biology and Ecology*, 342(1), 175-178, 2007. [Nutrients]
- (5087) CASKEY, L.L.; RIEDEL, R.R.; COSTA-PIERCE, B.; BUTLER, J.; HURLBERT, S.H. Population dynamics, distribution, and growth rate of tilapia (*Oreochromis mossambicus*) in the Salton Sea, California, with notes on bairdiella (*Bairdiella icistia*) and orangemouth corvina (*Cynoscion xanthulus*). *Hydrobiologia*, 576, 185-203, 2007.
- (5088) CIELUCH, U.; ANGER, K.; CHARMANTIER-DAURES, M.; CHARMANTIER, G. Osmoregulation and immunolocalization of Na⁺/K⁺-ATPase during the ontogeny of the mitten crab *Eriocheir sinensis* (Decapoda, Grapsoidea). *Marine Ecology Progress Series*, 329, 169-178, 2007. [Elbe estuary]
- (5089) COTTET, M.; DE MONTAUDOUIN, X.; BLANCHET, H.; LEBLEU, P. *Spartina anglica* eradication experiment and in situ monitoring assess structuring strength of habitat complexity on marine macrofauna at high tidal level. *Estuarine, Coastal and Shelf Science*, 71(3/4), 629-640, 2007. [Restoration; recolonisation]

- (5090) COUTTS, A.D.M.; FORREST, B.M. Development and application of tools for incursion response: lessons learned from the management of the fouling pest *Didemnum vexillum*. *Journal of Experimental Marine Biology and Ecology*, 342(1), 154-162, 2007.
- (5091) COUTTS, A.D.M.; TAYLOR, M.D.; HEWITT, C.L. Novel method for assessing the en route survivorship of biofouling organisms on various vessel types. *Marine Pollution Bulletin*, 54(1), 97-100, 2007.
- (5092) DAVID, M.; GOLLASCH, S.; CABRINI, M.; PERKOVIC, M.; BOSNJAK, D.; VIRGILIO, D. Results from the first ballast water sampling study in the Mediterranean Sea - the Port of Koper study. *Marine Pollution Bulletin*, 54(1), 53-65, 2007.
- (5093) DAVID, V.; SAUTOUR, B.; CHARDY, P. Successful colonization of the calanoid copepod *Acartia tonsa* in the oligo-mesohaline area of the Gironde estuary (SW France) - natural or anthropogenic forcing? *Estuarine, Coastal and Shelf Science*, 71(3/4), 429-442, 2007. [Impact on native species; NAO; 26 year survey; nuclear power plant]
- (5094) DAVIS, M.H.; DAVIS, M.E. The distribution of *Styela clava* (Tunicata, Ascidiacea) in European waters. *Journal of Experimental Marine Biology and Ecology*, 342(1), 182-184, 2007.
- (5095) DIJKSTRA, J.; HARRIS, L.G.; WESTERMAN, E. Distribution and long-term temporal patterns of four invasive colonial ascidians in the Gulf of Maine. *Journal of Experimental Marine Biology and Ecology*, 342(1), 61-68, 2007.
- (5096) DIJKSTRA, J.; SHERMAN, H.; HARRIS, L.G. The role of colonial ascidians in altering biodiversity in marine fouling communities. *Journal of Experimental Marine Biology and Ecology*, 342(1), 169-171, 2007. [Sponges]
- (5097) EWE, S.M.L.; DA SILVA LOBO STERNBERG, L. Water uptake patterns of an invasive exotic plant in coastal saline habitats. *Journal of Coastal Research*, 23(1), 255-264, 2007. [*Schinus terebinthifolius*]
- (5098) FISHING NEWS INTERNATIONAL. Ballast water made pure - to prevent alien species transfer. *Fishing News International*, 46(2), p.35, 2007. [PureBallast; chemical-free system; AOT]
- (5099) FLAGELLA, M.M.; SORIA, A.; BUIA, M.C. Shipping traffic and introduction of non-indigenous organisms: study case in two Italian harbours. *Ocean and Coastal Management*, 49(12), 947-960, 2006. [Naples; Salerno]
- (5100) GITTENBERGER, A. Recent population expansions of non-native ascidians in The Netherlands. *Journal of Experimental Marine Biology and Ecology*, 342(1), 122-126, 2007.
- (5101) HOWES, S.; HERBINGER, C.M.; DARNELL, P.; VERCAEMER, B. Spatial and temporal patterns of recruitment of the tunicate *Ciona intestinalis* on a mussel farm in Nova Scotia, Canada. *Journal of Experimental Marine Biology and Ecology*, 342(1), 85-92, 2007.
- (5102) INGOLFSSON, A. The intertidal seashore of Iceland and its animal communities. *Zoology of Iceland*, 1(7), 1-85, 2006. [Including anthropogenic impact; contaminants; road building; landfills; seaweed harvesting]
- (5103) INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION. A handbook for measuring the progress and outcomes of integrated coastal and ocean management. *Manuals and Guides*. Intergovernmental Oceanographic Commission, 46, iv, 217p., 2007. [ICAM Dossier 2]

- (5104) KENWORTHY, W.J.; WYLLIE-ECHEVERRIA, S.; COLES, R.G.; PERGENT, G.; PERGENT-MARTINI, C. Seagrass conservation biology: an interdisciplinary science for protection of the seagrass biome. In: Larkum, A.W.D.; Orth, R.J.; Duarte, C.M., (editors). Seagrasses: biology, ecology and conservation. p.595-623. Dordrecht: Springer, 2006.
- (5105) LAMBERT, G. Invasive sea squirts: a growing global problem. *Journal of Experimental Marine Biology and Ecology*, 342(1), 3-4, 2007.
- (5106) LANDRY, T., (ET AL). A scientific review of bivalve aquaculture: interaction between wild and cultured species. *Canadian Technical Report of Fisheries and Aquatic Sciences*, (2450), 80-138, 2006.
- (5107) LAPOINTE, B.E.; BEDFORD, B.J.; BAUMBERGER, R. Hurricanes Frances and Jeanne remove blooms of the invasive green alga *Caulerpa brachypus* forma *parvifolia* (Harvey) Cribb from coral reefs off northern Palm Beach County, Florida. *Estuaries and Coasts*, 29(6A), 966-971, 2006. [Anthropogenic nutrient enrichment]
- (5108) LOCKE, A.; HANSON, J.M.; ELLIS, K.M.; THOMPSON, J.; ROCHETTE, R. Invasion of the southern Gulf of St. Lawrence by the clubbed tunicate (*Styela clava* Herdman): potential mechanisms for invasions of Prince Edward Island estuaries. *Journal of Experimental Marine Biology and Ecology*, 342(1), 69-77, 2007. [Bivalve aquaculture]
- (5109) MCCARTHY, A.; OSMAN, R.W.; WHITLATCH, R.B. Effects of temperature on growth rates of colonial ascidians: a comparison of *Didemnum* sp. to *Botryllus schlosseri* and *Botrylloides violaceus*. *Journal of Experimental Marine Biology and Ecology*, 342(1), 172-174, 2007.
- (5110) MCDONALD, P.S.; HOLSMAN, K.K.; BEAUCHAMP, D.A.; DUMBAULD, B.R.; ARMSTRONG, D.A. Bioenergetics modeling to investigate habitat use by the nonindigenous crab, *Carcinus maenas*, in Willapa Bay, Washington. *Estuaries and Coasts*, 29(6B), 1132-1149, 2006.
- (5111) MCMASTER, K.; SAVAGE, A.; FINSTON, T.; JOHNSON, M.S.; KNOTT, B. The recent spread of *Artemia parthenogenetica* in Western Australia. *Hydrobiologia*, 576, 39-48, 2007.
- (5112) MONTEFALCONE, M.; ALBERTELLI, G.; MORRI, C.; BIANCHI, C.N. Urban seagrass: status of *Posidonia oceanica* facing the Genoa city waterfront (Italy) and implications for management. *Marine Pollution Bulletin*, 54(2), 206-213, 2007. [Coastal development; invasive alga *Caulerpa racemosa*]
- (5113) OBENAT, S.; SPIVAK, E.; ORENSANZ, J.M. Reproductive biology of the invasive reef-forming serpulid, *Ficopomatus enigmaticus*, in the Mar Chiquita coastal lagoon, Argentina. *Invertebrate Reproduction and Development*, 49(4), 263-271, 2006.
- (5114) OSMAN, R.W.; WHITLACH, R.B. Variation in the ability of *Didemnum* sp. to invade established communities. *Journal of Experimental Marine Biology and Ecology*, 342(1), 40-53, 2007.
- (5115) PAIS, A.; MERELLA, P.; FOLLESA, M.C.; GARIPPA, G. Westward range expansion of the Lessepsian migrant *Fistularia commersonii* (Fistulariidae) in the Mediterranean Sea, with notes on its parasites. *Journal of Fish Biology*, 70(1), 269-277, 2007.
- (5116) RAJBANSHI, R.; PEDERSON, J. Competition among invading ascidians and a native mussel. *Journal of Experimental Marine Biology and Ecology*, 342(1), 163-165, 2007.

- (5117) RICE, A.; TSUKIMURA, B. A key to the identification of brachyuran zoeae of the San Francisco Bay estuary. *Journal of Crustacean Biology*, 27(1), 74-79, 2007. [Heavily invaded region]
- (5118) RIUS, M.; MCQUAID, C.D. Wave action and competitive interaction between the invasive mussel *Mytilus galloprovincialis* and the indigenous *Perna perna* in South Africa. *Marine Biology*, 150(1), 69-78, 2006.
- (5119) ROBERTS, C.D.; STEWART, A.L. First record of yellowfin bream *Acanthopagrus australis* (Gunther) (Teleostei; Sparidae) in New Zealand waters. *Records of the Auckland Museum*, 43, 43-54, 2006. [Possibly translocated at juvenile stage by ship]
- (5120) SCHMIDT, A.L.; SCHEIBLING, R.E. Effects of native and invasive macroalgal canopies on composition and abundance of mobile benthic macrofauna and turf-forming algae. *Journal of Experimental Marine Biology and Ecology*, 341(1), 110-130, 2007. [*Codium fragile* ssp. *tomentosoides*; *Laminaria digitata*; *L. longicuris*]
- (5121) SIMONCINI, M.; MILLER, R.J. Feeding preference of *Strongylocentrotus droebachiensis* (Echinoidea) for a dominant native ascidian, *Aplidium glabrum*, relative to the invasive ascidian *Botrylloides violaceus*. *Journal of Experimental Marine Biology and Ecology*, 342(1), 93-98, 2007.
- (5122) TAIT, E.; CARMAN, M.; SIEVERT, S.M. Phylogenetic diversity of bacteria associated with ascidians in Eel Pond (Woods Hole, Massachusetts, USA). *Journal of Experimental Marine Biology and Ecology*, 342(1), 138-146, 2007. [Potential production of bioactive substances]
- (5123) TURON, X.; NISHIKAWA, T.; RIUS, M. Spread of *Microcosmus squamiger* (Ascidacea: Pyuridae) in the Mediterranean Sea and adjacent waters. *Journal of Experimental Marine Biology and Ecology*, 342(1), 185-188, 2007.
- (5124) TYRRELL, M.C.; BYERS, J.E. Do artificial substrates favor nonindigenous fouling species over native species? *Journal of Experimental Marine Biology and Ecology*, 342(1), 54-60, 2007.
- (5125) VALENTINE, P.C.; CARMAN, M.R.; BLACKWOOD, D.S.; HEFFRON, E.J. Ecological observations on the colonial ascidian *Didemnum* sp. in a New England tide pool habitat. *Journal of Experimental Marine Biology and Ecology*, 342(1), 109-121, 2007.
- (5126) VALENTINE, P.C.; COLLIE, J.S.; REID, R.N.; ASCH, R.G.; GUIDA, V.G.; BLACKWOOD, D.S. The occurrence of the colonial ascidian *Didemnum* sp. on Georges Bank gravel habitat- ecological observations and potential effects on groundfish and scallop fisheries. *Journal of Experimental Marine Biology and Ecology*, 342(1), 179-181, 2007.
- (5127) WHITLATCH, R.B.; BULLARD, S.G., (EDITORS). Proceedings of the 1st International Invasive Sea Squirt Conference, Woods Hole Oceanographic Institution, Woods Hole, Massachusetts, USA, April 21-22, 2005. *Journal of Experimental Marine Biology and Ecology*, 342(1), 1-190, 2007.
- (5128) ZARDI, G.I.; NICASTRO, K.R.; MCQUAID, C.D.; RIUS, M.; PORRI, F. Hydrodynamic stress and habitat partitioning between indigenous (*Perna perna*) and invasive (*Mytilus galloprovincialis* mussels: constraints of an evolutionary strategy. *Marine Biology*, 150(1), 79-88, 2006.