

ISSN 1742-7614 (online)

Marine Pollution Research Titles

Vol. 37 No. 6 June 2010

Marine Pollution Research Titles

CONTENTS

General	1
Petroleum Hydrocarbons	5
Metals	7
Radioactivity	12
Other Chemicals	13
Biological Wastes	22
Heat	25
Solids	26
Physical Disturbance	27
Non-indigenous Species	29

Please note that this publication is for users within your institution only and should not be made available to anyone outside the authorised site. Anyone interested in subscribing to Marine Pollution Research Titles can visit our web pages for more information or contact us at the address on page IV.

Subscription

Volume 37: January - December 2010:
£120 Available online

Marine Pollution Research Titles

This current awareness publication includes references to the approximately 2,500 papers on marine and estuarine pollution indexed each year. It is divided into the following sections:

Section 1 : General

General discussions on marine and estuarine pollution ; remote sensing, pollution indicators, and monitoring systems; mathematical models, experimental methods and equipment and general chemical analysis. Aspects relating to a particular group of pollutants are included under that section, and if necessary the item is repeated in several sections.

Section 2 : Petroleum Hydrocarbons

Includes the detection, analysis and levels in the marine and estuarine environment; effects; oil characteristics; oil removal, including the use of dispersants, biodegradation etc.

Section 3 : Metals

Includes the detection, analysis, modelling, levels, effects and removal, etc.

Section 4 : Radioactivity

Includes the detection, analysis, modelling, levels, effects and removal, etc.

Section 5 : Other Chemicals

Includes the detection, analysis, modelling, levels, effects and removal, etc. Pollutants include pesticides, PCBs, halogenated hydrocarbons, phthalates etc.

Section 6 : Biological Wastes

Includes the detection, analysis, modelling, levels, effects and removal, etc. Pollutants include sewage, pulp and paper, and food processing

Section 7 : Heat

Includes the detection, analysis, modelling, and effects etc.

Section 8 : Solids

Includes the detection, analysis, modelling, and effects etc. Pollutants include dredging wastes, plastics, china clay, mining effluents etc.

Section 9 : Physical Disturbance

Includes the detection, analysis, modelling, effects and recovery, etc

Section 10: Non-indigenous Species

Includes records, environmental impact etc.

Marine Pollution Information Centre

Scope

The Centre collects documents and provides information services in the field of marine and estuarine pollution, including the detection, analysis and removal of pollutants; levels of pollutants in seawater, sediments and organisms; and the biological effects of pollutants. Legal, economic and social aspects are generally excluded. The Centre now contains approximately 78,000 documents.

Services

The Centre provides a number of services to its users:

Abstracting and Indexing

Monitoring of the marine pollution literature and preparation of records for input to the *Aquatic Sciences and Fisheries Abstracts* bibliographic database.

Contracts

Literature searches and bibliographies are carried out on behalf of customers. Previous customers have included United Nations agencies such as FAO, IMO, IOC and WHO; commercial organizations, consultants and water authorities.

Enquiries

Enquiries are welcomed from scientists, technologists and administrators working on marine pollution problems. For simple enquiries there are no charges.

Reference Collection

The majority of the documents at the Centre are always available for reference, and visitors are very welcome to use the services of the staff, and to browse through the collection.

Further Information

National Marine Biological Library
Marine Biological Association
Citadel Hill Laboratory
Plymouth PL1 2PB,
Devon,
United Kingdom.

Telephone: 01752 633266
Fax: 01752 633102
Email nmbi@mba.ac.uk
Web <http://www.mba.ac.uk/nmbi/>

Section 1: General

- (1650) ACHARYA, C.K. Mangrove diversity in the Sundarban Biosphere Reserve, West Bengal, India. *Seshaiyana*, 17(1), 4-8, 2009.
- (1651) APONTE, G.; CASTRO, J.C.; SANCHEZ, V.H.; CASTRO, M.; ESPINOSA, A.; ROSALES, N. Contamination level evaluation on Colombian north coast. *IEEE Latin America Transactions*, 7(2), 190-195, 2009.
- (1652) ARAUJO, C.V.M., (ET AL). Ring test for whole-sediment toxicity assay with -a- benthic marine diatom. *Science of the Total Environment*, 408(4), 822-828, 2010.
- (1653) BANARU, D.; HARMELIN-VIVIEN, M.; BOUDOURESQUE, C.F. Man induced change in community control in the north-western Black Sea: the top-down bottom-up balance. *Marine Environmental Research*, 69(4), 262-275, 2010. [Overfishing; coastal pollution]
- (1654) BANNISTER, R.J.; BATTERSHILL, C.N.; DE NYS, R. Demographic variability and long-term change in a coral reef sponge along a cross-shelf gradient of the Great Barrier Reef. *Marine and Freshwater Research*, 61(4), 389-396, 2010. [Water quality]
- (1655) BARBOSA, A.B.; DOMINGUES, R.B.; GALVAO, H.M. Environmental forcing of phytoplankton in a Mediterranean estuary (Guadiana Estuary, South-western Iberia): a decadal study of anthropogenic and climatic influences. *Estuaries and Coasts*, 33(2), 324-341, 2010. [Dam construction]
- (1656) BEG, M.U.; AL-SUBIAI, S.; BEG, K.R.; BUTT, S.A.; AL-JANDAL, N.; AL-HASAN, E.; AL-HUSSAINI, M. Seasonal effect on heat shock proteins in fish from Kuwait Bay. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 91-95, 2010.
- (1657) BIANCHI, T.S.; DIMARCO, S.F.; COWAN, J.H., JR; HETLAND, R.D.; CHAPMAN, P.; DAY, J.W.; ALLISON, M.A. The science of hypoxia in the Northern Gulf of Mexico: a review. *Science of the Total Environment*, 408(7), 1471-1484, 2010.
- (1658) BUSCH, M.; PESCH, R.; SCHLUTER, M.; SCHRODER, W. GIS-mapping seafloor habitats by application of the European Nature Information System - EUNIS. *Egyptian Journal of Aquatic Research*, 35(3), 291-297, 2009. [German North Sea EE2]
- (1659) BUTCHART, S.H.M., (ET AL). Global biodiversity: indicators of recent declines. *Science*, 328(5982), 1164-1168, 2010.
- (1660) CLOERN, J.E.; JASSBY, A.D. Patterns and scales of phytoplankton variability in estuarine-coastal ecosystems. *Estuaries and Coasts*, 33(2), 230-241, 2010. [Anthropogenic impact: climate change; nutrient enrichment]
- (1661) DIAZ-ASENCIO, L.; ARMENTEROS, M.; DIAZ-ASENCIO, M.; FERNANDEZ-GARCES, R.; GOMEZ-BATISTA, M.; ALONSO-HERNANDEZ, C. Spatial and temporal variations of meiofaunal communities in Cienfuegos Bay, Cuba. *Revista de Biología Marina y Oceanografía*, 44(1), 13-22, 2009.
- (1662) GALLEGOS, C.L.; JORDAN, T.E.; HEDRICK, S.S. Long-term dynamics of phytoplankton in the Rhode River, Maryland (USA). *Estuaries and Coasts*, 33(2), 471-484, 2010.
- (1663) GALVAN, C.; JUANES, J.A.; PUENTE, A. Ecological classification of European transitional waters in the North-East Atlantic eco-region. *Estuarine, Coastal and Shelf Science*, 87(3), 442-450, 2010.

- (1664) GAO, L.; FAN, D.; LI, D.; CAI, J. Fluorescence characteristics of chromophoric dissolved organic matter in shallow water along the Zhejiang coasts, southeast China. *Marine Environmental Research*, 69(3), 187-197, 2010.
- (1665) GURNEY-SMITH, H.; JOHNSON, S. The Myt-OME project: development of a health assessment tool for marine mussels. *Bulletin of the Aquaculture Association of Canada*, 107(3), 45-52, 2009.
- (1666) HUNT, C.D.; BORKMAN, D.G.; LIBBY, P.S.; LACOUTURE, R.; TURNER, J.T.; MICKELSON, M.J. Phytoplankton patterns in Massachusetts Bay - 1992-2007. *Estuaries and Coasts*, 33(2), 448-470, 2010. [Water quality; effluent outfall]
- (1667) HWANG, J.-S.; KUMAR, R.; HSIEH, C.-W.; KUO, A.Y.; SOUISSI, S.; HSU, M.-H.; WU, J.-T.; LIU, W.-C.; WANG, C.-F.; CHEN, Q.-C. Patterns of zooplankton distribution along the marine, estuarine, and riverine portions of the Danshuei ecosystem in northern Taiwan. *Zoological Studies*, 49(3), 335-352, 2010. [Wastewater discharges; copepod diversity correlated with salinity]
- (1668) KROMKAMP, J.C.; VAN ENGELAND, T. Changes in phytoplankton biomass in the eastern Scheldt Estuary during the period 1978-2006. *Estuaries and Coasts*, 33(2), 270-285, 2010. [Climate change; eutrophication]
- (1669) KRUMHOLZ, J.; BARBER, T. Avoiding "Band-Aid" solutions in ecosystem restorations. *Ecological Restoration*, 28(1), 17-19, 2010.
- (1670) LANG, F.; VON DER LIPPE, M.; SCHIMPEL, S.; SCOZZAFAVA-JAEGER, T.; STRAUB, W. Topsoil morphology indicates bio-effective redox conditions in Venice salt marshes. *Estuarine, Coastal and Shelf Science*, 87(1), 11-20, 2010. [Anthropogenic impact]
- (1671) LI, M.; ZHONG, L.; HARDING, L.W., JR. Sensitivity of plankton biomass and productivity to variations in physical forcing and biological parameters in Chesapeake Bay. *Journal of Marine Research*, 67(5), 667-700, 2009. [Nutrient loading]
- (1672) LIU, Y.; SCAVIA, D. Analysis of the Chesapeake Bay hypoxia regime shift: insights from two simple mechanistic models. *Estuaries and Coasts*, 33(3), 629-639, 2010. [Nutrient load]
- (1673) LUTER, H.M.; WHALAN, S.; WEBSTER, N.S. Prevalence of tissue necrosis and brown spot lesions in a common marine sponge. *Marine and Freshwater Research*, 61(4), 484-489, 2010. [Stress; injury]
- (1674) MARION, C.; DUFOIS, F.; ARNAUD, M.; VELLA, C. In situ record of sedimentary processes near the Rhone River mouth during winter events (Gulf of Lions, Mediterranean Sea). *Continental Shelf Research*, 30(9), 1095-1107, 2010.
- (1675) MARTINEZ-LUSCHER, J.; HOLMER, M. Potential effects of the invasive species *Gracilaria vermiculophylla* on *Zostera marina* metabolism and survival. *Marine Environmental Research*, 69(5), 345-349, 2010. [Hypoxia; temperature]
- (1676) MAURIN, L.C.; HIMMEL, D.; MANSOT, J.-L.; GROS, O. Raman microspectrometry as a powerful tool for a quick screening of thiotrophy: an application on mangrove swamp meiofauna of Guadeloupe (F.W.I.). *Marine Environmental Research*, 69(5), 382-389, 2010.
- (1677) MENDEZ, M.M.; SCHWINDT, E.; BORTOLUS, A. Relationships between macroinfaunal invertebrates and physicochemical factors in two sandy beaches of Patagonia. *Journal of the Marine Biological Association of the United Kingdom*, 90(3), 429-435, 2010.

- (1678) MICHALOPOULOU, Z.-H.; BAGHERI, S.; AXE, L. Bayesian estimation of optical properties of nearshore estuarine waters: a Gibbs sampling approach. *IEEE Transactions on Geoscience and Remote Sensing*, 48(3), pt.2, 1579-1587, 2010. [Water quality]
- (1679) NOBRE, A.M.; FERREIRA, J.G.; NUNES, J.P.; YAN, X.; BRICKER, S.; CORNER, R.; GROOM, S.; GU, H.; HAWKINS, A.J.S.; HUTSON, R.; LAN, D.; LENCART E SILVA, J.D.; PASCOE, P.; TELFER, T.; ZHANG, X.; ZHU, M. Assessment of coastal management options by means of multilayered ecosystem models. *Estuarine, Coastal and Shelf Science*, 87(1), 43-62, 2010. [Water quality; aquaculture]
- (1680) NORIEGA, C.E.; MUNIZ, K.; FLORES-MONTES, M.J.; MACEDO, S.J.; ARAUJO, M.; FEITOSA, F.A.; LACERDA, S.R. Series temporales de variables hidrobiológicas en un estuario tropical (Brasil). *Revista de Biología Marina y Oceanografía*, 44(1), 93-108, 2009. [Eutrophication; nutrients; hypoxia]
- (1681) ODEBRECHT, C.; BERGESCH, M.; RORIG, L.R.; ABREU, P.C. Phytoplankton interannual variability at Cassino Beach, Southern Brazil (1992-2007), with emphasis on the surf zone diatom *Asterionellopsis glacialis*. *Estuaries and Coasts*, 33(2), 570-583, 2010. [Natural changes; anthropogenic impact; dredging; El Nino; climate change]
- (1682) OGUZ, T.; VELIKOVA, V. Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. *Marine Ecology Progress Series*, 405, 231-242, 2010. [Eutrophication; recovery; nutrient load reduction]
- (1683) OLSEN, Y.S.; FOX, S.E.; KINNEY, E.L.; TEICHBERG, M.; VALIELA, I. Differences in urbanization and degree of marine influence are reflected in delta 13C and delta 15N of producers and consumers in seagrass habitats of Puerto Rico. *Marine Environmental Research*, 69(3), 198-206, 2010. [Wastewater; nutrients]
- (1684) ONGLEY, E.D.; XIAOLAN, Z.; TAO, Y. Current status of agricultural and rural non-point source pollution assessment in China. *Environmental Pollution*, 158(5), 1159-1168, 2010. [Review; nutrients; water quality]
- (1685) PANG, S.J.; LIU, F.; SHAN, T.F.; XU, N.; ZHANG, Z.H.; GAO, S.Q.; CHOPIN, T.; SUN, S. Tracking the algal origin of the *Ulva* bloom in the Yellow Sea by a combination of molecular, morphological and physiological analyses. *Marine Environmental Research*, 69(4), 207-215, 2010. [Eutrophication]
- (1686) PESCH, R.; RANFT, S.; SCHRODER, W. Predictive mapping of benthic habitats in the North Sea. *Egyptian Journal of Aquatic Research*, 35(3), 281-289, 2009.
- (1687) PIERCE, S.J.; BENNETT, M.B. Distribution of the estuary stingray (*Dasyatis fluviorum*) in Australia. *Memoirs of the Queensland Museum*, 55(1), 89-97, 2009. [Anthropogenic impact]
- (1688) PLATT, T.; SATHYENDRANATH, S.; WHITE, G.N., III; FUENTES-YACO, C.; ZHAI, L.; DEVRED, E.; TANG, C. Diagnostic properties of phytoplankton time series from remote sensing. *Estuaries and Coasts*, 33(2), 428-439, 2010.
- (1689) RANFT, S.; PESCH, R.; SCHRODER, W.; BOEDEKER, D.; PAULOMAKI, H. Ecological coherence: an assessment of the Baltic Sea Protected Areas (BSPA) in conjunction with Natura 2000 sites. *Egyptian Journal of Aquatic Research*, 35(4), 421-429, 2009.
- (1690) REOPANICHKUL, P.; CARTER, R.W.; WORACHANANANT, S.; CROSSLAND, C.J. Wastewater discharge degrades coastal waters and reef communities in southern Thailand. *Marine Environmental Research*, 69(5), 287-296, 2010. [Sewage; nutrients; suspended solids]

- (1691) SAVAGE, C.; LEAVITT, P.R.; ELMGREN, R. Effects of land use, urbanization, and climate variability on coastal eutrophication in the Baltic Sea. *Limnology and Oceanography*, 55(3), 1033-1046, 2010. [Water quality degradation; nutrients; sewage]
- (1692) SFRISO, A. Coexistence of *Ulva rigida* and *Ulva laetevirens* (Ulvales, Chlorophyta) in Venice Lagoon and other Italian transitional and marine environments; *Bot. Mar.* 53 (2010): 9-18. [Erratum]. *Botanica Marina*, 53(2), p.193, 2010.
- (1693) SLEESWIJK, A.W.; HEIJUNGS, R. GLOBOX: a spatially differentiated global fate, intake and effect model for toxicity assessment in LCA. *Science of the Total Environment*, 408(14), 2817-2832, 2010.
- (1694) SVEJKOVSKY, J.; NEZLIN, N.P.; MUSTAIN, N.M.; KUM, J.B. Tracking stormwater discharge plumes and water quality of the Tijuana River with multispectral aerial imagery. *Estuarine, Coastal and Shelf Science*, 87(3), 387-398, 2010. [Coliforms; faecal coliforms; enterococcus]
- (1695) TANYAROS, S.; TONGNUNUI, P.; JANYONG, S. Influence of water quality on the abundance of conch, *Strombus* spp. (Mollusca: Strombidae), in sea grass meadows in Trang Province, Southern Thailand. *Egyptian Journal of Aquatic Research*, 35(3), 363-369, 2009. [Suspended solids; temperature; nutrients]
- (1696) TORRES, A.; CAILLE, G. Las comunidades del intermareal rocoso antes y despues de la eliminacion de un disturbio antropogenico: un caso de estudio en las costas de Puerto Madryn (Patagonia, Argentina). *Revista de Biologia Marina y Oceanografia*, 44(2), 517-521, 2009. [Sewage discharge]
- (1697) VAQUER-SUNYER, R.; DUARTE, C.M. Sulfide exposure accelerates hypoxia-driven mortality. *Limnology and Oceanography*, 55(3), 1075-1082, 2010.
- (1698) VERITY, P.G.; BORKMAN, D.G. A decade of change in the Skidaway River estuary. III. Plankton. *Estuaries and Coasts*, 33(2), 513-540, 2010. [Eutrophication; hypoxia; nutrients]
- (1699) WANG, W.-D.; LIANG, J.; ZHANG, S.-Y. Influence of artificial reef construction on nutrition and water quality in off-shore area of Shengsi, Zhejiang. [In Chinese with English summary]. *Acta Hydrobiologica Sinica*, 34(1), 78-87, 2010. [Eutrophication; nutrients]
- (1700) WEIHE, E.; KRIEWS, M.; ABELE, D. Differences in heavy metal concentrations and in the response of the antioxidant system to hypoxia and air exposure in the Antarctic limpet *Nacella concinna*. *Marine Environmental Research*, 69(3), 127-135, 2010. [Al; Cd; Fe; Zn]
- (1701) WILLIAMS, A.T.; ERGIN, A. A Mediterranean sustainable tourism model for protection of a natural heritage in Cirali beach, Turkey. *Egyptian Journal of Aquatic Research*, 35(3), 307-315, 2009. [Turtles]
- (1702) XU, J.; YIN, K.; LEE, J.H.W.; LIU, H.; HO, A.Y.T.; YUAN, X.; HARRISON, P.J. Long-term and seasonal changes in nutrients, phytoplankton biomass and dissolved oxygen in Deep Bay, Hong Kong. *Estuaries and Coasts*, 33(2), 399-416, 2010. [Nutrient loading; sewage; hypoxia]
- (1703) ZARRANZ, M.E.; GONZALEZ-HENRIQUEZ, N.; GARCIA-JIMENEZ, P.; ROBAINA, R.R. Restoration of *Cymodocea nodosa* seagrass meadows through seed propagation: germination in vitro, seedling culture and field transplants. *Botanica Marina*, 53(2), 173-181, 2010.
- (1704) ZINGONE, A.; PHILIPS, E.J.; HARRISON, P.J. Multiscale variability of twenty-two coastal phytoplankton time series: a global scale comparison. *Estuaries and Coasts*, 33(2), 224-229, 2010. [Eutrophication; other anthropogenic impacts]

Section 2: Petroleum Hydrocarbons

- (1705) BEJARANO, A.C.; MICHEL, J. Large-scale risk assessment of polycyclic aromatic hydrocarbons in shoreline sediments from Saudi Arabia: environmental legacy after twelve years of the Gulf War oil spill. *Environmental Pollution*, 158(5), 1561-1569, 2010. [PAHs]
- (1706) CARLS, M.G.; THEDINGA, J.F. Exposure of pink salmon embryos to dissolved polynuclear aromatic hydrocarbons delays development, prolonging vulnerability to mechanical damage. *Marine Environmental Research*, 69(5), 318-325, 2010. [PAHs]
- (1707) CLAIREAUX, G.; DAVOODI, F. Effect of exposure to petroleum hydrocarbons upon cardio-respiratory function in the common sole (*Solea solea*). *Aquatic Toxicology*, 98(2), 113-119, 2010. [PAHs; oil]
- (1708) DA SILVA, D.A.M.; BICEGO, M.C. Polycyclic aromatic hydrocarbons and petroleum biomarkers in Sao Sebastiao Channel, Brazil: assessment of petroleum contamination. *Marine Environmental Research*, 69(5), 277-286, 2010. [PAHs; n-alkanes; isoprenoids; terpanes; hopanes; steranes; diasteranes]
- (1709) DANISH, E.Y. Ecological impact from chemicals in the Arabian Gulf due to Gulf oil spill. *Water and Environment Journal*, 24(1), 65-73, 2010.
- (1710) DI GIORGIO, C.; LIU, W.; SARRAZIN, L.; WAFO, E.; MORREAU, X.; DE JONG, L.; THIERY, A.; DE MEO, M. Organic pollution and genotoxicity of sediments of the Palun marshes (Berre Lagoon, France). *Journal of Environmental Quality*, 39(2), 558-567, 2010. [PAHs; pesticides; 1-nitropyrene; 1-aminopyrene]
- (1711) FAIR, P.A., (ET AL). Contaminant blubber burdens in Atlantic bottlenose dolphins (*Tursiops truncatus*) from two southeastern US estuarine areas: concentrations and patterns of PCBs, pesticides, PBDEs, PFCs, and PAHs. *Science of the Total Environment*, 408(7), 1577-1597, 2010.
- (1712) FANG, X.; DONG, W.; THORNTON, C.; WILLETT, K.L. Benzo[a]pyrene effects on glycine N-methyltransferase mRNA expression and enzyme activity in *Fundulus heteroclitus* embryos. *Aquatic Toxicology*, 98(2), 130-138, 2010. [PAH]
- (1713) KERR, R.A.; KINTISCH, E.; SCHENKMAN, L.; STOKSTAD, E. Five questions on the spill. *Science*, 328(5981), 962-963, 2010. [Gulf of Mexico]
- (1714) LE GENTIL, E. Oil pollution in the English Channel and the Bay of Biscay: risk and prevention between 1960 and 2004. 308p. Brest (France): Universite Bretagne Occidentale, Brest (France), 2009. (Thesis)
Available at: http://tel.archives-ouvertes.fr/docs/00/43/52/66/PDF/These_Le_Gentil_1_2009.pdf.
- (1715) MITCH, A.M.; ANISFELD, S.C. Contaminants in Long Island Sound: data synthesis and analysis. *Estuaries and Coasts*, 33(3), 609-628, 2010. [Ag; arsenic; Cd; Cu; Fe; Hg; Mn; Ni; Pb; Zn; DDT; PAHs; Se; Sn; PCBs; dieldrin; chlordane; mirex]
- (1716) REIS-HENRIQUES, M.A.; FERREIRA, M.; COIMBRA, A.M.; D'SILVA, C.; COSTA, J.; SHAILAJA, M.S. Phenanthrene and nitrite effects on juvenile sea bass, *Dicentrarchus labrax*, using hepatic biotransformation enzymes, biliary fluorescence, and micronuclei as biomarkers. *Ciencias Marinas*, 35(1), 29-40, 2009.

- (1717) RODENBURG, L.A.; VALLE, S.N.; PANERO, M.A.; MUNOZ, G.R.; SHOR, L.M. Mass balances on selected polycyclic aromatic hydrocarbons in the New York-New Jersey Harbor. *Journal of Environmental Quality*, 39(2), 642-653, 2010. [PAH; fluorene; phenanthrene; fluoranthene; pyrene; benz[a]anthracene; benzo[a]pyrene; perylene, benzo[ghi]perylene; indeno[1,2,3- cd] pyrene; dibenz[a,h] anthracene]
- (1718) RODRIGUES, R.V.; MIRANDA-FILHO, K.C.; GUSMAO, E.P.; MOREIRA, C.B.; ROMANO, L.A.; SAMPAIO, L.A. Deleterious effects of water-soluble fraction of petroleum, diesel and gasoline on marine pejerrey *Odontesthes argentinensis* larvae. *Science of the Total Environment*, 408(9), 2054-2059, 2010. [Petroleum hydrocarbons; PAHs]
- (1719) RODRIGUEZ-BLANCO, A.; ANTOINE, V.; PELLETIER, E.; DELILLE, D.; GHIGLIONE, J.-F. Effects of temperature and fertilization on total vs. active bacterial communities exposed to crude and diesel oil pollution in NW Mediterranean Sea. *Environmental Pollution*, 158(3), 663-673, 2010. [Inipol EAP 22]
- (1720) SAID, O.B.; GONI-URRIZA, M.; EL BOUR, M.; AISSA, P.; DURAN, R. Bacterial community structure of sediments of the Bizerte lagoon (Tunisia), a southern Mediterranean coastal anthropized lagoon. *Microbial Ecology*, 59(3), 445-456, 2010. [PAHs; Cd; Co; Cr; Cu; Mn; Ni; Pb; Zn]
- (1721) SCHROPE, M. Oil cruise finds deep-sea plume. *Nature*, 465(7296), 274-275, 2010. [Gulf of Mexico oil spill]
- (1722) SHAO, Z.; CUI, Z.; DONG, C.; LAI, Q.; CHEN, L. Analysis of a PAH-degrading bacterial population in subsurface sediments on the Mid-Atlantic Ridge. *Deep-Sea Research I*, 57(5), 724-730, 2010.
- (1723) VALENTINE, D. Measure methane to quantify the oil spill. *Nature*, 465(7297), p.421, 2010. [Gulf of Mexico]
- (1724) VELANDO, A.; MUNILLA, I.; LOPEZ-ALONSO, M.; FREIRE, J.; PEREZ, C. EROD activity and stable isotopes in seabirds to disentangle marine food web contamination after the Prestige oil spill. *Environmental Pollution*, 158(5), 1275-1280, 2010.
- (1725) VENKATESAN, M.I.; MERINO, O.; BAEK, J.; NORTHRUP, T.; SHENG, Y.; SHISKO, J. Trace organic contaminants and their sources in surface sediments of Santa Monica Bay, California, USA. *Marine Environmental Research*, 69(5), 350-362, 2010. [DDTs; LABs; PAHs; PCBs; coprostanol]
- (1726) VEVERS, W.F.; DIXON, D.R.; DIXON, L.R.J. The role of hydrostatic pressure on developmental stages of *Pomatoceros lamarcki* (Polychaeta: Serpulidae) exposed to water accommodated fractions of crude oil and positive genotoxins at simulated depths of 1000-3000 m. *Environmental Pollution*, 158(5), 1702-1709, 2010. [PAHs]
- (1727) VINAS, L.; FRANCO, M.A.; SORIANO, J.A.; GONZALEZ, J.J.; PON, J.; ALBAIGES, J. Sources and distribution of polycyclic aromatic hydrocarbons in sediments from the Spanish northern continental shelf. Assessment of spatial and temporal trends. *Environmental Pollution*, 158(5), 1551-1560, 2010. [PAHs; Prestige spill]
- (1728) WANG, L.; WANG, W.; LAI, Q.; SHAO, Z. Gene diversity of CYP153A and AlkB alkane hydroxylases in oil-degrading bacteria isolated from the Atlantic Ocean. *Environmental Microbiology*, 12(5), 1230-1242, 2010.
- (1729) WANG, P.; ZHU, Y.; LU, H.; ZHANG, Y. Visualizing localizations and movement of anthracene in *Kandelia candel* (L.) druce leaves by fluorescence microscopy. *Journal of Coastal Research*, 26(3), 549-554, 2010. [PAHs]

Section 3: Metals

- (1730) AHDY, H.H.H.; MOHAMED, L.A.-F.; KHALED, A.; EL-SIKAILY, A. Canned fish between benefits and risks on the Egyptian market. *Egyptian Journal of Aquatic Research*, 35(4), 511-520, 2009. [Cd; Cr; Cu; Fe; Mn; Ni; Pb; Zn; PCBs; HCHs; aldrin; dieldrin; endrin; DDTs; cyclodienes; pesticides; seafood]
- (1731) AKEAROK, J.A.; HEBERT, C.E.; BRAUNE, B.M.; MALLORY, M.L. Inter- and intraclutch variation in egg mercury levels in marine bird species from the Canadian Arctic. *Science of the Total Environment*, 408(4), 836-840, 2010. [Hg]
- (1732) ARAUJO, C.V.M., (ET AL). Ring test for whole-sediment toxicity assay with -a- benthic marine diatom. *Science of the Total Environment*, 408(4), 822-828, 2010.
- (1733) CASADO-MARTINEZ, M.C.; SMITH, B.D.; LUOMA, S.N.; RAINBOW, P.S. Bioaccumulation of arsenic from water and sediment by a deposit-feeding polychaete (*Arenicola marina*): a biodynamic modelling approach. *Aquatic Toxicology*, 98(1), 34-43, 2010.
- (1734) CHEN, K.; TIAN, S.; JIAO, J.J. Macrobenthic community in Tolo Harbour, Hong Kong and its relations with heavy metals. *Estuaries and Coasts*, 33(3), 600-608, 2010. [Cd; Cu; Pb; Zn]
- (1735) CHENG, H.; HU, Y. Lead (Pb) isotopic fingerprinting and its applications in lead pollution studies in China: a review. *Environmental Pollution*, 158(5), 1134-1146, 2010.
- (1736) CHENG, H.; LIU, Y.; TAM N.F.Y.; WANG, X.; LI, S.Y.; CHEN, G.Z.; YE, Z.H. The role of radial oxygen loss and root anatomy on zinc uptake and tolerance in mangrove seedlings. *Environmental Pollution*, 158(5), 1189-1196, 2010. [Zn]
- (1737) CHOU, J.; CLEMENT, G.; BURSAVICH, B.; ELBERS, D.; CAO, B.; ZHOU, W. Rapid detection of toxic metals in non-crushed oyster shells by portable X-ray fluorescence spectrometry. *Environmental Pollution*, 158(6), 2230-2234, 2010. [Pb]
- (1738) DANISH, E.Y. Ecological impact from chemicals in the Arabian Gulf due to Gulf oil spill. *Water and Environment Journal*, 24(1), 65-73, 2010.
- (1739) DELLA TORRE, C., (ET AL). DNA damage, severe organ lesions and high muscle levels of As and Hg in two benthic fish species from a chemical warfare agent dumping site in the Mediterranean Sea. *Science of the Total Environment*, 408(9), 2136-2145, 2010. [Arsenic; yperite]
- (1740) DIAZ RIZO, O.; OLIVARES REUMONT, S.; VIGURI FUENTE, J.; DIAZ ARADO, O.; LOPEZ PINO, N.; D'ALESSANDRO RODRIGUEZ, K.; LA ROSA MEDERO, D.; GELEN RUDNIKAS, A.; ARENCIBIA CARBALLO, G. Copper, zinc and lead enrichments in sediments from Guacanayabo Gulf, Cuba, and its bioaccumulation in oysters, *Crassostrea rhizophorae*. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 136-140, 2010. [Cu; Pb; Zn]
- (1741) DUARTE, B.; CAETANO, M.; ALMEIDA, P.R.; VALE, C.; CACADOR, I. Accumulation and biological cycling of heavy metal in four salt marsh species, from Tagus estuary (Portugal). *Environmental Pollution*, 158(5), 1661-1668, 2010. [Cd; Co; Cu; Zn]
- (1742) DURAL, M.; GENC, E.; YEMENICIOLU, S.; KEMAL SANGUN, M. Accumulation of some heavy metals seasonally in *Hysterothylacium aduncum* (Nematoda) and its host Red Sea bream, *Pagellus erythrinus* (Sparidae) from Gulf of Iskenderun (North-eastern Mediterranean). *Bulletin of Environmental Contamination and Toxicology*, 84(1), 125-131, 2010. [Cd; Cr; Cu; Fe; Hg; Mn; Mg; Pb; Zn]

- (1743) ELLIS, B.C.; GATTONI-CELLI, S.; KINDY, M.S. The impact of methylmercury on 1,25-dihydroxyvitamin D3-induced transcriptomic responses in dolphin skin cells. *Biological Chemistry*, 391(2/3), 245-258, 2010.
- (1744) FAKOUR, H.; ESMAILI-SARI, A.; ZAYERI, F. Mercury exposure assessment in Iranian women's hair of a port town with respect to fish consumption and amalgam fillings. *Science of the Total Environment*, 408(7), 1538-1543, 2010. [Hg]
- (1745) FOWLER, S.W.; TEYSSIE, J.-L.; CHURCH, T.M. Scavenging and retention of bismuth by marine plankton and biogenic particles. *Limnology and Oceanography*, 55(3), 1093-1104, 2010. [Bi]
- (1746) FRIAS-ESPERICUETA, M.G.; OSUNA-LOPEZ, I.; VOLTOLINA, D.; BELTRAN-VELARDE, M.A.; IZAGUIRRE-FIERRO, G.; LOPEZ-LOPEZ, G.; MUY-RANGEL, M.D.; RUBIO-CARRASCO, W. The contents of Cd, Cu, Pb and Zn of the white shrimp *Litopenaeus vannamei* (Boone, 1931) of six coastal lagoons of Sinaloa, NW Mexico. *Revista de Biología Marina y Oceanografía*, 44(1), 197-201, 2009. [Seafood; no risk to human health]
- (1747) GALLOWAY, T.; LEWIS, C.; DOLCIOTTI, I.; JOHNSTON, B.D.; MOGER, J.; REGOLI, F. Sublethal toxicity of nano-titanium dioxide and carbon nanotubes in a sediment dwelling marine polychaete. *Environmental Pollution*, 158(5), 1748-1755, 2010. [Nanoparticles]
- (1748) GOTO, D.; WALLACE, W.G. Metal intracellular partitioning as a detoxification mechanism for mummichogs (*Fundulus heteroclitus*) living in metal-polluted salt marshes. *Marine Environmental Research*, 69(3), 163-171, 2010. [Cd; Cu; Pb; Zn]
- (1749) HAROON, A.M. Factors affecting the elements distribution in *Potamogeton pectinatus* L. and *Ceratophyllum demersum* L. *Egyptian Journal of Aquatic Research*, 35(4), 483-495, 2009. [Cu; Fe; Mn; Zn; N; P; K]
- (1750) JONES, D.E.; TURNER, A. Bioaccessibility and mobilisation of copper and zinc in estuarine sediment contaminated by antifouling paint particles. *Estuarine, Coastal and Shelf Science*, 87(3), 399-404, 2010. [Cu; Zn; clean sediment from Erme estuary; paint particles from Plymouth boatyard]
- (1751) KALMAN, J.; SMITH, B.D.; RIBA, I.; BLASCO, J.; RAINBOW, P.S. Biodynamic modelling of the accumulation of Ag, Cd and Zn by the deposit-feeding polychaete *Nereis diversicolor*: inter-population variability and a generalised predictive model. *Marine Environmental Research*, 69(5), 363-373, 2010.
- (1752) KARLSSON, J.; YTREBERG, E.; EKLUND, B. Toxicity of anti-fouling paints for use on ships and leisure boats to non-target organisms representing three trophic levels. *Environmental Pollution*, 158(3), 681-687, 2010. [Cu; Zn; Irgarol]
- (1753) KRISHNA KUMAR, S.; CHANDRASEKAR, N.; SERALATHAN, P. Trace elements contamination in coral reef skeleton, Gulf of Mannar, India. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 141-146, 2010. [Arsenic; Cd; Co; Cr; Cu; Fe; Mn; Ni; Pb; Zn]
- (1754) LAVOIE, R.A.; CHAMPOUX, L.; RAIL, J.-F.; LEAN, D.R.S. Organochlorines, brominated flame retardants and mercury levels in six seabird species from the Gulf of St. Lawrence (Canada): relationships with feeding ecology, migration and molt. *Environmental Pollution*, 2189-2199, 2010. [Hg; PBDEs; PCBs; DDTs; chlordane; dieldrin; mirex; HCHs; octachlorostyrene; chlorinated pesticides; brominated flame retardants]
- (1755) LE, D.Q.; CHINO, N.; SHIRAI, K.; ARAI, T. Trace metals in Japanese eel *Anguilla japonica* in relation to ecological migratory types and growth stages. *Estuarine, Coastal and Shelf Science*, 87(3), 405-410, 2010. [Cd; Co; Cr; Cu; Hg; Mn; Pb; V; Zn]

- (1756) LERMANA, M.P.; URRUTIA, C.; NOVOA, V.; RUDOLPH, A. Efecto del EDTA sobre la toxicidad del cromo (VI) en el desarrollo larval de *Petrolisthes laevigatus* (Guerin, 1835). *Revista de Biología Marina y Oceanografía*, 44(1), 137-143, 2009. [Cr]
- (1757) LISCI, C.; DI CARRO, M.; MAGI, E. Comparison of two analytical methods for the determination of organotin compounds in marine organisms. *Comptes Rendus: Chimie*, 12(8), 831-840, 2009. [TBT]
- (1758) MACEY, B.M., (ET AL). Modelling interactions of acid-base balance and respiratory status in the toxicity of metal mixtures in the American oyster *Crassostrea virginica*. *Comparative Biochemistry and Physiology, Part A*, 155(3), 341-349, 2010. [Cd; Cu; Zn]
- (1759) MANYIN, T.; ROWE, C.L. Reproductive and life stage-specific effects of aqueous copper on the grass shrimp *Palaemonetes pugio*. *Marine Environmental Research*, 69(3), 152-157, 2010. [Cu]
- (1760) MARCHESELLI, M.; CONZO, F.; MAURI, M.; SIMONINI, R. Novel antifouling agent - zinc pyrithione: short- and long-term effects on survival and reproduction of the marine polychaete *Dinophilus gyrociliatus*. *Aquatic Toxicology*, 98(2), 204-210, 2010.
- (1761) MARSHALL, K.; WATSON, S.; MCDONALD, P.; COPPLESTONE, D.; WATTS, S.J. Exposure of birds to radionuclides and other contaminants in Special Protection Areas (SPAs) in North-West England. *Science of the Total Environment*, 408(12), 2567-2575, 2010. [Leighton Moss, Morecombe Bay; Campfield Marsh, Solway Firth; Sellafeld; 241 Am; PCBs; DDTs; HCHs; aldrin; endrin; dieldrin; heptachlor; HCB; 137 Cs; Ag; arsenic; Cd; Cr; Cu; Fe; Ni; Pb; Se; Zn]
- (1762) MILES, A.K.; RICCA, M.A. Temporal and spatial distributions of sediment mercury at salt pond wetland restoration sites, San Francisco Bay, CA, USA. *Science of the Total Environment*, 408(5), 1154-1165, 2010. [Hg; methylmercury]
- (1763) MITCH, A.M.; ANISFELD, S.C. Contaminants in Long Island Sound: data synthesis and analysis. *Estuaries and Coasts*, 33(3), 609-628, 2010. [Ag; arsenic; Cd; Cu; Fe; Hg; Mn; Ni; Pb; Zn; DDT; PAHs; Se; Sn; PCBs; dieldrin; chlordane; mirex]
- (1764) MITRA, A.; MUKHERJEE, N.; JANA, H.K.; BANDYOPADHYAY, D.; GOSWAMI, P.; BANERJEE, K. Bioaccumulation pattern of heavy metals in fish juveniles of Indian Sundarbans. *Journal of Environment and Sociobiology*, 6(2), 151-158, 2009. [Cu; Pb; Zn]
- (1765) NELSON, R.W.; NIPPER, M.; LAWRENCE, A.; WATTS, S. Parental dietary effect on embryological development response to toxicants with the sea urchin *Arbacia punctulata*. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 71-75, 2010. [Cu; 1,3,5-trinitrobenzene; sodium dodecyl sulfate (SDS)]
- (1766) OH, S.; KIM, M.-K.; YI, S.-M.; ZOH, K.-D. Distributions of total mercury and methylmercury in surface sediments and fishes in Lake Shihwa, Korea. *Science of the Total Environment*, 408(5), 1059-1068, 2010. [Hg]
- (1767) OLIVEIRA, M.; AHMAD, I.; MARIA, V.L.; SERAFIM, A.; BEBIANNO, M.J.; PACHECO, M.; SANTOS, M.A. Hepatic metallothionein concentrations in the golden grey mullet (*Liza aurata*) - relationship with environmental metal concentrations in a metal-contaminated coastal system in Portugal. *Marine Environmental Research*, 69(4), 227-233, 2010. [Cd; Cu; Hg; Zn]
- (1768) ONSANIT, S.; KE, C.; WANG, X.; WANG, K.-J.; WANG, W.-X. Trace elements in two marine fish cultured in fish cages in Fujian province, China. *Environmental Pollution*, 158(5), 1334-1342, 2010. [Ag; arsenic; Cd; Co; Cu; Fe; Mn; Se; Zn]

- (1769) RAIMUNDO, J.; VALE, C.; CANARIO, J.; BRANCO, V.; MOURA, I. Relations between mercury, methyl-mercury and selenium in tissues of *Octopus vulgaris* from the Portuguese coast. *Environmental Pollution*, 158(6), 2094-2100, 2010. [Hg; Se]
- (1770) RAMOS, J.A.; TAVARES, P.C. Mercury levels in the feathers of breeding seabirds in the Seychelles, western Indian Ocean, from 1996 to 2005. *Emu*, 110(1), 87-91, 2010. [Hg]
- (1771) RANTAKOKKO, P.; HALLIKAINEN, A.; AIRAKSINEN, R.; VUORINEN, P.J.; LAPPALAINEN, A.; MANNIO, J.; VARTIAINEN, T. Concentrations of organotin compounds in various fish species in the Finnish lake waters and Finnish coast of the Baltic Sea. *Science of the Total Environment*, 408(12), 2474-2481, 2010. [TBT; triphenyltin]
- (1772) RASOOL, Y.-A.; ABBAS, E.-S.; MOZHGAN, S.; SEYED MAHMOUD, G.; NADER, B. Mercury pollution in three species of waders from Shadegan Wetlands at the Head of the Persian Gulf. *Bulletin of Environmental Contamination and Toxicology*, 84(3), 326-330, 2010. [Hg]
- (1773) RIGBY, M.C.; DENG, X.; GRIEB, T.M.; TEH, S.J.; HUNG, S.SO. Effect threshold for selenium toxicity in juvenile splittail, *Pogonichthys macrolepidotus* A. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 76-79, 2010. [Se]
- (1774) ROJAS, N.; LEMUS, N.; ROJAS, L.; MARTINEZ, G.; RAMOS, Y.; CHUNG, K.S. Mercury levels in *Perna viridis* from the north coast of Sucre State, Venezuela. *Ciencias Marinas*, 35(1), 91-99, 2009. [Hg]
- (1775) SAID, O.B.; GONI-URRIZA, M.; EL BOUR, M.; AISSA, P.; DURAN, R. Bacterial community structure of sediments of the Bizerte lagoon (Tunisia), a southern Mediterranean coastal anthropized lagoon. *Microbial Ecology*, 59(3), 445-456, 2010. [PAHs; Cd; Co; Cr; Cu; Mn; Ni; Pb; Zn]
- (1776) SHAW, J.R.; BOMBERGER, J.M.; VANDERHEIDE, J.; LACASSE, T.; STANTON, S.; COUTERMARSH, B.; BARNABY, R.; STANTON, B.A. Arsenic inhibits SGK1 activation of CFTR Cl⁻ channels in the gill of killifish, *Fundulus heteroclitus*. *Aquatic Toxicology*, 98(2), 157-164, 2010.
- (1777) SHI, J.-B.; IP, C.C.M.; ZHANG, G.; JIANG, G.-B.; LI, X.-D. Mercury profiles in sediments of the Pearl River Estuary and the surrounding coastal area of South China. *Environmental Pollution*, 158(5), 1974-1979, 2010. [Hg]
- (1778) SONDERGAARD, J.; ASMUND, G.; JOHANSEN, P.; ELBERLING, B. Pb isotopes as tracers of mining-related Pb in lichens, seaweed and mussels near a former Pb-Zn mine in West Greenland. *Environmental Pollution*, 158(5), 1319-1326, 2010.
- (1779) SORNALAKSHMI, V.; JEBAANANTHI, K.; ATHIPERUMALSAMI, T.; KUMAR, V. Effect of heavy metal copper on growth and biochemicals of some seaweeds of Tuticorin coast. *Seaweed Research and Utilisation*, 31(1/2), 81-84, 2009. [Cu]
- (1780) SPEELMANS, M.; LOCK, K.; VANTHUYNE, D.R.J.; HENDRICKX, F.; DU LAING, G.; TACK, F.M.G.; JANSSEN, C.R. Hydrological regime and salinity alter the bioavailability of Cu and Zn in wetlands. *Environmental Pollution*, 158(5), 1870-1875, 2010.
- (1781) SUK, S.H.; SMITH, S.E.; RAMON, D.A. Bioaccumulation of mercury in pelagic sharks from the Northeast Pacific Ocean. *Reports of California Cooperative Oceanic Fisheries Investigations*, 50, p.172, 2009. [Hg]
- (1782) UNGHERESE, G.; MENGONI, A.; SOMIGLI, S.; BARONI, D.; FOCARDI, S.; UGOLINI, A. Relationship between heavy metals pollution and genetic diversity in Mediterranean populations of the sandhopper *Talitrus saltator* (Montagu) (Crustacea, Amphipoda). *Environmental Pollution*, 158(5), 1638-1643, 2010. [Cd; Cu; Hg]

(1783) VAN DEN BROECK, H.; DE WOLF, H.; BACKELJAU, T.; BLUST, R. Effect of metal accumulation on metallothionein level and condition of the periwinkle *Littorina littorea* along the Scheldt estuary (the Netherlands). *Environmental Pollution*, 158(5), 1791-1799, 2010. [Ag; arsenic; Ca; Cd; Co; Cu; Mn; Pb; Zn]

(1784) WASER, W.; SAHOO, T.P.; HERCZEG, G.; MERILA, J.; NIKINMAA, M. Physiological differentiation among nine-spined stickleback populations: effects of copper exposure. *Aquatic Toxicology*, 98(2), 188-195, 2010. [Cu]

(1785) WEIHE, E.; KRIEWS, M.; ABELE, D. Differences in heavy metal concentrations and in the response of the antioxidant system to hypoxia and air exposure in the Antarctic limpet *Nacella concinna*. *Marine Environmental Research*, 69(3), 127-135, 2010. [Al; Cd; Fe; Zn]

(1786) WHITALL, D., (ET AL). Pollutant fate and spatio-temporal variability in the choptank river estuary: factors influencing water quality. *Science of the Total Environment*, 408(9), 2096-2108, 2010. [Arsenic; Cu; atrazine; CIAT; CEAT; simazine; metolachlor; MESA; nutrients]

(1787) WILKIE, E.M.; ROACH, A.C.; MICEVSKA, T.; KELAHER, B.P.; BISHOP, M.J. Effects of a chelating resin on metal bioavailability and toxicity to estuarine invertebrates; divergent results of field and laboratory tests. *Environmental Pollution*, 158(5), 1261-1269, 2010. [Cd; Cu; Fe; Mn; Pb; Zn]

(1788) YTREBERG, E.; KARLSSON, J.; EKLUND, B. Comparison of toxicity and release rates of Cu and Zn from anti-fouling paints leached in natural and artificial brackish seawater. *Science of the Total Environment*, 408(12), 2459-2466, 2010.

Section 4: Radioactivity

(1789) BEHRENDT, L.; JONSSON, M.E.; GOLDSTONE, J.V.; STEGEMAN, J.J. Induction of cytochrome P450 1 genes and stress response genes in developing zebrafish exposed to ultraviolet radiation. *Aquatic Toxicology*, 98(1), 74-82, 2010. [UV; UVA; UVB]

(1790) EL-SAHARTY, A.A.; HANFY, T. Concentrations of some radionuclides in the near shore sediments Southeast Mediterranean Coast, Egypt. *Egyptian Journal of Aquatic Research*, 35(3), 251-256, 2009. [137Cs; 40K; 232Th; 234 + 235U]

(1791) MARSHALL, K.; WATSON, S.; MCDONALD, P.; COPPLESTONE, D.; WATTS, S.J. Exposure of birds to radionuclides and other contaminants in Special Protection Areas (SPAs) in North-West England. *Science of the Total Environment*, 408(12), 2567-2575, 2010. [Leighton Moss, Morecombe Bay; Campfield Marsh, Solway Firth; Sellafeld; 241 Am; PCBs; DDTs; HCHs; aldrin; endrin; dieldrin; heptachlor; HCB; 137 Cs; Ag; arsenic; Cd; Cr; Cu; Fe; Ni; Pb; Se; Zn]

(1792) TARANCON, A.; BAGAN, H.; RAURET G.; GARCIA, J.F. Comparative study of pre-treatment procedures for 3H monitoring in water samples from environmental protection programs. *Science of the Total Environment*, 408(10), 2233-2238, 2010.

Section 5: Other Chemicals

(1793) AHDY, H.H.H.; MOHAMED, L.A.-F.; KHALED, A.; EL-SIKAILY, A. Canned fish between benefits and risks on the Egyptian market. *Egyptian Journal of Aquatic Research*, 35(4), 511-520, 2009. [Cd; Cr; Cu; Fe; Mn; Ni; Pb; Zn; PCBs; HCHs; aldrin; dieldrin; endrin; DDTs; cyclodienes; pesticides; seafood]

(1794) ANON. Pharmaceuticals in the environment: coastal managers are discovering how to respond. *Coastal Services: Linking People, Information, and Technology*, 13(1), 4-6, 2010.

(1795) ARKOOSH, M.R.; BOYLEN, D.; DIETRICH, J.; ANULACION, B.F.; YLITALO, G.; BRAVO, C.F.; JOHNSON, L.L.; LOGE, F.J.; COLLIER, T.K. Disease susceptibility of salmon exposed to polybrominated diphenyl ethers (PBDEs). *Aquatic Toxicology*, 98(1), 51-59, 2010.

(1796) BADEN, S.; BOSTROM, C.; TOBIASSON, S.; ARPONEN, H.; MOKSNES, P.-O. Relative importance of trophic interactions and nutrient enrichment in seagrass ecosystems: a broad-scale field experiment in the Baltic-Skagerrak area. *Limnology and Oceanography*, 55(3), 1435-1448, 2010. [Eutrophication; predation]

(1797) BERGHE, M.V.; MAT, A.; ARRIOLA, A.; POLAIN, S.; STEKKE, V.; THOME, J.-P.; GASPART, F.; POMEROY, P.; LARONDELLE, Y.; DEBIER, C. Relationships between vitamin A and PCBs in grey seal mothers and pups during lactation. *Environmental Pollution*, 158(5), 1570-1575, 2010. [Isle of May; North Rona]

(1798) BEYREM, H.; LOUATI, H.; ESSID, N.; AISSA, P.; MAHMOUDI, E. Effects of two lubricant oils on marine nematode assemblages in a laboratory microcosm experiment. *Marine Environmental Research*, 69(4), 248-253, 2010. [Mobil 20 W-50; Mobil OW-40]

(1799) BIANCHI, T.S.; DIMARCO, S.F.; COWAN, J.H., JR; HETLAND, R.D.; CHAPMAN, P.; DAY, J.W.; ALLISON, M.A. The science of hypoxia in the Northern Gulf of Mexico: a review. *Science of the Total Environment*, 408(7), 1471-1484, 2010.

(1800) BYRNE, M.; SOARS, N.; SELVAKUMARASWAMY, P.; DWORJANYN, S.A.; DAVIS, A.R. Sea urchin fertilization in a warm, acidified and high pCO₂ ocean across a range of sperm densities. *Marine Environmental Research*, 69(4), 234-239, 2010. [Ocean acidification; CO₂; pH; climate change]

(1801) CARIOU, R.; MARCHAND, P.; VENISSEAU, A.; BROSSEAUD, A.; BERTRAND, D.; QANNARI, E.M.; ANTIGNAC, J.-P.; LE BIZEC, B. Prediction of the PCDD/F and dl-PCB 2005-WHO-TEQ content based on the contribution of six congeners: toward a new screening approach for fish samples? *Environmental Pollution*, 158(3), 941-947, 2010. [PCDF]

(1802) CHEN, D.; HALE, R.C.; WATTS, B.D.; LA GUARDIA, M.J.; HARVEY, E.; MOJICA, E.K. Species-specific accumulation of polybrominated diphenyl ether flame retardants in birds of prey from the Chesapeake Bay region, USA. *Environmental Pollution*, 158(5), 1883-1889, 2010. [PBDEs; BDE-209]

(1803) CLOERN, J.E.; JASSBY, A.D. Patterns and scales of phytoplankton variability in estuarine-coastal ecosystems. *Estuaries and Coasts*, 33(2), 230-241, 2010. [Anthropogenic impact: climate change; nutrient enrichment]

(1804) CUBERO-LEON, E.; CIOCAN, C.M.; HILL, E.M.; OSADA, M.; KISHIDA, M.; ITOH, N.; KONDO, R.; MINIER, C.; ROTCHELL, J.M. Estrogens disrupt serotonin receptor and cyclooxygenase mRNA expression in the gonads of mussels (*Mytilus edulis*). *Aquatic Toxicology*, 98(2), 178-187, 2010. [17beta-estradiol (E₂); ethynylestradiol (EE₂)]

- (1805) DA SILVA, D.A.M.; BICEGO, M.C. Polycyclic aromatic hydrocarbons and petroleum biomarkers in Sao Sebastiao Channel, Brazil: assessment of petroleum contamination. *Marine Environmental Research*, 69(5), 277-286, 2010. [PAHs; n-alkanes; isoprenoids; terpanes; hopanes; steranes; diasteranes]
- (1806) DANISH, E.Y. Ecological impact from chemicals in the Arabian Gulf due to Gulf oil spill. *Water and Environment Journal*, 24(1), 65-73, 2010.
- (1807) DELLA TORRE, C., (ET AL). DNA damage, severe organ lesions and high muscle levels of As and Hg in two benthic fish species from a chemical warfare agent dumping site in the Mediterranean Sea. *Science of the Total Environment*, 408(9), 2136-2145, 2010. [Arsenic; yperite]
- (1808) DI GIORGIO, C.; LIU, W.; SARRAZIN, L.; WAFO, E.; MORREAU, X.; DE JONG, L.; THIERY, A.; DE MEO, M. Organic pollution and genotoxicity of sediments of the Palun marshes (Berre Lagoon, France). *Journal of Environmental Quality*, 39(2), 558-567, 2010. [PAHs; pesticides; 1-nitropyrene; 1-aminopyrene]
- (1809) DUCHET, C.; CAQUET, TH.; FRANQUET, E.; LAGNEAU, C.; LAGADIC, L. Influence of environmental factors on the response of a natural population of *Daphnia magna* (Crustacea: Cladocera) to spinosad and *Bacillus thuringiensis israelensis* in Mediterranean coastal wetlands. *Environmental Pollution*, 158(5), 1825-1833, 2010. [Salinity; temperature]
- (1810) EGLESTON, E.S.; SABINE, C.L.; MOREL, F.M.M. Revelle revisited: buffer factors that quantify the response of ocean chemistry to changes in DIC and alkalinity. *Global Biogeochemical Cycles*, 24(1), GB1002, 2010. [CO₂; ocean acidification; pH]
- (1811) FAIR, P.A., (ET AL). Contaminant blubber burdens in Atlantic bottlenose dolphins (*Tursiops truncatus*) from two southeastern US estuarine areas: concentrations and patterns of PCBs, pesticides, PBDEs, PFCs, and PAHs. *Science of the Total Environment*, 408(7), 1577-1597, 2010.
- (1812) FALCO, S.; NIENCHESKI, L.F.; RODILLA, M.; ROMERO, I.; GONZALEZ DEL RIO, J.; SIERRA, JP.; MOSSO, C. Nutrient flux and budget in the Ebro estuary. *Estuarine, Coastal and Shelf Science*, 87(1), 92-102, 2010. [Nutrient load]
- (1813) FARAGALLAH, H.M.; TADROS, H.R.Z.; OKBAH, M.A. Nutrient salts and chlorophyll-a during short term scale in the Eastern Harbor, Alexandria (Egypt). *Egyptian Journal of Aquatic Research*, 35(3), 243-250, 2009. [Eutrophication]
- (1814) FINDLAY, H.S.; KENDALL, M.A.; SPICER, J.I.; WIDDICOMBE, S. Relative influences of ocean acidification and temperature on intertidal barnacle post-larvae at the northern edge of their geographic distribution. *Estuarine, Coastal and Shelf Science*, 86(4), 675-682, 2010. [CO₂; pH]
- (1815) FLEEGER, J.W.; JOHNSON, D.S.; CARMAN, K.R.; WEISENHORN, P.B.; GABRIELE, A.; THISTLE, D.; BARRY, J.P. The response of nematodes to deep-sea CO₂ sequestration: a quantile regression approach. *Deep-Sea Research I*, 57(5), 696-707, 2010. [Compared with harpacticoid response]
- (1816) FUENTES, M.M.P.B.; DAWSON, J.L.; SMITHERS, S.G.; HAMANN, M.; LIMPUS, C.J. Sedimentological characteristics of key sea turtle rookeries: potential implications under projected climate change. *Marine and Freshwater Research*, 61(4), 464-473, 2010. [Ocean acidification]
- (1817) GAMEIRO, C.; BROTAS, V. Patterns of phytoplankton variability in the Tagus Estuary (Portugal). *Estuaries and Coasts*, 33(2), 311-323, 2010. [Anthropogenic impact; nutrients]

- (1818) GORGUES, T.; AUMONT, O.; RODGERS, K.B. A mechanistic account of increasing seasonal variations in the rate of ocean uptake of anthropogenic carbon. *Biogeosciences Discussions*, 7(1), 745-764, 2010. [CO₂]
- (1819) HAROON, A.M. Factors affecting the elements distribution in *Potamogeton pectinatus* L. and *Ceratophyllum demersum* L. *Egyptian Journal of Aquatic Research*, 35(4), 483-495, 2009. [Cu; Fe; Mn; Zn; N; P; K]
- (1820) HAUCK, J.; HOPPEMA, M.; BELLERBY, R.G.J.; VOELKER, C.; WOLF-GLADROW, D. Data-based estimation of anthropogenic carbon and acidification in the Weddell Sea on a decadal timescale. *Journal of Geophysical Research*, 115(C03004), 14p., 2010. [CO₂; ocean acidification; pH]
- (1821) HE, S.-Y.; CHEN, K.-B. Effects of aroclor 1248 on oxidative stress and toxicity in *Boleophthalmus pectinirostris*. [In Chinese]. *Acta Hydrobiologica Sinica*, 34(2), 442-447, 2010. [PCBs]
- (1822) HOGAN, N.S.; CURRIE, S.; LEBLANC, S.; HEWITT, L.M.; MACLATCHY, D.L. Modulation of steroidogenesis and estrogen signalling in the estuarine killifish (*Fundulus heteroclitus*) exposed to ethinylestradiol. *Aquatic Toxicology*, 98(2), 148-156, 2010. [Vitellogenin]
- (1823) HONGLIANG, J.; YAQING, C.; YEQING, S.; DEGAO, W.; XIANJIE, L.; MENG, Y.; DIANDOU, X.; BO, M.; YI-FAN, L. Distribution and potential human risk of organochlorine pesticides in market mollusks from Dalian, China. *Bulletin of Environmental Contamination and Toxicology*, 84(3), 278-284, 2010. [14 OCPs screened; chlordane; DDT; HCH]
- (1824) HUANG, H.; HUANG, C.; WANG, L.; YE, X.; BAI, C.; SIMONICH, M.T.; TANGUAY, R.L.; DONG, Q. Toxicity, uptake kinetics and behavior assessment in zebrafish embryos following exposure to perfluorooctanesulphonic acid (PFOS). *Aquatic Toxicology*, 98(2), 139-147, 2010.
- (1825) HUMIN, Z.; DEYI, M.; JUYING, W.; JIANGTAO, H. Research on florfenicol residue in coastal area of Dalian (Northern China) and analysis of functional diversity of the microbial community in marine sediment. *Bulletin of Environmental Contamination and Toxicology*, 84(2), 245-249, 2010.
- (1826) HUNT, C.D.; BORKMAN, D.G.; LIBBY, P.S.; LACOUTURE, R.; TURNER, J.T.; MICKELSON, M.J. Phytoplankton patterns in Massachusetts Bay - 1992-2007. *Estuaries and Coasts*, 33(2), 448-470, 2010. [Water quality; effluent outfall]
- (1827) JONES, D.E.; TURNER, A. Bioaccessibility and mobilisation of copper and zinc in estuarine sediment contaminated by antifouling paint particles. *Estuarine, Coastal and Shelf Science*, 87(3), 399-404, 2010. [Cu; Zn; clean sediment from Erme estuary; paint particles from Plymouth boatyard]
- (1828) KAMOHARA, S.; HATTORI, K.; HARADA, Y.; WAKU, M.; SHIBA, S.; KURASHIMA, A.; MAEGAWA, M.; SUZUKI, T. Annual net production and annual carbon and nitrogen absorptions of *Eisenia arborea* in the eastern coast of Ise Bay. *Nippon Suisan Gakkaishi*, 72(6), 1027-1035, 2009. [CO₂; nutrients]
- (1829) KANG, J.; CHO, B.C.; LEE, C.-B. Atmospheric transport of water-soluble ions (NO₃⁻, NH₄⁺ and nss-SO₄(²⁻)) to the southern East Sea (Sea of Japan). *Science of the Total Environment*, 408(11), 2369-2377, 2010.
- (1830) KARLSSON, J.; YTREBERG, E.; EKLUND, B. Toxicity of anti-fouling paints for use on ships and leisure boats to non-target organisms representing three trophic levels. *Environmental Pollution*, 158(3), 681-687, 2010. [Cu; Zn; Irgarol]

- (1831) KNEE, K.L.; STREET, J.H.; GROSSMAN, E.E.; BOEHM, A.B.; PAYTAN, A. Nutrient inputs to the coastal ocean from submarine groundwater discharge in a groundwater-dominated system: relation to land use (Kona coast, Hawaii, U.S.A.). *Limnology and Oceanography*, 55(3), 1105-1122, 2010.
- (1832) KUZNAR, J.; ESPINOZA, J.C.; AVARIA, S.; VALENZUELA, M.; PAVEZ, C.; EGANA, M. Efectos microbiologicos producidos por un evento de surgencia costera en Chile central. *Revista de Biologia Marina y Oceanografia*, 44(1), 189-196, 2009. [Nutrient enrichment]
- (1833) LAILSON-BRITO, J., (ET AL). High organochlorine accumulation in blubber of Guiana dolphin, *Sotalia guianensis*, from Brazilian coast and its use to establish geographical differences among populations. *Environmental Pollution*, 158(5), 1800-1808, 2010. [DDTs; HCB; PCBs]
- (1834) LALONDE, B.A.; ERNST, W. Polybrominated diphenyl ethers (PBDEs) concentration in sediments located in the vicinity of fish plant effluent outfalls in the maritimes. *Bulletin of Environmental Contamination and Toxicology*, 84(3), 322-325, 2010.
- (1835) LAVOIE, R.A.; CHAMPOUX, L.; RAIL, J.-F.; LEAN, D.R.S. Organochlorines, brominated flame retardants and mercury levels in six seabird species from the Gulf of St. Lawrence (Canada): relationships with feeding ecology, migration and molt. *Environmental Pollution*, 2189-2199, 2010. [Hg; PBDEs; PCBs; DDTs; chlordane; dieldrin; mirex; HCHs; octachlorostyrene; chlorinated pesticides; brominated flame retardants]
- (1836) LI W.K.W.; LEWIS, M.R.; HARRISON, W.G. Multiscalarity of the nutrient-chlorophyll relationship in coastal phytoplankton. *Estuaries and Coasts*, 33(2), 440-447, 2010. [Eutrophication; nutrient enrichment]
- (1837) LI, M.; ZHONG, L.; HARDING, L.W., JR. Sensitivity of plankton biomass and productivity to variations in physical forcing and biological parameters in Chesapeake Bay. *Journal of Marine Research*, 67(5), 667-700, 2009. [Nutrient loading]
- (1838) LISCI, C.; DI CARRO, M.; MAGI, E. Comparison of two analytical methods for the determination of organotin compounds in marine organisms. *Comptes Rendus: Chimie*, 12(8), 831-840, 2009. [TBT]
- (1839) LIU, Y.; SCAVIA, D. Analysis of the Chesapeake Bay hypoxia regime shift: insights from two simple mechanistic models. *Estuaries and Coasts*, 33(3), 629-639, 2010. [Nutrient load]
- (1840) LOPEZ-GALINDO, C.; GARRIDO, M.C.; CASANUEVA, J.F.; NEBOT, E. Degradation models and ecotoxicity in marine waters of two antifouling compounds: sodium hypochlorite and an alkylamine surfactant. *Science of the Total Environment*, 408(8), 1779-1785, 2010. [Mexel (R) 432]
- (1841) LOVENDUSKI, N.S.; ITO, T. The future evolution of the Southern Ocean CO₂ sink. *Journal of Marine Research*, 67(5), 597-617, 2009.
- (1842) MADENJIAN, C.P.; SCHRANK, C.S.; BEGNOCHE, L.J.; ELLIOTT, R.F.; QUINTAL, R.T. Sexual difference in PCB concentrations of coho salmon (*Oncorhynchus kisutch*). *Science of the Total Environment*, 408(7), 1719-1724, 2010.
- (1843) MARCHESELLI, M.; CONZO, F.; MAURI, M.; SIMONINI, R. Novel antifouling agent - zinc pyrithione: short- and long-term effects on survival and reproduction of the marine polychaete *Dinophilus gyrociliatus*. *Aquatic Toxicology*, 98(2), 204-210, 2010.

- (1844) MARSHALL, K.; WATSON, S.; MCDONALD, P.; COPPLESTONE, D.; WATTS, S.J. Exposure of birds to radionuclides and other contaminants in Special Protection Areas (SPAs) in North-West England. *Science of the Total Environment*, 408(12), 2567-2575, 2010. [Leighton Moss, Morecombe Bay; Campfield Marsh, Solway Firth; Sellafield; 241 Am; PCBs; DDTs; HCHs; aldrin; endrin; dieldrin; heptachlor; HCB; 137 Cs; Ag; arsenic; Cd; Cr; Cu; Fe; Ni; Pb; Se; Zn]
- (1845) MARTINEZ-GARCIA, S.; FERNANDEZ, E.; CALVO-DIAZ, A.; MARANON, E.; MORAN, G.X.A.; TEIRA, E. Response of heterotrophic and autotrophic microbial plankton to inorganic and organic inputs along a latitudinal transect in the Atlantic Ocean. *Biogeosciences Discussions*, 7(1), 463-502, 2010. [Nutrients]
- (1846) MATTHIAS, V.; BEWERSDORFF, I.; AULINGER, A.; QUANTE, M. The contribution of ship emissions to air pollution in the North Sea regions. *Environmental Pollution*, 158(6), 2241-2250, 2010. [Ammonium; nitrate; sulphate]
- (1847) MIRANDA, A.; VOLTOLINA, D.; FRIAS ESPERICUETA, M.G.; IZAGUIRRE FIERRO, G.; RIVAS VEGA, M.E. Budget and discharges of nutrients to the Gulf of California of a semi-intensive shrimp farm (NW Mexico). *Hidrobiologica*, 19(1), 43-48, 2009.
- (1848) MITCH, A.M.; ANISFELD, S.C. Contaminants in Long Island Sound: data synthesis and analysis. *Estuaries and Coasts*, 33(3), 609-628, 2010. [Ag; arsenic; Cd; Cu; Fe; Hg; Mn; Ni; Pb; Zn; DDT; PAHs; Se; Sn; PCBs; dieldrin; chlordane; mirex]
- (1849) MORT, H.P.; SLOMP, C.P.; GUSTAFSSON, B.G.; ANDERSEN, T.J. Phosphorus recycling and burial in Baltic Sea sediments with contrasting redox conditions. *Geochimica et Cosmochimica Acta*, 74(4), 1350-1362, 2010.
- (1850) MOZDZER, T.J.; ZIEMAN, J.C.; MCGLATHERY, K.J. Nitrogen uptake by native and invasive temperate coastal macrophytes: importance of dissolved organic nitrogen. *Estuaries and Coasts*, 33(3), 784-797, 2010. [Eutrophication; nutrient enrichment]
- (1851) MUNOZ, I.; MARTINEZ BUENO, M.J.; AGUERA, A.; FERNANDEZ-ALBA, A.R. Environmental and human health risk assessment of organic micro-pollutants occurring in a Spanish marine fish farm. *Environmental Pollution*, 158(5), 1809-1816, 2010. [Atrazine; diphenyl sulphone (DPS); diuron; carbaryl; erythromycin; Irgarol; flumequine; metronidazole; trimethoprim; simazine; 2-thio-cyclomethyl-thiobenzothiazole (TCMTB); terbutryn]
- (1852) MWEVURA, H.; AMIR, O.A.; KISHIMBA, M.; BERGGREN, P.; KYLIN, H. Organohalogen compounds in blubber of Indo-Pacific bottlenose dolphin (*tursiops aduncus*) and spinner dolphin (*Stenella longirostris*) from Zanzibar, Tanzania. *Environmental Pollution*, 158(6), 2200-2207, 2010. [Aldrin; cyclodienes; dieldrin; DDTs; HCB; HCHs; methoxychlor; methoxylated polybrominated diphenyl ethers; organochlorine pesticides]
- (1853) NAILE, J.E., (ET AL). Perfluorinated compounds in water, sediment, soil and biota from estuarine and coastal areas of Korea. *Environmental Pollution*, 158(5), 1237-1244, 2010. [PFOS; PFOA; PFCs]
- (1854) NANGIA, V.; GOWDA, P.H.; MULLA, D.J.; SANDS, G.R. Modeling impacts of tile drain spacing and depth on nitrate-nitrogen losses. *Vadose Zone Journal*, 9(1), 61-72, 2010. [Nutrient loading]
- (1855) NELSON, R.W.; NIPPER, M.; LAWRENCE, A.; WATTS, S. Parental dietary effect on embryological development response to toxicants with the sea urchin *Arbacia punctulata*. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 71-75, 2010. [Cu; 1,3,5-trinitrobenzene; sodium dodecyl sulfate (SDS)]

- (1856) NISHIKAWA, T.; HORI, Y.; NAGAI, S.; MIYAHARA, K.; NAKAMURA, Y.; HARADA, K.; TANDA, M.; MANABE, T.; TADA, K. Nutrient and phytoplankton dynamics in Harima-Nada, eastern Seto Inland Sea, Japan during a 35-year period from 1973 to 2007. *Estuaries and Coasts*, 33(2), 417-427, 2010. [Nutrient input reduction]
- (1857) NOGUEIRA, P.; PACHECO, M.; PEREIRA, M.L.; MENDO, S.; ROTCHELL, J.M. Anchoring novel molecular biomarker responses to traditional responses in fish exposed to environmental contamination. *Environmental Pollution*, 158(5), 1783-1790, 2010.
- (1858) NORIEGA, C.E.; MUNIZ, K.; FLORES-MONTES, M.J.; MACEDO, S.J.; ARAUJO, M.; FEITOSA, F.A.; LACERDA, S.R. Series temporales de variables hidrobiológicas en un estuario tropical (Brasil). *Revista de Biología Marina y Oceanografía*, 44(1), 93-108, 2009. [Eutrophication; nutrients; hypoxia]
- (1859) OGUZ, T.; VELIKOVA, V. Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. *Marine Ecology Progress Series*, 405, 231-242, 2010. [Eutrophication; recovery; nutrient load reduction]
- (1860) OLSEN, Y.S.; FOX, S.E.; KINNEY, E.L.; TEICHBERG, M.; VALIELA, I. Differences in urbanization and degree of marine influence are reflected in delta 13C and delta 15N of producers and consumers in seagrass habitats of Puerto Rico. *Marine Environmental Research*, 69(3), 198-206, 2010. [Wastewater; nutrients]
- (1861) OLSEN, Y.S.; VALIELA, I. Effect on sediment nutrient enrichment and grazing on turtle grass *Thalassia testudinum* in Jobos Bay, Puerto Rico. *Estuaries and Coasts*, 33(3), 769-783, 2010.
- (1862) ONGLEY, E.D.; XIAOLAN, Z.; TAO, Y. Current status of agricultural and rural non-point source pollution assessment in China. *Environmental Pollution*, 158(5), 1159-1168, 2010. [Review; nutrients; water quality]
- (1863) PAERL, H.; ROSSIGNOL, K.L.; HALL, S.N.; PEIERLS, B.L.; WETZ, M.S. Phytoplankton community indicators of short- and long-term ecological change in the anthropogenically and climatically impacted Neuse River Estuary, North Carolina, USA. *Estuaries and Coasts*, 33(2), 485-497, 2010. [Nutrient loading; climate change]
- (1864) PAN, G.; YOU, C. Sediment-water distribution of perfluorooctane sulfonate (PFOS) in Yangtze River Estuary. *Environmental Pollution*, 158(5), 1363-1367, 2010.
- (1865) PEH, W.Y.X.; CHEW, S.F.; CHING, B.Y.; LOONG, A.M.; IP, Y.K. Roles of intestinal glutamate dehydrogenase and glutamine synthetase in environmental ammonia detoxification in the euryhaline four-eyed sleeper, *Bostrychus sinensis*. *Aquatic Toxicology*, 98(1), 91-98, 2010.
- (1866) PEREZ, F.F.; VAZQUEZ-RODRIGUEZ, M.; MERCIER, H.; VELO, A.; LHERMINIER, P.; RIOS, A.F. Trends of anthropogenic CO₂ storage in North Atlantic water masses. *Biogeosciences Discussions*, 7(1), 165-202, 2010.
- (1867) PEREZ-CARRERA, E.; LEON, V.M.; LARA-MARTIN, P.A.; GONZALEZ-MAZO, E. Influence of the hydrophilic moiety of anionic and nonionic surfactants on their aerobic biodegradation in seawater. *Science of the Total Environment*, 408(4), 922-930, 2010. [Dodecyl ethoxy sulphate; sodium dodecyl sulphate (SDS); dodecyl alcohol ethoxylate; dodecyl benzene-sulphonate; LAS]
- (1868) PETERS, R.E.M.; COURTENAY, S.C.; HEWITT, L.M.; MACLATCHY, D.L. Effects of 17 alpha-ethynylestradiol on early-life development, sex differentiation and vitellogenin induction in mummichog (*Fundulus heteroclitus*). *Marine Environmental Research*, 69(3), 178-186, 2010. [EE2]

- (1869) PHILIPS, E.J.; BADYLAK, S.; CHRISTMAN, M.C.; LASI, M.A. Climatic trends and temporal patterns of phytoplankton composition, abundance, and succession in the Indian River Lagoon, Florida, USA. *Estuaries and Coasts*, 33(2), 498-512, 2010. [Eutrophication; nutrients]
- (1870) QU, H.J.; KROEZE, C. Past and future trends in nutrients export by rivers to the coastal waters of China. *Science of the Total Environment*, 408(9), 2075-2086, 2010.
- (1871) RAIMUNDO, J.; VALE, C.; CANARIO, J.; BRANCO, V.; MOURA, I. Relations between mercury, methyl-mercury and selenium in tissues of *Octopus vulgaris* from the Portuguese coast. *Environmental Pollution*, 158(6), 2094-2100, 2010. [Hg; Se]
- (1872) RANTAKOKKO, P.; HALLIKAINEN, A.; AIRAKSINEN, R.; VUORINEN, P.J.; LAPPALAINEN, A.; MANNIO, J.; VARTIAINEN, T. Concentrations of organotin compounds in various fish species in the Finnish lake waters and Finnish coast of the Baltic Sea. *Science of the Total Environment*, 408(12), 2474-2481, 2010. [TBT; triphenyltin]
- (1873) REIS-HENRIQUES, M.A.; FERREIRA, M.; COIMBRA, A.M.; D'SILVA, C.; COSTA, J.; SHAILAJA, M.S. Phenanthrene and nitrite effects on juvenile sea bass, *Dicentrarchus labrax*, using hepatic biotransformation enzymes, biliary fluorescence, and micronuclei as biomarkers. *Ciencias Marinas*, 35(1), 29-40, 2009.
- (1874) REOPANICHKUL, P.; CARTER, R.W.; WORACHANANANT, S.; CROSSLAND, C.J. Wastewater discharge degrades coastal waters and reef communities in southern Thailand. *Marine Environmental Research*, 69(5), 287-296, 2010. [Sewage; nutrients; suspended solids]
- (1875) RIGBY, M.C.; DENG, X.; GRIEB, T.M.; TEH, S.J.; HUNG, S.SO. Effect threshold for selenium toxicity in juvenile splittail, *Pogonichthys macrolepidotus* A. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 76-79, 2010. [Se]
- (1876) RODOLFO-METALPA, R.; MARTIN, S.; FERRIER-PAGES, C.; GATTUSO, J.-P. Response of the temperate coral *Cladocora caespitosa* to mid- and long-term exposure to pCO₂ and temperature levels projected for the year 2100 AD. *Biogeosciences*, 7(1), 289-300, 2010. [Ocean acidification; pH; calcification]
- (1877) RODRIGUEZ-BLANCO, A.; ANTOINE, V.; PELLETIER, E.; DELILLE, D.; GHIGLIONE, J.-F. Effects of temperature and fertilization on total vs. active bacterial communities exposed to crude and diesel oil pollution in NW Mediterranean Sea. *Environmental Pollution*, 158(3), 663-673, 2010. [Inipol EAP 22]
- (1878) SAARISTO, M.; CRAFT, J.A.; LEHTONEN, K.K.; LINDSTROM, K. An endocrine disrupting chemical changes courtship and parental care in the sand goby. *Aquatic Toxicology*, 97(4), 285-292, 2010. [17 alpha-ethinyl estradiol (EE2)]
- (1879) SAVAGE, C.; LEAVITT, P.R.; ELMGREN, R. Effects of land use, urbanization, and climate variability on coastal eutrophication in the Baltic Sea. *Limnology and Oceanography*, 55(3), 1033-1046, 2010. [Water quality degradation; nutrients; sewage]
- (1880) SFRISO, A. Coexistence of *Ulva rigida* and *Ulva laetevirens* (Ulvales, Chlorophyta) in Venice Lagoon and other Italian transitional and marine environments; *Bot. Mar.* 53 (2010): 9-18. [Erratum]. *Botanica Marina*, 53(2), p.193, 2010.
- (1881) SMITH, E.M.; WILSON, J.Y. Assessment of cytochrome P450 fluorometric substrates with rainbow trout and killifish exposed to dexamethasone, pregnenolone-16alpha-carbonitrile, rifampicin, and beta-naphthoflavone. *Aquatic Toxicology*, 97(4), 324-333, 2010.

- (1882) STABILI, L.; GRAVILI, C.; BOERO, F.; TREDICI, S.M.; ALIFANO, P. Susceptibility to antibiotics of *Vibrio* sp. A01 growing in pure culture or in association with its hydroid host *Aglaophenia octodonta* (Cnidaria, Hydrozoa). *Microbial Ecology*, 59(3), 555-562, 2010. [Ampicillin; streptomycin; tetracycline; co-trimoxazole]
- (1883) STACHOWSKI-HABERKORN, S. Methodes d'evaluation de l'impact de pesticides sur le phytoplancton marin et le naissain d'huitre creuse. 177p. Brest, France: Universite Bretagne Occidentale, Brest, 2008. (Thesis) [Basamais (bentazon); Roundup (glyphosate); Frontier (dimethenamid); Dursban (chlorpyrifos); 6 pesticides]
- (1884) SWART, P.K.; GREER, L.; ROSENHEIM, B.E.; MOSES, C.S.; WAITE, A.J.; WINTER, A.; DODGE, R.E.; HELMLE, K. The ^{13}C Suess effect in scleractinian corals mirror changes in the anthropogenic CO_2 inventory of the surface oceans. *Geophysical Research Letters*, 37(L05604), 5p., 2010.
- (1885) TANYAROS, S.; TONGNUNUI, P.; JANYONG, S. Influence of water quality on the abundance of conch, *Strombus* spp. (Mollusca: Strombidae), in sea grass meadows in Trang Province, Southern Thailand. *Egyptian Journal of Aquatic Research*, 35(3), 363-369, 2009. [Suspended solids; temperature; nutrients]
- (1886) THIEU, V. Modelisation spatialisee des flux de nutriment (N, P, Si) des bassins de la Seine, de la Somme et de l'Escaut: impact sur l'eutrophisation de la Manche et de la Mer du Nord. 207p. Paris (France): Univ. Pierre et Marie Curie, 2009. (Thesis) [Eutrophication; nutrients; eastern English Channel; North Sea]
Available at: <http://tel.archives-ouvertes.fr/tel-00446589/fr/>.
- (1887) VENKATESAN, M.I.; MERINO, O.; BAEK, J.; NORTHRUP, T.; SHENG, Y.; SHISKO, J. Trace organic contaminants and their sources in surface sediments of Santa Monica Bay, California, USA. *Marine Environmental Research*, 69(5), 350-362, 2010. [DDTs; LABs; PAHs; PCBs; coprostanol]
- (1888) VERITY, P.G.; BORKMAN, D.G. A decade of change in the Skidaway River estuary. III. Plankton. *Estuaries and Coasts*, 33(2), 513-540, 2010. [Eutrophication; hypoxia; nutrients]
- (1889) WEI, X.; CHING, L.Y.; CHENG, S.H.; WONG, M.H.; WONG, C.K.C. The detection of dioxin- and estrogen-like pollutants in marine and freshwater fishes cultivated in Pearl River Delta, China. *Environmental Pollution*, 158(6), 2302-2309, 2010. [TCDD; estrogen (E2)]
- (1890) WHITALL, D., (ET AL). Pollutant fate and spatio-temporal variability in the choptank river estuary: factors influencing water quality. *Science of the Total Environment*, 408(9), 2096-2108, 2010. [Arsenic; Cu; atrazine; CIAT; CEAT; simazine; metolachlor; MESA; nutrients]
- (1891) XU, J.; YIN, K.; LEE, J.H.W.; LIU, H.; HO, A.Y.T.; YUAN, X.; HARRISON, P.J. Long-term and seasonal changes in nutrients, phytoplankton biomass and dissolved oxygen in Deep Bay, Hong Kong. *Estuaries and Coasts*, 33(2), 399-416, 2010. [Nutrient loading; sewage; hypoxia]
- (1892) XU, Z.; ZOU, D.; GAO, K. Effects of elevated CO_2 and phosphorus supply on growth, photosynthesis and nutrient uptake in the marine macroalga *Gracilaria lemaneiformis* (Rhodophyta). *Botanica Marina*, 53(2), 123-129, 2010. [Nutrient enrichment]
- (1893) YORDY, J.E.; WELLS, R.S.; BALMER, B.C.; SCHWACKE, L.H.; ROWLES, T.K.; KUCKLICK, J.R. Life history as a source of variation for persistent organic pollutant (POP) patterns in a community of common bottlenose dolphins (*Tursiops truncatus*) resident to Sarasota Bay, FL. *Science of the Total Environment*, 408(9), 2163-2172, 2010. [66 PCB congeners; 5 PBDE congeners; DDTs; chlordanes; dieldrin; HCB; mirex]

(1894) YOU, C.; JIA, C.; PAN, G. Effect of salinity and sediment characteristics on the sorption and desorption of perfluorooctane sulfonate at sediment-water interface. *Environmental Pollution*, 158(5), 1343-1347, 2010. [PFOS]

(1895) ZAMORA, L.M.; LANDOLFI, A.; OSCHLIES, A.; HANSELL, D.A.; DIETZE, H.; DENTENER, F. Atmospheric deposition of nutrients and excess N formation in the North Atlantic. *Biogeosciences*, 7(2), 777-793, 2010.

(1896) ZUSHI, Y.; TAMADA, M.; KANAI, Y.; MASUNAGA, S. Time trends of perfluorinated compounds from the sediment core of Tokyo Bay, Japan (1950s-2004). *Environmental Pollution*, 158(3), 756-763, 2010. [24 PFCs; PFASs; PFCAs; PFOS; PFOA; PFOSE; PFUnDA; PFTTrDA]

Section 6: Biological Wastes

(1897) ABDELZAHER, A.M., (ET AL). Presence of pathogens and indicator microbes at a non-point source subtropical recreational marine beach. *Applied and Environmental Microbiology*, 76(3), 724-732, 2010.

(1898) AZZURRO, E.; MATIDDI, M.; FANELLI, E.; GUIDETTI, P.; LA MESA, G.; SCARPATO, A.; AXIAK, V. Sewage pollution impact on Mediterranean rocky-reef fish assemblages. *Marine Environmental Research*, 69(5), 390-397, 2010.

(1899) BARROS, G.V.; MARTINELLI, L.A.; OLIVEIRA NOVAIS, T.M.; OMETTO, J.P.H.B.; ZUPPI, G.M. Stable isotopes of bulk organic matter to trace carbon and nitrogen dynamics in an estuarine ecosystem in Babitonga Bay (Santa Catarina, Brazil). *Science of the Total Environment*, 408(10), 2226-2232, 2010. [Eutrophication; nutrients; sewage contamination]

(1900) CHOI, S.; DUNAMS, D.; JIANG, S.C. Transfer of cholera toxin genes from 01 to non-01-0139 strains by vibriophages from California coastal waters. *Journal of Applied Microbiology*, 108(3), 1015-1022, 2010.

(1901) DE-LA-OSSA-CARRETERO, J.A.; DEL-PILAR-RUSO, Y.; GIMENEZ-CASALDUERO, F.; SANCHEZ-LIZASO, J.L. Sensitivity of tanaid *Apseudes latreillei* (Milne-Edwards) populations to sewage pollution. *Marine Environmental Research*, 69(5), 309-317, 2010.

(1902) ELIAS, R.; RIVERO, M.S.; SANCHEZ, M.A.; JAUBET, L.; VALLARINO, E.A. Do treatments of sewage plants really work? The intertidal mussels' community of the southwestern Atlantic shore (38 degrees S, 57 degrees W) as a case study. *Revista de Biología Marina y Oceanografía*, 44(2), 357-368, 2009.

(1903) FLORES, M.A.; PONCE-PALAFIX, J.T.; CASTILLO-VARGASMACHUCA, S.; SANTANA-HERNANDEZ, H.; ARREDONDO-FIGUEROA, J.L. Effect of organic carbon input on water and sediment quality in a lutjanid sea-cage farm. *Revista de Biología Marina y Oceanografía*, 44(1), 237-241, 2009.

(1904) KELSEY, R.H.; SCOTT, G.I.; PORTER, D.E.; SIEWICKI, T.C.; EDWARDS, D.G. Improvements to shellfish harvest area closure decision making using GIS, remote sensing, and predictive models. *Estuaries and Coasts*, 33(3), 712-722, 2010. [Faecal bacteria; rainfall]

(1905) LI, D.; HE, M.; JIANG, S.C. Detection of infectious adenoviruses in environmental waters by fluorescence-activated cell sorting assay. *Applied and Environmental Microbiology*, 76(5), 1442-1448, 2010. [Sewage]

(1906) MARTINEZ-GARCIA, S.; FERNANDEZ, E.; CALVO-DIAZ, A.; MARANON, E.; MORAN, G.X.A.; TEIRA, E. Response of heterotrophic and autotrophic microbial plankton to inorganic and organic inputs along a latitudinal transect in the Atlantic Ocean. *Biogeosciences Discussions*, 7(1), 463-502, 2010. [Nutrients]

(1907) MIRANDA, A.; VOLTOLINA, D.; FRIAS ESPERICUETA, M.G.; IZAGUIRRE FIERRO, G.; RIVAS VEGA, M.E. Budget and discharges of nutrients to the Gulf of California of a semi-intensive shrimp farm (NW Mexico). *Hidrobiologica*, 19(1), 43-48, 2009.

(1908) MOZDZER, T.J.; ZIEMAN, J.C.; MCGLATHERY, K.J. Nitrogen uptake by native and invasive temperate coastal macrophytes: importance of dissolved organic nitrogen. *Estuaries and Coasts*, 33(3), 784-797, 2010. [Eutrophication; nutrient enrichment]

- (1909) NOBRE, A.M.; FERREIRA, J.G.; NUNES, J.P.; YAN, X.; BRICKER, S.; CORNER, R.; GROOM, S.; GU, H.; HAWKINS, A.J.S.; HUTSON, R.; LAN, D.; LENCART E SILVA, J.D.; PASCOE, P.; TELFER, T.; ZHANG, X.; ZHU, M. Assessment of coastal management options by means of multilayered ecosystem models. *Estuarine, Coastal and Shelf Science*, 87(1), 43-62, 2010. [Water quality; aquaculture]
- (1910) PAPAGEORGIOU, N.; KALANTZI, I.; KARAKASSIS, I. Effects of fish farming on the biological and geochemical properties of muddy and sandy sediments in the Mediterranean Sea. *Marine Environmental Research*, 69(5), 326-336, 2010. [Organic enrichment]
- (1911) QU, H.J.; KROEZE, C. Past and future trends in nutrients export by rivers to the coastal waters of China. *Science of the Total Environment*, 408(9), 2075-2086, 2010.
- (1912) REOPANICHKUL, P.; CARTER, R.W.; WORACHANANANT, S.; CROSSLAND, C.J. Wastewater discharge degrades coastal waters and reef communities in southern Thailand. *Marine Environmental Research*, 69(5), 287-296, 2010. [Sewage; nutrients; suspended solids]
- (1913) RUIZ, J.M.; MARCO-MENDEZ, C.; SANCHEZ-LIZASO, J.L. Remote influence of off-shore fish farm waste on Mediterranean seagrass (*Posidonia oceanica*) meadows. *Marine Environmental Research*, 69(3), 118-126, 2010.
- (1914) SAVAGE, C.; LEAVITT, P.R.; ELMGREN, R. Effects of land use, urbanization, and climate variability on coastal eutrophication in the Baltic Sea. *Limnology and Oceanography*, 55(3), 1033-1046, 2010. [Water quality degradation; nutrients; sewage]
- (1915) SILVA, A.M.; VIEIRA, H.; MARTINS, N.; GRANJA, A.T.S.; VALE, M.J.; VALE, F.F. Viral and bacterial contamination in recreational waters: a case study in the Lisbon bay area. *Journal of Applied Microbiology*, 108(3), 1023-1031, 2010.
- (1916) SUTHERLAND, K.P.; PORTER, J.W.; TURNER, J.W.; THOMAS, B.J.; LOONEY, E.E.; LUNA, T.P.; MEYERS, M.K.; FUTCH, J.C.; LIPP, E.K. Human sewage identified as likely source of white pox disease of the threatened Caribbean elkhorn coral, *Acropora palmata*. *Environmental Microbiology*, 12(5), 1122-1131, 2010.
- (1917) SVEJKOVSKY, J.; NEZLIN, N.P.; MUSTAIN, N.M.; KUM, J.B. Tracking stormwater discharge plumes and water quality of the Tijuana River with multispectral aerial imagery. *Estuarine, Coastal and Shelf Science*, 87(3), 387-398, 2010. [Coliforms; faecal coliforms; enterococcus]
- (1918) TORRES, A.; CAILLE, G. Las comunidades del intermareal rocoso antes y despues de la eliminacion de un disturbio antropogenico: un caso de estudio en las costas de Puerto Madryn (Patagonia, Argentina). *Revista de Biologia Marina y Oceanografia*, 44(2), 517-521, 2009. [Sewage discharge]
- (1919) VENKATESAN, M.I.; MERINO, O.; BAEK, J.; NORTHRUP, T.; SHENG, Y.; SHISKO, J. Trace organic contaminants and their sources in surface sediments of Santa Monica Bay, California, USA. *Marine Environmental Research*, 69(5), 350-362, 2010. [DDTs; LABs; PAHs; PCBs; coprostanol]
- (1920) WHOMERSLEY, P.; HUXHAM, M.; BOLAM, S.; SCHRATZBERGER, M.; AUGLEY, J.; RIDLAND, D. Response of intertidal macrofauna to multiple disturbance types and intensities - an experimental approach. *Marine Environmental Research*, 69(5), 297-308, 2010. [Creeksea, Crouch Estuary; Blackness, Forth Estuary; organic enrichment; burial; raking]
- (1921) WOLF, S.; HEWITT, J.; GREENING, G.E. Viral multiplex quantitative PCR assays for tracking sources of fecal contamination. *Applied and Environmental Microbiology*, 76(5), 1388-1394, 2010.

(1922) YOKOYAMA, J.; KASAI, H.; MORI, S.; HAYASHI, H.; YOSHIMIZU, M. Bacteriological observation of fishing port for hygiene control. [In Japanese with English summary]. Nippon Suisan Gakkaishi, 76(1), 62-67, 2010.

Section 7: Heat

- (1923) BEG, M.U.; AL-SUBIAI, S.; BEG, K.R.; BUTT, S.A.; AL-JANDAL, N.; AL-HASAN, E.; AL-HUSSAINI, M. Seasonal effect on heat shock proteins in fish from Kuwait Bay. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 91-95, 2010.
- (1924) BYRNE, M.; SOARS, N.; SELVAKUMARASWAMY, P.; DWORJANYN, S.A.; DAVIS, A.R. Sea urchin fertilization in a warm, acidified and high pCO₂ ocean across a range of sperm densities. *Marine Environmental Research*, 69(4), 234-239, 2010. [Ocean acidification; CO₂; pH; climate change]
- (1925) DUCHET, C.; CAQUET, TH.; FRANQUET, E.; LAGNEAU, C.; LAGADIC, L. Influence of environmental factors on the response of a natural population of *Daphnia magna* (Crustacea: Cladocera) to spinosad and *Bacillus thuringiensis israelensis* in Mediterranean coastal wetlands. *Environmental Pollution*, 158(5), 1825-1833, 2010. [Salinity; temperature]
- (1926) FINDLAY, H.S.; KENDALL, M.A.; SPICER, J.I.; WIDDICOMBE, S. Relative influences of ocean acidification and temperature on intertidal barnacle post-larvae at the northern edge of their geographic distribution. *Estuarine, Coastal and Shelf Science*, 86(4), 675-682, 2010. [CO₂; pH]
- (1927) MARTINEZ-LUSCHER, J.; HOLMER, M. Potential effects of the invasive species *Gracilaria vermiculophylla* on *Zostera marina* metabolism and survival. *Marine Environmental Research*, 69(5), 345-349, 2010. [Hypoxia; temperature]
- (1928) RODOLFO-METALPA, R.; MARTIN, S.; FERRIER-PAGES, C.; GATTUSO, J.-P. Response of the temperate coral *Cladocora caespitosa* to mid- and long-term exposure to pCO₂ and temperature levels projected for the year 2100 AD. *Biogeosciences*, 7(1), 289-300, 2010. [Ocean acidification; pH; calcification]

Section 8: Solids

(1929) ALBANI, A.D.; DONNICI, S.; SERANDREI-BARBERO, R. RICKWOOD, P.C. Seabed sediments and foraminifera over the Lido Inlet: comparison between 1983 and 2006 distribution patterns. *Continental Shelf Research*, 30(8), 847-858, 2010. [Dredging impact]

(1930) AYZAZ, A.; UNAL, V.; ACARLI, D.; ALTINAGAC, U. Fishing gear losses in the Gokova Special Environmental Protection Area (SEPA), eastern Mediterranean, Turkey. *Journal of Applied Ichthyology*, 26(3), 416-419, 2010.

(1931) BOLLE, A.; WANG, Y.-B.; AMOS, C.; DE RONDE, J. The influence of changes in tidal asymmetry on residual sediment transport in the Western Scheldt. *Continental Shelf Research*, 30(8), 871-882, 2010. [Dredging; dumping; sand mining]

(1932) GALLOWAY, T.; LEWIS, C.; DOLCIOTTI, I.; JOHNSTON, B.D.; MOGER, J.; REGOLI, F. Sublethal toxicity of nano-titanium dioxide and carbon nanotubes in a sediment dwelling marine polychaete. *Environmental Pollution*, 158(5), 1748-1755, 2010. [Nanoparticles]

(1933) SARRETTA, A.; PILLON, S.; MOLINAROLI, E.; GUERZONI, S.; FONTOLAN, G. Sediment budget in the Lagoon of Venice, Italy. *Continental Shelf Research*, 30(8), 934-949, 2010. [Dredging; navigation channels; clam fishing; natural erosion]

(1934) SEKIGUCHI, T.; EBISUI, A.; NOMURA, K.; WATANABE, T.; ENOKI, M.; KANEHIRO, H. Biodegradation of several fibers submerged in deep sea water and isolation of biodegradable plastic degrading bacteria from deep ocean water. *Nippon Suisan Gakkaishi*, 72(6), 1011-1018, 2009.

(1935) STONE, V., (ET AL). Nanomaterials for environmental studies: classification, reference material issues, and strategies for physico-chemical characterisation. *Science of the Total Environment*, 408(7), 1745-1754, 2010. [Nanoparticles]

(1936) WHOMERSLEY, P.; HUXHAM, M.; BOLAM, S.; SCHRATZBERGER, M.; AUGLEY, J.; RIDLAND, D. Response of intertidal macrofauna to multiple disturbance types and intensities - an experimental approach. *Marine Environmental Research*, 69(5), 297-308, 2010. [Creeksea, Crouch Estuary; Blackness, Forth Estuary; organic enrichment; burial; raking]

Section 9: Physical Disturbance

(1937) ALBANI, A.D.; DONNICI, S.; SERANDREI-BARBERO, R. RICKWOOD, P.C. Seabed sediments and foraminifera over the Lido Inlet: comparison between 1983 and 2006 distribution patterns. *Continental Shelf Research*, 30(8), 847-858, 2010. [Dredging impact]

(1938) BADILLA, M.; GEORGE-NASCIMENTO, M. Conducta diurna del chungungo *Lontra felina* (Molina, 1782) en dos localidades de la costa de Talcahuano, Chile: efectos de la exposicion al oleaje y de las actividades humanas. *Revista de Biologia Marina y Oceanografia*, 44(2), 409-415, 2009. [Human activity]

(1939) BARBOSA, A.B.; DOMINGUES, R.B.; GALVAO, H.M. Environmental forcing of phytoplankton in a Mediterranean estuary (Guadiana Estuary, South-western Iberia): a decadal study of anthropogenic and climatic influences. *Estuaries and Coasts*, 33(2), 324-341, 2010. [Dam construction]

(1940) BIRCHENOUGH, S.N.R.; BOYD, S.E.; VANSTAEN, K.; COGGAN, R.A.; LIMPENNY, D.S. Mapping an aggregate extraction site off the Eastern English Channel: a methodology in support of monitoring and management. *Estuarine, Coastal and Shelf Science*, 87(3), 420-430, 2010. [Shoreham; dredging]

(1941) BOLLE, A.; WANG, Y.-B.; AMOS, C.; DE RONDE, J. The influence of changes in tidal asymmetry on residual sediment transport in the Western Scheldt. *Continental Shelf Research*, 30(8), 871-882, 2010. [Dredging; dumping; sand mining]

(1942) BUSCAINO, G.; FILICIOTTO, F.; BUFFA, G.; BELLANTE, A.; DI STEFANO, V.; ASSENZA, A.; FAZIO, F.; CAOLA, G.; MAZZOLA, S. Impact of an acoustic stimulus on the motility and blood parameters of European sea bass (*Dicentrarchus labrax* L.) and gilthead sea bream (*Sparus aurata* L.). *Marine Environmental Research*, 69(3), 136-142, 2010.

(1943) CARLS, M.G.; THEDINGA, J.F. Exposure of pink salmon embryos to dissolved polynuclear aromatic hydrocarbons delays development, prolonging vulnerability to mechanical damage. *Marine Environmental Research*, 69(5), 318-325, 2010. [PAHs]

(1944) EL-MAGD, I.H.A.; HERMAS, E.A. Human impact on the coastal landforms in the area between Gamasa and Kitchner drains, northern Nile Delta, Egypt. *Journal of Coastal Research*, 26(3), 541-548, 2010.

(1945) FANELLI, E.; BADALAMENTI, F.; D'ANNA, G.; PIPITONE, C.; ROMANO, C. Trophodynamic effects of trawling on the feeding ecology of pandora, *Pagellus erythrinus*, off the northern Sicily coast (Mediterranean Sea). *Marine and Freshwater Research*, 61(4), 408-417, 2010.

(1946) GONZALEZ, M.; MEDINA, R.; ESPEJO, A.; TINTORE, J.; MARTIN, D.; ORFILA, A. Morphodynamic evolution of dredged sandpits. *Journal of Coastal Research*, 26(3), 485-502, 2010.

(1947) LANG, F.; VON DER LIPPE, M.; SCHIMPEL, S.; SCOZZAFAVA-JAEGER, T.; STRAUB, W. Topsoil morphology indicates bio-effective redox conditions in Venice salt marshes. *Estuarine, Coastal and Shelf Science*, 87(1), 11-20, 2010. [Anthropogenic impact]

(1948) LANGHAMER, O. Effects of wave energy converters on the surrounding soft-bottom macrofauna (west coast of Sweden). *Marine Environmental Research*, 69(5), 374-381, 2010. [Lysekil]

- (1949) LOKKEBORG, S.; ONA, E.; VOLD, A.; PENA, H.; SALTHAUG, A.; TOTLAND, B.; OVREDAL, J.T.; DALEN, J.; HANDEGARD, N.O. Effects of seismic surveys on fish distribution and catch rates of gillnets and longlines in Vesteralen in summer 2009. [In Norwegian with English summary]. *Fisken og Havet*, (2/2010), 74p., 2010.
- (1950) SARRETTA, A.; PILLON, S.; MOLINAROLI, E.; GUERZONI, S.; FONTOLAN, G. Sediment budget in the Lagoon of Venice, Italy. *Continental Shelf Research*, 30(8), 934-949, 2010. [Dredging; navigation channels; clam fishing; natural erosion]
- (1951) SOBOCINSKI, K.L.; CORDELL, J.R.; SIENSTAD, C.A. Effects of shoreline modifications on supratidal macroinvertebrate fauna on Puget Sound, Washington beaches. *Estuaries and Coasts*, 33(3), 699-711, 2010.
- (1952) TORN, K.; MARTIN, G.; KOTTA, J.; KUPP, M. Effects of different types of mechanical disturbances on a charophyte dominated macrophyte community. *Estuarine, Coastal and Shelf Science*, 87(1), 27-32, 2010.
- (1953) VOLD, A.; LOKKEBORG, S.; TENNINGEN, M.; SALTSKAR, J. Analysis of commercial catch data to study the effects of seismic surveys on the fisheries in Lofoten and Vesteralen summer of 2008. [In Norwegian with English summary]. *Fisken og Havet*, (5/2009), 47p., 2009.
- (1954) WHOMERSLEY, P.; HUXHAM, M.; BOLAM, S.; SCHRATZBERGER, M.; AUGLEY, J.; RIDLAND, D. Response of intertidal macrofauna to multiple disturbance types and intensities - an experimental approach. *Marine Environmental Research*, 69(5), 297-308, 2010. [Creeksea, Crouch Estuary; Blackness, Forth Estuary; organic enrichment; burial; raking]
- (1955) WILLIAMS, A.T.; ERGIN, A. A Mediterranean sustainable tourism model for protection of a natural heritage in Cirali beach, Turkey. *Egyptian Journal of Aquatic Research*, 35(3), 307-315, 2009. [Turtles]
- (1956) ZINGONE, A.; PHILIPS, E.J.; HARRISON, P.J. Multiscale variability of twenty-two coastal phytoplankton time series: a global scale comparison. *Estuaries and Coasts*, 33(2), 224-229, 2010. [Eutrophication; other anthropogenic impacts]

Section 10: Non-indigenous Species

- (1957) BERKE, S.K.; MAHON, A.R.; LIMA, F.P.; HALANYCH, K.M.; WETHEY, D.S.; WOODIN, S.A. Range shifts and species diversity in marine ecosystem engineers: patterns and predictions for European sedimentary habitats. *Global Ecology and Biogeography*, 19(2), 223-232, 2010. [Climate change; English Channel; North Sea]
- (1958) BREVES-RAMOS, A.; JUNQUEIRA, A.O.R.; LAVRADO, H.P.; SILVA, S.H.G.; FERREIRA-SILVA, M.A.G. Population structure of the invasive bivalve *Isognomon bicolor* on rocky shores of Rio de Janeiro State (Brazil). *Journal of the Marine Biological Association of the United Kingdom*, 90(3), 453-459, 2010.
- (1959) BUTCHART, S.H.M., (ET AL). Global biodiversity: indicators of recent declines. *Science*, 328(5982), 1164-1168, 2010.
- (1960) COLLANTES, G.; MUNOZ-MUGA, P. Massive proliferation of *Grateloupia intestinalis* (Hooker fil. et Harvey) Setchell ex Parkinson (Rhodophyta, Halymeniaceae), a non-native species in Valparaiso Bay, central Chile. *Revista de Biología Marina y Oceanografía*, 44(2), 527-532, 2009.
- (1961) ERGUDEN, D.; TURAN, C.; GURLEK, M.; YAGLIOGLU, D.; GUNGOR, M. Age and growth of the Randall's threadfin bream *Nemipterus randalli* (Russell, 1986), a recent Lessepsian migrant in Iskenderun Bay, northeastern Mediterranean. *Journal of Applied Ichthyology*, 26(3), 441-444, 2010.
- (1962) FEI, S.; XU, S.-M.; ZHANG, S.-H. Uniform measures for marine bio-fouling issues. [In Chinese with English summary]. *Navigation of China*, 32(4), 84-87, 2009.
- (1963) GOLDSTEIN, S.J.; SCHIEL, D.R.; GEMMELL, N.J. Regional connectivity and coastal expansion: differentiating pre-border and post-border vectors for the invasive tunicate *Styela clava*. *Molecular Ecology*, 19(5), 874-885, 2010.
- (1964) HERSHLER, R.; DAVIS, C.L.; KITTING, C.L.; LIU, H.-P. Discovery of introduced and cryptogenic cochliopid gastropods in the San Francisco Estuary, California. *Journal of Molluscan Studies*, 76(2), p.199, 2010.
- (1965) JANAS, U.; SPICER, J.I. Seasonal and temperature effects on osmoregulation by the invasive prawn *Palaemon elegans* Rathke, 1837 in the Baltic Sea. *Marine Biology Research*, 6(3), 333-337, 2010.
- (1966) LIAO, C.-M.; JU, Y.-R.; CHIO, C.-P.; CHEN, W.-Y. Risk-based probabilistic approach to assess the impact of false mussel invasions on farmed hard clams. *Risk Analysis*, 30(2), 310-323, 2010.
- (1967) LUTZ, M.L.; DAVIS, A.R.; MINCHINTON, T.E. Non-indigenous macroalga hosts different epiphytic assemblages to conspecific natives in southeast Australia. *Marine Biology*, 157(5), 1095-1103, 2010.
- (1968) MARTINEZ-LUSCHER, J.; HOLMER, M. Potential effects of the invasive species *Gracilaria vermiculophylla* on *Zostera marina* metabolism and survival. *Marine Environmental Research*, 69(5), 345-349, 2010. [Hypoxia; temperature]
- (1969) MAZARIEGOS-VILLAREAL, A.; RIOSMENA-RODRIGUEZ, R.; RIVERA-CAMACHO, A.R.; SERVIERE-ZARAGOZA, E. First report of *Cladostephus spongiosus* (Sphacelariales: Phaeophyta) from the Pacific coast of Mexico. *Botanica Marina*, 53(2), 153-157, 2010. [Suggested recent introduction]

- (1970) MILOSLAVICH, P.; KLEIN, E.; PENCHASZADEH, P. Gametogenic cycle of the tropical vermetids *Eualetes tulipa* and *Dendropoma corrodens* (Mollusca: Caenogastropoda: Vermetidae). *Journal of the Marine Biological Association of the United Kingdom*, 90(3), 509-518, 2010. [E. hilipa; invasive species]
- (1971) MOZDZER, T.J.; ZIEMAN, J.C.; MCGLATHERY, K.J. Nitrogen uptake by native and invasive temperate coastal macrophytes: importance of dissolved organic nitrogen. *Estuaries and Coasts*, 33(3), 784-797, 2010. [Eutrophication; nutrient enrichment]
- (1972) OZCAN, T.; KATAGAN, T.; NG, P.K.L. First record of *Eurycarcinus integrifrons* De Man, 1879 (Decapoda, Pilumnidae) from the Mediterranean Sea. *Crustaceana*, 83(4), 507-510, 2010.
- (1973) SANGIL, C.; SANSON, M.; AFONSO-CARRILLO, J.; MARTIN-GARCIA, L. Extensive off-shore meadows of *Penicillus capitatus* (Udoteaceae, Chlorophyta) in the Canary Islands (eastern Atlantic Ocean). *Botanica Marina*, 53(2), 183-187, 2010. [Possible introduction; climate change]
- (1974) SIMON, C.A.; WORSFOLD, T.M.; LANGE, L.; STERLEY, J. The genus *Boccardia* (Polychaeta: Spionidae) associated with mollusc shells on the south coast of South Africa. *Journal of the Marine Biological Association of the United Kingdom*, 90(3), 585-598, 2010. [*Boccardia proboscidea* (alien species) found only on abalone farms]
- (1975) WILTSHIRE, K.H.; KRABERG, A.; BARTSCH, I.; BOERSMA, M.; FRANKE, H.-D.; FREUND, J.; GEBUHR, C.; GERDTS, G.; STOCKMANN, K.; WICHELS, A. Helgoland Roads, North Sea: 45 years of change. *Estuaries and Coasts*, 33(2), 295-310, 2010. [Climate change]